

FLOORING STANDARDS


Bloom Scheme





Guestroom | C-01

Style	BS201
Color	BB69M
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd ² 1085.01 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10.83 per in 42.64 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72 in x 72 in 182.88 cm x 182.88 cm
Backing	Classicbac®
Installation	Stretch-In
Warranty	10 Year Commercial Limited



For sample, order BS201 color BB69M.



Guestroom | C-01 ALT


Style	BS017
Color	W960Z
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	21 oz/yd ² 712.04 g/m ²
Gauge	1/12 in 47.24 per 10 cm
Stitches	9 per in 35.43 per 10 cm
Size	9 in x 36 in 22.86 cm x 91.44 cm
Backing	EcoLogix® (attached cushion)
Installation	Direct Glue
Approved Install Method	Ashlar
Warranty	Lifetime Commercial Limited

For sample, order BS017 color W960Z.




Lobby | C-10

Style	BS200
Color	BC84B
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10 per in 39.37 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72 in x 160 in 182.88 cm x 406.4 cm
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited



For sample, order BS200 color BC84B.



Lobby | C-10 ALT


Style	BS205
Color	BC16B
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1017.2 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	8.83 per in 34.76 per 10 cm
Size	18 in x 36 in 45.72 cm x 91.44 cm
Backing	EcoLogix® (attached cushion)
Installation	Direct Glue
Approved Install Method	Offset
Warranty	Lifetime Commercial Limited

For sample, order BS205 color BC16B.




Corridor | C-11

Style	BS196
Color	BB80B
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10 per in 39.37 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72 in x 108.8 in 182.88 cm x 276.35 cm
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited



For sample, order BS196 color BB80B.



Corridor | C-11 ALT


Style	BS202
Color	BB35X
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1017.2 g/m ²
Gauge	1/10 39.37 per 10 cm
Stitches	8.5 per in 33.46 per 10 cm
Size	18 in x 36 in 45.72 cm x 91.44 cm
Backing	EcoLogix® (attached cushion)
Installation	Direct Glue
Approved Install Method	Ashlar
Warranty	Lifetime Commercial Limited

For sample, order BS202 color BB35X.




Elevator Lobby | CPT-12

Style	BS198
Color	BB30Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Loop
Tufted Weight	36 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10 per in 39.37 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72 in x 73.6 in 182.88 cm x 186.94 cm
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited



For Door Fill | CPT-12, order BS197 color Z991Y.

For sample, order BS198 color BB30Z.




Elevator Lobby | C-12 ALT


Style	BS203
Color	BC17B
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1017.2 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	8.5 per in 33.46 per 10 cm
Size	18 in x 36 in 45.72 cm x 91.44 cm
Backing	EcoLogix® (attached cushion)
Installation	Direct Glue
Approved Install Method	Offset
Warranty	Lifetime Commercial Limited

For sample, order BS203 color BC17B.


Bloom Scheme



Bloom Scheme




Carpet Tile

-  Elevator Lobby
-  Transition
-  Corridor




Meeting Room | C-13

Style	BS199
Color	Z747Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10 per in 39.37 per 10 cm
Size	12 ft 3.66 m
Backing	72 in x 70.4 in 182.88 cm x 178.82 cm
Pattern Repeat	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited



For sample, order BS199 color Z747Z.



Meeting Room | C-13 ALT

Style	BS204
Color	BB36X
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1017.2 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	18 in x 36 in 45.72 cm x 91.44 cm
Backing	EcoLogix® (attached cushion)
Installation	Direct Glue
Approved Install Method	Ashlar
Warranty	Lifetime Commercial Limited

For sample, order BS204 color BB36X.



Back of House | C-14

Style	BS244
Color	72761
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Loop
Tufted Weight	22 oz/yd ² 746 g/m ²
Gauge	1/12 in 47.2 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	2 ft x 2 ft 60.96 cm x 60.96 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS244 color 72761.



Back of House LVT | LVT-15


Style	BS246
Color	07004
Construction	Commercial Luxury Vinyl Tile
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.098 in 2.5 mm
Nominal Dimensions	6 in x 48 in 15 cm x 122 cm
Actual Dimensions	5.96 in x 48 in 15.14 cm x 121.92 cm
Installation	Direct Glue
Area per box	41.72 sq ft 21 pcs
Warranty	15 Year Commercial Limited

For sample, order BS246 color 07004.

Additional Product Options

Guestroom & Fitness Center Vinyl Base | B-01, B-06

Style	BS534
Color	00710
Product Type	4 in Vinyl Base
Construction	TPR (Thermoplastic Rubber)
Actual Dimensions	96 in length × 4 in width
Linear Ft Per Box	48
Pieces Per Box	6
Warranty	5 Year Commercial Limited



For sample, order BS534 color 00710.

Additional Product Options

Guestroom Cushion | C-01 PAD

Style	132FS
Description	Fiber Select
Weight	32 oz 1085 g/m ²
Thickness	0.312 in 7.92 mm
Density	8.5 lb/ft ³ 136 kg/m ³
Square Yards Per Roll	40

Public Space Cushion | C-10/11/12/13/14 PAD

Style	DW206
Description	DuraWorx®
Weight	47 oz 1,593 g/m ²
Thickness	0.20 in 5.08 mm
Density	19 lb/ft ³ 304 kg/m ³
Square Yards Per Roll	30

Additional Product Options

Broadloom Adhesive

Style	H1000
Description	Shaw 1000 4 gallon pail
Spread Rate	8-10 sy per gallon

Carpet Tile Adhesive

Style	H5000
Description	Shaw 5000 4 gallon pail
Spread Rate	28-33 sy per gallon

Seam Sealer

Style	H4000
Description	Shaw 4000 1 quart
Spread Rate	550-600 lf per quart

LVT Adhesive

Style	012VS
Description	Shaw 4100 4 gallon pail
Spread Rate	175-225 sf per gallon

Cove Base Adhesive (Tube)

Style	141VS
Description	Cove base adhesive 30 oz per tube 12 tubes per box
Spread Rate	55-60 lf per tube

Cove Base Adhesive

Style	166VS
Description	Cove base adhesive 1 gallon pail
Spread Rate	240 lf per gallon

