

FLOORING STANDARDS

Fairfield Inn

Kindred Scheme

ACCOUNT EXECUTIVE

David Burn

dburn1@mac.com

301.520.9360

CUSTOMER SERVICE

Courtnei Cartwright

marriottsupport@shawinc.com

1.877.847.0553

VP STRATEGIC ACCOUNTS

Lori Henderson

lori.henderson@shawinc.com

303.818.9719

WHY SHAW CONTRACT HOSPITALITY?

Shaw Contract Hospitality provides innovative flooring solutions designed to enhance guest experiences, reflect brand identity, and meet the functional demands of diverse hospitality spaces.

DIVERSE HOSPITALITY EXPERTISE

Our experience spans across hotels, casinos, Indian gaming, convention centers, restaurants and more, making us a trusted partner for a variety of hospitality spaces.

SUSTAINABILITY IN ACTION

For more than 20 years, Shaw Contract Hospitality has demonstrated our commitment to the Cradle to Cradle® design philosophy and the Cradle to Cradle Certified™ Products Program. More than 90% of the products we manufacture have achieved this prestigious multi-attribute certification, protecting humans and the environment.

Our re[TURN]® reclamation program allows you to reduce your next project’s landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you.

COMPREHENSIVE PRODUCT OFFERINGS

From diverse carpet construction capabilities to hard surfaces like porcelain, pvc-free resilient, and hardwood, we provide everything you need for a complete flooring solution.

PERSONALIZED ACCOUNT SUPPORT

We have a dedicated customer service team solely focused on our brand standards program, providing expert guidance and seamless project management to bring your vision to life.

DEDICATED STOCKING PROGRAM

Enjoy fast, reliable delivery with products and samples stocked exclusively for your brand standard program. Ready to ship when you need them.

CERTIFICATIONS



Declare.





Guestroom LVT | 363076

Style	B264S
Color	90250
Construction	Multilayer SPC With Attached Cork Underlayment
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5 mm
Nominal Dimensions	7 in x 48 in 18 cm x 122 cm
Actual Dimensions	7.20 in x 48.03 in 18.29 cm x 122 cm
Installation	Floating or Direct Glue
Approved Install Method	Brick, Ashlar, or Stagger
Area Per Box	28.84 sf 12 pcs
Warranty	Marriott Resilient SPC 20 Year Commercial Limited Warranty



FOR SAMPLE, ORDER B264S COLOR 90250



Guestroom Broadloom | 363713

Style	B250S
Color	I4772
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multituft Full Repeat Tip Shear
Tufted Weight	32 oz/yd² 1085.01 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	12.33 per in 48.54 per 10 cm
Size	13 ft 6 in 4.11 m
Pattern Repeat	162 in x 72 in 411.48 cm x 182.88 cm
Backing	Classicbac®
Installation	Stretch-In
Warranty	10 Year Commercial Limited



FOR SAMPLE, ORDER **B250S** COLOR **I4772**.

Guestroom Tile | 367062

Style	B379S
Color	J5944
Product Type	Carpet Tile
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multituft Full Repeat Tip Shear
Tufted Weight	24 oz/yd² 813.76 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	12.5 per in 49.21 per 10 cm
Size	24 in x 24 in 60.96 cm x 60.96 cm
Backing	Ecoworx® Tile
Installation	Direct Glue
Approved Installation	Ashlar
Warranty	Lifetime Commercial Limited



FOR SAMPLE, ORDER **B379S** COLOR **J5944**.

re[TURN]®**

Our re[TURN]® Reclamation Program allows you to reduce your next project's landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. **Call 1-800-509-SHAW to get started.**



Corridor Broadloom | 364692


Style	B310S
Color	J0225
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multituft Full Repeat Tip Shear
Tufted Weight	34 oz/yd² 1152.82 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	13.5 per in 53.15 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in x 144 in 228.6 cm x 365.76 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



FOR SAMPLE, ORDER B310S COLOR J0225.

Corridor & Elevator Lobby Broadloom

- Corridor
- Door Fill
- Elevator Lobby



Corridor Door Fill | 364696

Style	B311S
Color	J0226
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multituft Full Repeat Tip Shear
Tufted Weight	34 oz/yd² 1152.82 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	13.83 per in 54.45 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	30 in x 144 in 76.2 cm x 365.76 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited




FOR SAMPLE, ORDER **B311S** COLOR **J0226**.



BOH & Stairs | 362712

Style	B251S
Color	I6190
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Loop
Tufted Weight	22 oz/yd² 745.95 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.17 per in 43.98 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	6 in x 16 in 15.24 cm x 40.64 cm
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited



FOR SAMPLE, ORDER **B251S** COLOR **I6190**.

Elevator Lobby / Transition

Style	B333S
Color	J2966
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multituft Full Repeat Tip Shear
Tufted Weight	34 oz/yd² 1152.82 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	12.5 per in 49.21 per 10 cm
Size	15 ft 4.57 m*
Pattern Repeat	90 in x 72 in 228.6 cm x 182.88 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



FOR SAMPLE, ORDER **B333S** COLOR **J2966**.



Corridor Carpet Tile | 364772

Style	B320S
Color	J3923
Product Type	Carpet Tile
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multituft Full Repeat Tip Shear
Tufted Weight	24 oz/yd² 813.76 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	12.83 per in 50.51 per 10 cm
Size	24 in x 24 in 60.96 cm x 60.96 cm
Backing	Ecoworx® Tile
Installation	Direct Glue
Approved Installation	Ashlar
Warranty	Lifetime Commercial Limited

re[TURN]®*




FOR SAMPLE, ORDER **B320S COLOR J3923**.

Our re[TURN]® Reclamation Program allows you to reduce your next project's landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. **Call 1-800-509-SHAW to get started.**

Corridor & Elevator Lobby Carpet Tile

 Corridor Carpet Tile



Additional Products

Guestroom & Corridor Carpet Base | 363075


Style	B265S
Color	J3317
Product Type	Carpet Base
Size	4 in
Warranty	5 Year Commercial Limited



FOR SAMPLE, ORDER
B265S COLOR J3317.

Meeting Room, Breakfast Room & BOH/Stairs Carpet Base | 364806

Style	B319S
Color	J3318
Product Type	Carpet Base
Size	4 in
Warranty	5 Year Commercial Limited



FOR SAMPLE, ORDER
B319S COLOR J3318.

Additional Products

Guestroom Vinyl Base | 363287


Style	B308S
Color	00074
Product Type	4.5 in Detail Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	96 in length x 4.50 in width
Linear ft Per Roll Pieces Per Roll	48 6
Warranty	<u>5 Year Commercial Limited</u>



FOR SAMPLE, ORDER
B308S COLOR 00074.

Meeting Room, Breakfast Room & BOH/Stairs Vinyl Base | 364773

Style	B309S
Color	00067
Product Type	4.5 in Detail Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	96 in length x 4.50 in width
Linear ft Per Roll Pieces Per Roll	48 6
Warranty	<u>5 Year Commercial Limited</u>



FOR SAMPLE, ORDER
B309S COLOR 00067.

Additional Products

Guestroom Broadloom Cushion

Style	B124A
Description	Fiber Select 32 oz
Weight	32 oz 1,085 g/m²
Thickness	0.312 in 7.92 mm
Density	8.5 lb/ft³ 136 kg/m³
Square Yards Per Roll	40



Public Space Broadloom Cushion

Style	B125A
Description	DuraWorx
Weight	47 oz 1,593 g/m²
Thickness	0.20 in 5.08 mm
Density	19 lb/ft³ 304 kg/m³
Square Yards Per Roll	30



Public Space Broadloom Cushion

Style	B212A
Description	DoubleStick
Weight	34 oz 1,153 g/m²
Thickness	0.3125 in 7.94 mm
Density	8.5 lb/ft³ 136 kg/m³
Square Yards Per Roll	40



Additional Products

Broadloom Adhesive

Style	B126A
Description	LokWorx+ Broadloom Adhesive 4 gal
Spread Rate	8–10 sy per gal

Carpet Tile Adhesive

Style	B127A
Description	LokWorx+ Carpet Tile Adhesive 4 gal
Spread Rate	28–33 sy per gal

Broadloom Seam Sealer

Style	B128A
Description	Shaw 4000 1 qt
Spread Rate	550–600 lf per qt

LVT Adhesive

Style	B129A
Description	LokWorx+ Resilient Adhesive 4 gal
Spread Rate	140-170 sf per gal

Cove Base Adhesive

Style	B169A
Description	Cove Base Adhesive 1 gal
Spread Rate	240 lf per gal

Cove Base Adhesive (Tube)

Style	B170A
Description	Cove Base Base Adhesive 12 30oz tubes per box
Spread Rate	55-60 lf per tube


re[TURN] At the end of its useful life, we'll reclaim and recycle EcoWorx® backed carpet to make more EcoWorx® carpet products at no cost to you for a minimum.

EXTRUDED PELLETS

The shredded material is extruded into pellets that are used to make new carpet tile backing.

SHREDDED FIBER & BACKING

Once the carpet tile is returned, it is processed at Shaw facilities, and the material is shredded into a mix of fiber and backing.



ECOWORX® CARPET TILE

Start the way you mean to finish. Our 100% PVC-free backing is made from thermoplastic polyolefin compound engineered for performance & circularity. Beautiful, inside and out.

+

ECOSOLUTION Q100™ FIBER

EcoSolution Q100™ is a high performance 100% recycled content nylon fiber*. Local Landscapes carpet tile styles are made with EcoSolution Q100™ and have a low carbon footprint as reflected in the EC3 tool.

*Allocated from pre-consumer sources.

=

**Low Embodied Carbon
Carbon Neutral**

re[TURN]® Reclamation Program

Learn how to reduce your next project's landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. Call 1.800.509.SHAW to get started.

Five Easy Steps

1

IDENTIFY

Identify the existing flooring with the help of your local account executive.

2

REGISTER

Partner with your account executive to register the project.

3

PROPOSAL

Receive the proposal and guidelines to outline next steps for you or the general contractor.

4

SCHEDULE

Our team will schedule and arrange pick up once the project proposal is finalized.

5

COMPLETE

Celebrate the impact you've made by taking action. Receive your project certificate to acknowledge your effort.

