

FLOORING STANDARDS

**Rise and Shine**  
Sea Scheme



**Comfort**<sup>TM</sup>  
**INN**





For sample, order BS477 color 48103.

## Guestroom LVT | LVT-001B


<b>Style</b>	BS477
<b>Color</b>	48103
<b>Construction</b>	Commercial Luxury Vinyl Tile with Fiberglass
<b>Wear Layer Thickness</b>	20 mil   0.02 in   0.51 mm
<b>Overall Thickness</b>	0.197 in   5 mm
<b>Nominal Dimensions</b>	6 in × 48 in   15 cm × 122 cm
<b>Actual Dimensions</b>	6 in × 48 in   15.24 cm × 121.92 cm
<b>Installation</b>	Direct Glue*
<b>Approved Install Method</b>	Stagger
<b>Area Per Box</b>	20 sq ft   10 pcs per box
<b>Warranty</b>	15 Year Commercial Limited

\*LVT underlayment required.



## Guestroom Broadloom | CPT-001B

Style	BS447
Color	A8586
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd <sup>2</sup>   1,085.01 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	10.5 per in   41.34 per 10 cm
Size	12 ft   3.66 m
Pattern Repeat	18 in x 27 in   45.72 cm x 68.58 cm
Backing	ClassicBac®
Installation	Stretch-In
Warranty	10 Year Commercial Limited



For sample, order BS447 color A8586.





## Guestroom Broadloom + LVT | CPT-001B

<b>Style</b>	BS447
<b>Color</b>	A8586
<b>Product Type</b>	Broadloom
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	32 oz/yd <sup>2</sup>   1,085.01 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	10.5 per in   41.34 per 10 cm
<b>Size</b>	12 ft   3.66 m
<b>Pattern Repeat</b>	18 in x 27 in   45.72 cm x 68.58 cm
<b>Backing</b>	ClassicBac®
<b>Installation</b>	Direct Glue*
<b>Warranty</b>	10 Year Commercial Limited

For sample, order BS447 color A8586.

\*Use LokSeam for Transitionless LVT to Broadloom Applications.

\*Carpet cushion required.





## Guestroom Carpet Tile | CPT-002B

Style	BS467
Color	B3182
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	12.33 per in   48.54 per 10 cm
Size	24 in × 24 in   60.96 cm × 60.96 cm
Backing	EcoWorx® Tile
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited



For sample, order BS467 color B3182.





For sample, order BS467 color B3182.

## Guestroom Carpet Tile + LVT | CPT-002B

<b>Style</b>	BS467
<b>Color</b>	B3182
<b>Product Type</b>	Carpet Tile
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	12.33 per in   48.54 per 10 cm
<b>Size</b>	24 in × 24 in   60.96 cm × 60.96 cm
<b>Backing</b>	EcoWorx® Tile
<b>Installation</b>	Direct Glue*
<b>Approved Install Method</b>	Quarter Turn
<b>Warranty</b>	Lifetime Commercial Limited

\*No transitions needed.



## Sea Scheme



### Corridor Broadloom | CPT-010B

Style	BS494
Color	B1330
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd <sup>2</sup>   1,220.64 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	13.83 per in   54.45 per 10 cm
Size	12 ft   3.66 m
Pattern Repeat	36 in x 36 in   91.44 cm x 91.44 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited




For sample, order BS494 color B1330.



Sea Scheme

Corridor Broadloom



Sea Scheme



## Corridor Carpet Tile | CPT-011B

<b>Style</b>	BS495
<b>Color</b>	B3619
<b>Product Type</b>	Carpet Tile
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	11 per in   43.31 per 10 cm
<b>Size</b>	24 in × 24 in   60.96 cm × 60.96 cm
<b>Backing</b>	EcoWorx® Tile
<b>Installation</b>	Direct Glue
<b>Approved Install Method</b>	Quarter Turn
<b>Warranty</b>	Lifetime Commercial Limited




For sample, order BS495 color B3619.




Sea Scheme

Corridor Carpet Tile





Sea Scheme





## Inset Area Rug @ Lobby | CPT-020B

14'11" × 21'

Style	BS474
Color	B0980
Product Type	Area Rug
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd <sup>2</sup>   1,220.64 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	14 per in   55.12 per 10 cm
Size	14 ft 11 in × 21 ft   4.55 m × 6.4 m
Pattern Repeat	180 in × 180 in   457.2 cm × 457.2 cm
Backing	ClassicBac®
Installation	Direct Glue*
Warranty	10 Year Commercial Limited

\*Use LokSeam for Transitionless Inset Area Rug Applications.

\*Carpet cushion required.



For sample, order BS474 color B0980.

## Public Space LVT | LVT-002B

Style	BS485
Color	48120
Construction	Commercial Luxury Vinyl Tile with Fiberglass
Wear Layer Thickness	20 mil   0.02 in   0.51 mm
Overall Thickness	0.197 in   5.0 mm
Nominal Dimensions	6 in × 48 in   15 cm × 122 cm
Actual Dimensions	6 in x 48 in   15.24 cm x 121.92 cm
Installation	Direct Glue
Approved Install Method	Stagger
Area Per Box	20 sq ft   10 pcs per box
Warranty	15 Year Commercial Limited




For sample, order BS485 color 48120.

Sea Scheme



**BOH & Stairs Broadloom | CPT-021B**

<b>Style</b>	BS447
<b>Color</b>	A8586
<b>Product Type</b>	Broadloom
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	32 oz/yd <sup>2</sup>   1,085.01 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	10.5 per in   41.34 per 10 cm
<b>Size</b>	12 ft   3.66 m
<b>Pattern Repeat</b>	18 in x 27 in   45.72 cm x 68.58 cm
<b>Backing</b>	ClassicBac®
<b>Installation</b>	Direct Glue
<b>Warranty</b>	10 Year Commercial Limited



For sample, order BS447 color A8586.





## BOH & Stairs Carpet Tile | CPT-022B

<b>Style</b>	BS467
<b>Color</b>	B3182
<b>Product Type</b>	Carpet Tile
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	12.33 per in   48.54 per 10 cm
<b>Size</b>	24 in × 24 in   60.96 cm × 60.96 cm
<b>Backing</b>	EcoWorx® Tile
<b>Installation</b>	Direct Glue
<b>Approved Install Method</b>	Quarter Turn
<b>Warranty</b>	Lifetime Commercial Limited

For sample, order BS467 color B3182.



## Meeting Room New Construction | LVT-002B

Style	BS485
Color	48120
Construction	Commercial Luxury Vinyl Tile with Fiberglass
Wear Layer Thickness	20 mil   0.02 in   0.51 mm
Overall Thickness	0.197 in   5.0 mm
Nominal Dimensions	6 in x 48 in   15 cm x 122 cm
Actual Dimensions	6 in x 48 in   15.24 cm x 121.92 cm
Installation	Direct Glue
Approved Install Method	Stagger
Area Per Box	20 sq ft   10 pcs per box
Warranty	15 Year Commercial Limited



For sample, order BS485 color 48120.





## Meeting Room Renovation | CPT-023B

<b>Style</b>	BS474
<b>Color</b>	B0980
<b>Product Type</b>	Broadloom
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	36 oz/yd <sup>2</sup>   1,220.64 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	14 per in   55.12 per 10 cm
<b>Size</b>	15 ft   4.57 m
<b>Pattern Repeat</b>	180 in × 180 in   457.2 cm × 457.2 cm
<b>Backing</b>	ClassicBac®
<b>Installation</b>	Direct Glue
<b>Warranty</b>	10 Year Commercial Limited

For sample, order BS474 color B0980.


## Additional Product Options

---

### Guestroom Vinyl Base | RB-01

---

Style	BS468
Color	00740
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll   Pieces Per Roll	120   1
Warranty	5 Year Commercial Limited



For sample, order BS468 color 00740.

### Corridor Vinyl Base | RB-02

---

Style	BS469
Color	00510
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll   Pieces Per Roll	120   1
Warranty	5 Year Commercial Limited



For sample, order BS469 color 00510.

### Lobby Vinyl Base | RB-03

---

Style	BS470
Color	00710
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll   Pieces Per Roll	120   1
Warranty	5 Year Commercial Limited



For sample, order BS470 color 00710.



## Additional Product Options

---

### Guestroom Broadloom Cushion | CPAD-001

---

Style	132FS
Description	Fiber Select
Weight	32 oz   1,085 g/m <sup>2</sup>
Thickness	0.312 in   7.92 mm
Density	8.5 lb/ft <sup>3</sup>   136 kg/m <sup>3</sup>
Square Yards Per Roll	40

### Corridor Broadloom Cushion

---

Style	134FS
Description	DoubleStick
Weight	34 oz   1,153 g/m <sup>2</sup>
Thickness	0.3125 in   7.94 mm
Density	8.5 lb/ft <sup>3</sup>   136 kg/m <sup>3</sup>
Square Yards Per Roll	40

### Guestroom / Corridor Carpet Tile Cushion

---

Style	DW205
Description	DuraWorx <sup>®</sup>
Weight	47 oz   1,593 g/m <sup>2</sup>
Thickness	0.20 in   5.08 mm
Density	19 lb/ft <sup>3</sup>   304 kg/m <sup>3</sup>
Square Yards Per Roll	30

### Guestroom Broadloom + LVT Cushion

#### Inset Area Rug @ Lobby Cushion

---

Style	CU034
Description	CushionWorx <sup>®</sup>
Weight	40 lbs/roll   18.14 kg/roll
Thickness	0.125 in   3.18 mm
Density	4.0 lb/ft <sup>3</sup>   64 kg/m <sup>3</sup>
Square Yards Per Roll	105.6



## Additional Product Options

---

### Guestroom LVT Underlayment

---

Style	087VS
Description	Groundworks
Thickness	0.055 in   1.4 mm
Roll Size	3 ft × 33 ft 4 in   0.91 m × 10.15 m
Roll Weight	14 lbs   6.35 kg

### Broadloom Adhesive

---

Style	H1000
Description	Shaw 1000   4 gal
Spread Rate	8–10 sy per gal

### Carpet Tile Adhesive

---

Style	H5000
Description	Shaw 5000   4 gal
Spread Rate	28-33 sy per gal

### LVT Adhesive

---

Style	027VS	012VS
Description	Shaw 4100   1 gal	Shaw 4100   4 gal
Spread Rate	175-225 sf per gal	175-225 sf per gal

### Seam Sealer

---

Style	H4000
Description	Shaw 4000   1 qt
Spread Rate	550–600 lf per qt



## Additional Product Options

---

### Cove Base Adhesive

Style	166VS	141VS
Description	Cove Base Adhesive   1 gal	Cove Base Adhesive   12 30-oz. tubes per box
Spread Rate	240 lf per gallon	55-60 lf per tube

### LokSeam for Transitionless LVT to Broadloom & Inset Area Rug Applications

Style	LOKSE
Description	LokSeam Moisture Impervious Seam Sealer
Includes	<p><b>LokSeam Kit:</b> Dispensing Applicator, (2) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1.3 lb</p> <p><b>Replacement Kit:</b> (3) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1 lb.</p> <p><b>Replacement Applicator:</b> 0.5 lb</p>







