
FLOORING STANDARDS



FLOORING STANDARDS





Guestroom

SampleS840HProduct TypeBroadloom

Fiber Eco Solution Q® Nylon

Dye Method 100% Solution Dyed

Construction Cut/Loop

 Tufted Weight
 $32 \text{ oz/yd}^2 | 1085.01 \text{ g/m}^2$

 Gauge
 1/8 in | 31.5 per 10 cm

 Stitches
 11.5 per in | 45.28 per 10 cm

Size12 ft | 3.66 mPattern Repeat 16^{16} /₃₂ in × 3 /₃₂ inBackingClassicBac®InstallationStretch-In Over Pad


Warranty 10 Year Commercial Limited



For sample, order S840H.

FLOORING STANDARDS







For sample, order S017K.

Guestroom

SampleS017KProduct TypeBroadloomFiberEco Solutio

FiberEco Solution Q® NylonDye Method100% Solution DyedConstructionCut/Loop

InstallationStretch-In Over PadWarranty10 Year Commercial Limited





Additional Product Options

Guestroom Carpet Base

Style S918J

FiberEco Solution Q® NylonDye Method100% Solution DyedConstructionSolid Cut Pile

Tufted Weight $30 \text{ oz/yd}^2 \mid 1017.17 \text{ g/m}^2$

Size 4 in H
Backing ClassicBac®



Guestroom Carpet Base

Style S473K

FiberEco Solution Q® NylonDye Method100% Piece DyedConstructionSolid Cut Pile

Tufted Weight $30 \text{ oz/yd}^2 \mid 1017.17 \text{ g/m}^2$

Size 4 in H
Backing ClassicBac®



NOTES






NOTES

-			





ShawContract® hospitality