

FLOORING STANDARDS

Radisson Inn & Suites

ACCOUNT EXECUTIVE

Colleen Cabrey

colleen.cabrey@shawcontract.com

410.804.4576

CUSTOMER SERVICE

Jessica Beavers

choicehotelssupport@shawinc.com

706.217.3441

VP STRATEGIC ACCOUNTS

Megan Brennan

megan.brennan@shawcontract.com

603.717.1360

WHY SHAW CONTRACT HOSPITALITY?

Shaw Contract Hospitality provides innovative flooring solutions designed to enhance guest experiences, reflect brand identity, and meet the functional demands of diverse hospitality spaces.

DIVERSE HOSPITALITY EXPERTISE

Our experience spans across hotels, casinos, Indian gaming, convention centers, restaurants and more, making us a trusted partner for a variety of hospitality spaces.

SUSTAINABILITY IN ACTION

For more than 20 years, Shaw Contract Hospitality has demonstrated our commitment to the Cradle to Cradle® design philosophy and the Cradle to Cradle Certified™ Products Program. More than 90% of the products we manufacture have achieved this prestigious multi-attribute certification, protecting humans and the environment.

Our re[TURN]® reclamation program allows you to reduce your next project’s landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you.

COMPREHENSIVE PRODUCT OFFERINGS

From diverse carpet construction capabilities to hard surfaces like porcelain, pvc-free resilient, and hardwood, we provide everything you need for a complete flooring solution.

PERSONALIZED ACCOUNT SUPPORT

We have a dedicated customer service team solely focused on our brand standards program, providing expert guidance and seamless project management to bring your vision to life.

DEDICATED STOCKING PROGRAM

Enjoy fast, reliable delivery with products and samples stocked exclusively for your brand standard program. Ready to ship when you need them.

CERTIFICATIONS



Declare.





Guestroom - Click & Float LVT -
Suite Living Room - Alternate 1 | LVT-001-ALT1

Style	B318S
Color	56103
Construction	Multilayer SPC With Acoustic Backing
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.217 in 5.5 mm
Nominal Dimensions	7 in x 48 in 18 cm x 122 cm
Actual Dimensions	6.92 in x 48.03 in 17.58 cm x 122 cm
Installation	Floating
Approved Install Method	Stagger
Area per box	23.11 sq ft 10 pcs per box
Warranty	15 Year Light Commercial Limited



FOR SAMPLE, ORDER B318S COLOR 56103.



Guestroom - Glue Down LVT -
Suite Living Room - Alternate 2 | LVT-001-ALT2

Style	B211S
Color	63103
Construction	Unit / Guestroom Luxury Vinyl Tile
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5 mm
Nominal Dimensions	6 in x 48 in 15 cm x 122 cm
Actual Dimensions	6 in x 48 in 15.24 cm x 121.92 cm
Installation	Direct Glue
Approved Install Method	Stagger
Area per box	20 sq ft 10 pcs per box
Warranty	15 Year Light Commercial Limited




FOR SAMPLE, ORDER B211S COLOR 63103.



Area Rug at King Rooms | CPT-001K
8' x 11'


Style	B329S
Color	J2165
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd² 1,085.01 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.17 per in 43.98 per 10 cm
Size	8 ft x 11 ft 2.44 m x 3.35 m
Pattern Repeat	90 in x 90 in 228.6 cm x 228.6 cm
Backing	Non-Skid
Installation	Loose Lay
Warranty	<u>5 Year Commercial Limited</u>



FOR SAMPLE, ORDER B325S COLOR J2165.

Area Rug at Accessible King Rooms | CPT-001K-ADA
9' x 11'

Style	B332S
Color	J2165
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd² 1,085.01 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.17 per in 43.98 per 10 cm
Size	9 ft x 11 ft 2.74 m x 3.35 m
Pattern Repeat	90 in x 90 in 228.6 cm x 228.6 cm
Backing	Non-Skid
Installation	Loose Lay
Warranty	<u>5 Year Commercial Limited</u>




FOR SAMPLE, ORDER B325S COLOR J2165.



Area Rug at Queen Rooms | CPT-001Q
8’ x 15’

Style	B330S
Color	J2165
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd² 1,085.01 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.17 per in 43.98 per 10 cm
Size	8 ft x 15 ft 2.44 m x 4.57 m
Pattern Repeat	90 in x 90 in 228.6 cm x 228.6 cm
Backing	Non-Skid
Installation	Loose Lay
Warranty	<u>5 Year Commercial Limited</u>




FOR SAMPLE, ORDER B325S COLOR J2165.



Area Rug at Accessible Queen Rooms
CPT-001Q-ADA
8’ x 16’

Style	B331S
Color	J2165
Product Type	Broadloom
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd² 1,085.01 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.17 per in 43.98 per 10 cm
Size	8 ft x 16 ft 2.44 m x 4.88 m
Pattern Repeat	90 in x 90 in 228.6 cm x 228.6 cm
Backing	Non-Skid
Installation	Loose Lay
Warranty	<u>5 Year Commercial Limited</u>



FOR SAMPLE, ORDER B325S COLOR J2165.




Guestroom Inset Carpet Tile | CPT-002

9’ x 8’6”

Style	B326S
Color	J2168
Product Type	Carpet Tile
Fiber	EcoSolution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Loop
Tufted Weight	30 oz/yd² 1,017.2 g/m²
Gauge	1/10 in 39.37 per 10 cm
Stitches	13.33 per in 52.48 per 10 cm
Size	24 in x 24 in 60.96 cm x 60.96 cm
Backing	EcoWorx®
Installation	Direct Glue
Approved Installation	Brick
Warranty	Lifetime Commercial Limited

re[TURN]®*




FOR SAMPLE, ORDER **B326S** COLOR **J2168**.

Our re[TURN]® Reclamation Program allows you to reduce your next project's landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. **Call 1-800-509-SHAW to get started.**

Additional Products

Guestroom Vinyl Wall Base | RB-001

Style	B317S
Color	00074
Product Type	Wall Base 4.5” Detail
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	96 in length x 4.5 in width
Linear ft Per Roll Pieces Per Roll	48 6
Warranty	5 Year Commercial Limited



FOR SAMPLE, ORDER
B317S COLOR **00074**.


Broadloom Carpet Pad | CPAD-001

Style	B110A
Description	Fiber Select
Weight	32 oz 1,085 g/m²
Thickness	0.312 in 7.92 mm
Density	8.5 lb/ft3 136 kg/m3
Square yards per roll	40



LVT Underlayment | UN-001

Style	B163A
Description	Groundworks
Thickness	0.055 in 1.4 mm
Roll Size	3 ft x 33 ft 4 in 0.91 m x 10.15 m
Roll Weight	14 lbs 6.35 kg



Additional Products

Broadloom Adhesive

Style	B112A
Description	LokWorx+ Broadloom Adhesive 4 gal
Spread Rate	8-10 sy per gal

LVT Adhesive

Style	B122A
Description	4200 / LokWorx+ Resilient Adhesive
Spread Rate	140-170 sf per gal

Carpet Tile Adhesive

Style	B113A
Description	LokWorx+ Carpet Tile Adhesive 4 gal
Spread Rate	28-33 sy per gal

Broadloom Seam Sealer

Style	B114A
Description	Shaw 4000 1 qt
Spread Rate	550-600 lf per qt

Cove Base Adhesive

Style	B160A
Description	Cove Base Adhesive 1 gal
Spread Rate	240 lf per gal

Cove Base Adhesive (Tube)

Style	B159A
Description	Cove Base Adhesive 12 30oz tubes per box
Spread Rate	55-60 lf per tube

LokSeam Starter Kit for Broadloom Applications

Style	LOKSE
Description	LokSeam Moisture Impervious Seam Sealer
Spread Rate	LokSeam Kit: Dispensing Applicator, (2) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1.3 lb Replacement Kit: (3) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1 lb. Replacement Applicator: (3) 0.5 lb

re[TURN]® Reclamation Program

Learn how to reduce your next project’s landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. Call 1.800.509.SHAW to get started.

Five Easy Steps

- 1

IDENTIFY
Identify the existing flooring with the help of your local account executive.
- 2

REGISTER
Partner with your account executive to register the project.
- 3

PROPOSAL
Receive the proposal and guidelines to outline next steps for you or the general contractor.
- 4

SCHEDULE
Our team will schedule and arrange pick up once the project proposal is finalized.
- 5

COMPLETE
Celebrate the impact you’ve made by taking action. Receive your project certificate to acknowledge your effort.

