

FLOORING STANDARDS

# Country Inn & Suites

ACCOUNT EXECUTIVE

**Colleen Cabrey**

colleen.cabrey@shawcontract.com

410.804.4576

CUSTOMER SERVICE

**Jessica Beavers**

choicehotelssupport@shawinc.com

706.217.3441

VP STRATEGIC ACCOUNTS

**Megan Brennan**

megan.brennan@shawinc.com

603.717.1360

# WHY SHAW CONTRACT HOSPITALITY?

Shaw Contract Hospitality provides innovative flooring solutions designed to enhance guest experiences, reflect brand identity, and meet the functional demands of diverse hospitality spaces.

## DIVERSE HOSPITALITY EXPERTISE

Our experience spans across hotels, casinos, Indian gaming, convention centers, restaurants and more, making us a trusted partner for a variety of hospitality spaces.

## SUSTAINABILITY IN ACTION

For more than 20 years, Shaw Contract Hospitality has demonstrated our commitment to the Cradle to Cradle® design philosophy and the Cradle to Cradle Certified™ Products Program. More than 90% of the products we manufacture have achieved this prestigious multi-attribute certification, protecting humans and the environment.

Our re[TURN]® reclamation program allows you to reduce your next project’s landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you.

## COMPREHENSIVE PRODUCT OFFERINGS

From diverse carpet construction capabilities to hard surfaces like porcelain, pvc-free resilient, and hardwood, we provide everything you need for a complete flooring solution.

## PERSONALIZED ACCOUNT SUPPORT

We have a dedicated customer service team solely focused on our brand standards program, providing expert guidance and seamless project management to bring your vision to life.

## DEDICATED STOCKING PROGRAM

Enjoy fast, reliable delivery with products and samples stocked exclusively for your brand standard program. Ready to ship when you need them.

# CERTIFICATIONS



**re[TURN]** At the end of its useful life, we'll reclaim and recycle EcoWorx® backed carpet to make more EcoWorx® carpet products at no cost to you for a minimum.

**EXTRUDED PELLETS**

The shredded material is extruded into pellets that are used to make new carpet tile backing.

**SHREDDED FIBER & BACKING**

Once the carpet tile is returned, it is processed at Shaw facilities, and the material is shredded into a mix of fiber and backing.

**ECOWORX® CARPET TILE**

Start the way you mean to finish. Our 100% PVC-free backing is made from thermoplastic polyolefin compound engineered for performance & circularity. Beautiful, inside and out.

+

**ECOSOLUTION Q100™ FIBER**

EcoSolution Q100™ is a high performance 100% recycled content nylon fiber\*. Local Landscapes carpet tile styles are made with EcoSolution Q100™ and have a low carbon footprint as reflected in the EC3 tool.

\*Allocated from pre-consumer sources.


=

**Low Embodied Carbon  
Carbon Neutral**



Guestroom LVT | LVT-001

|                         |                                                   |
|-------------------------|---------------------------------------------------|
| Style                   | B322S                                             |
| Color                   | 56730                                             |
| Construction            | Guestroom Luxury Vinyl Tile with Acoustic Backing |
| Wear Layer Thickness    | 20 mil   0.02 in   0.51 mm                        |
| Overall Thickness       | 0.197 in   5 mm                                   |
| Nominal Dimensions      | 6 in x 48 in   15 cm x 122 cm                     |
| Actual Dimensions       | 6 in x 48 in   15.24 cm x 121.92 cm               |
| Installation            | <a href="#">Direct Glue</a>                       |
| Approved Install Method | Stagger                                           |
| Area per box            | 20 sq ft   10 pcs per box                         |
| Warranty                | <a href="#">15 Year Light Commercial Limited</a>  |



FOR SAMPLE, ORDER B322S COLOR 56730.



Guestroom Broadloom | CPT-001-ALT1

|                |                                            |
|----------------|--------------------------------------------|
| Style          | B280S                                      |
| Color          | J6238                                      |
| Product Type   | Broadloom                                  |
| Fiber          | EcoSolution Q® Nylon                       |
| Dye Method     | 100% Solution Dyed                         |
| Construction   | Multi-Level Loop Tip Shear                 |
| Tufted Weight  | 32 oz/yd²   1,085.01 g/m²                  |
| Gauge          | 1/10 in   39.37 per 10 cm                  |
| Stitches       | 11.67 per in   45.94 per 10 cm             |
| Size           | 12 ft   3.66 m                             |
| Pattern Repeat | 36 in x 66.9 in   91.44 cm x 169.926 cm    |
| Backing        | Classicbac®                                |
| Installation   | <a href="#">Stretch-In</a>                 |
| Warranty       | <a href="#">10 Year Commercial Limited</a> |



FOR SAMPLE, ORDER **B280S** COLOR **J6238**.

Guestroom Carpet Tile | CPT-001-ALT2

|                       |                                             |
|-----------------------|---------------------------------------------|
| Style                 | B314S                                       |
| Color                 | I8549                                       |
| Product Type          | Carpet Tile                                 |
| Fiber                 | EcoSolution Q® Nylon                        |
| Dye Method            | 100% Solution Dyed                          |
| Construction          | Multi-Level Loop Tip Shear                  |
| Tufted Weight         | 26 oz/yd²   881.57 g/m²                     |
| Gauge                 | 1/10 in   39.37 per 10 cm                   |
| Stitches              | 12 per in   47.24 per 10 cm                 |
| Size                  | 24 in x 24 in   60.96 cm x 60.96 cm         |
| Backing               | EcoWorx® Tile                               |
| Installation          | <a href="#">Direct Glue</a>                 |
| Approved Installation | Brick                                       |
| Warranty              | <a href="#">Lifetime Commercial Limited</a> |



FOR SAMPLE, ORDER **B314S** COLOR **I8549**.

re[TURN]®\*\*

Our re[TURN]® Reclamation Program allows you to reduce your next project's landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. **Call 1-800-509-SHAW to get started.**



Corridor Broadloom | CPT-002-ALT1


|                |                                         |
|----------------|-----------------------------------------|
| Style          | B281S                                   |
| Color          | I6915                                   |
| Product Type   | Broadloom                               |
| Fiber          | EcoSolution Q® Nylon                    |
| Dye Method     | 100% Solution Dyed                      |
| Construction   | Multi-Level Loop Tip Shear              |
| Tufted Weight  | 36 oz/yd²   1,220.64 g/m²               |
| Gauge          | 1/10 in   39.37 per 10 cm               |
| Stitches       | 13.33 per in   52.48 per 10 cm          |
| Size           | 12 ft   3.66 m                          |
| Pattern Repeat | 36 in x 66.9 in   91.44 cm x 169.926 cm |
| Backing        | Classicbac®                             |
| Installation   | <u>Direct Glue</u>                      |
| Warranty       | <u>10 Year Commercial Limited</u>       |



FOR SAMPLE, ORDER **B281S** COLOR **I6915**.

Corridor Broadloom | CPT-002-ALT1

Corridor & Elevator Lobby





Corridor Carpet Tile | CPT-002-ALT2

|                       |                                             |
|-----------------------|---------------------------------------------|
| Style                 | B297S                                       |
| Color                 | I8547                                       |
| Product Type          | Carpet Tile                                 |
| Fiber                 | EcoSolution Q® Nylon                        |
| Dye Method            | 100% Solution Dyed                          |
| Construction          | Multi-Level Loop Tip Shear                  |
| Tufted Weight         | 26 oz/yd²   881.57 g/m²                     |
| Gauge                 | 1/10 in   39.37 per 10 cm                   |
| Stitches              | 12 per in   47.24 per 10 cm                 |
| Size                  | 24 in x 24 in   60.96 cm x 60.96 cm         |
| Backing               | EcoWorx® Tile                               |
| Installation          | <a href="#">Direct Glue</a>                 |
| Approved Installation | Brick                                       |
| Warranty              | <a href="#">Lifetime Commercial Limited</a> |

re[TURN]®\*\*




FOR SAMPLE, ORDER **B297S** COLOR **I8547**.

Our re[TURN]® Reclamation Program allows you to reduce your next project's landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. **Call 1-800-509-SHAW to get started.**

Corridor Carpet Tile | CPT-002-ALT2

 Corridor & Elevator Lobby



Living Room Area Rug 1 | CPT-003

10'-0" x 10'-0"

|               |                               |
|---------------|-------------------------------|
| Style         | B287S                         |
| Color         | J2968                         |
| Product Type  | Area Rug                      |
| Fiber         | EcoSolution Q® Nylon          |
| Dye Method    | 100% Dye Injection Print      |
| Construction  | Multi-Level Pattern Cut/Loop  |
| Tufted Weight | 36 oz/yd²   1,220.64 g/m²     |
| Gauge         | 1/10 in   39.37 per 10 cm     |
| Stitches      | 12.5 per in   49.5 per 10 cm  |
| Size          | 10 ft x 10 ft   3.05 m x 3.05 |
| Backing       | Non-Skid                      |
| Installation  | Loose Lay                     |
| Warranty      | 5 Year Commercial Limited     |



FOR SAMPLE, ORDER B286S COLOR J2968.

Living Room Area Rug 2 | CPT-004

5'-6" x 10'-0"

|               |                                     |
|---------------|-------------------------------------|
| Style         | B283S                               |
| Color         | I9646                               |
| Product Type  | Area Rug                            |
| Fiber         | EcoSolution Q® Nylon                |
| Dye Method    | 100% Dye Injection Print            |
| Construction  | Multi-Level Pattern Cut/Loop        |
| Tufted Weight | 36 oz/yd²   1,220.64 g/m²           |
| Gauge         | 1/10 in   39.37 per 10 cm           |
| Stitches      | 12.5 per in   49.5 per 10 cm        |
| Size          | 5 ft 6 in x 10 ft   1.71 m x 3.05 m |
| Backing       | Non-Skid                            |
| Installation  | Loose Lay                           |
| Warranty      | 5 Year Commercial Limited           |



FOR SAMPLE, ORDER B282S COLOR I9646.

Living Room Area Rug 1 | CPT-003

Living Room Area Rug 2 | CPT-004



LIVING ROOM  
151



Flex / Meeting Room Carpet | CPT-005-ALT1


|                |                                            |
|----------------|--------------------------------------------|
| Style          | B285S                                      |
| Color          | J2918                                      |
| Product Type   | Print Broadloom                            |
| Fiber          | EcoSolution Q® Nylon                       |
| Dye Method     | 100% Dye Injection Print                   |
| Construction   | Multi-Level Pattern Cut/Loop               |
| Tufted Weight  | 36 oz/yd²   1,220.64 g/m²                  |
| Gauge          | 1/10 in   39.37 per 10 cm                  |
| Stitches       | 12.5 per in   49.5 per 10 cm               |
| Size           | 12 ft   3.66 m                             |
| Pattern Repeat | 72 in x 72 in   182.88 cm x 182.88 cm      |
| Backing        | Classicbac®                                |
| Installation   | <a href="#">Direct Glue</a>                |
| Warranty       | <a href="#">20 Year Commercial Limited</a> |



FOR SAMPLE, ORDER B285S COLOR J2918.

Meeting Room Carpet Tile | CPT-005-ALT2

|                       |                                             |
|-----------------------|---------------------------------------------|
| Style                 | B348S                                       |
| Color                 | J5133                                       |
| Product Type          | Carpet Tile                                 |
| Fiber                 | EcoSolution Q100® Nylon                     |
| Dye Method            | 100% Solution Dyed                          |
| Construction          | Multituft Full Repeat Tip Shear             |
| Tufted Weight         | 26 oz/yd²   881.57 g/m²                     |
| Gauge                 | 1/10 in   39.37 per 10 cm                   |
| Stitches              | 12.33 per in   48.54 per 10 cm              |
| Size                  | 24 in x 24 in   60.96 cm x 60.96 cm         |
| Backing               | EcoWorx® Tile                               |
| Installation          | <a href="#">Direct Glue</a>                 |
| Approved Installation | Brick                                       |
| Warranty              | <a href="#">Lifetime Commercial Limited</a> |




FOR SAMPLE, ORDER B348S COLOR J5133.

re[TURN]®\*

Our re[TURN]® Reclamation Program allows you to reduce your next project's landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. **Call 1-800-509-SHAW to get started.**

Back of House | CPT-006

|                |                                            |
|----------------|--------------------------------------------|
| Style          | B338S                                      |
| Color          | 95447                                      |
| Product Type   | Broadloom                                  |
| Fiber          | EcoSolution Q® Nylon                       |
| Dye Method     | 100% Solution Dyed                         |
| Construction   | Multi-Level Pattern Cut/Loop               |
| Tufted Weight  | 32 oz/yd²   1,085 g/m²                     |
| Gauge          | 1/10 in   39.37 per 10 cm                  |
| Stitches       | 11.5 per in   45.0 per 10 cm               |
| Size           | 12 ft   3.66 m                             |
| Pattern Repeat | 72 in x 72 in   182.88 cm x 182.88 cm      |
| Backing        | Classicbac®                                |
| Installation   | <a href="#">Direct Glue</a>                |
| Warranty       | <a href="#">10 Year Commercial Limited</a> |



FOR SAMPLE, ORDER **B338S** COLOR **95447**.

Walk Off Mat | CPT-007

|               |                                             |
|---------------|---------------------------------------------|
| Style         | B336S                                       |
| Color         | 34761                                       |
| Product Type  | Carpet Tile                                 |
| Fiber         | EcoSolution Q® Nylon                        |
| Dye Method    | 100% Solution Dyed                          |
| Construction  | Multi-Level Pattern Loop                    |
| Tufted Weight | 28 oz/yd²   949.4 g/m²                      |
| Gauge         | 1/10 in   39.37 per 10 cm                   |
| Stitches      | 8.5 per in   34.0 per 10 cm                 |
| Size          | 24 in x 24 in   61 cm x 61 cm               |
| Backing       | Ecworx® Tile                                |
| Installation  | <a href="#">Direct Glue</a>                 |
| Warranty      | <a href="#">Lifetime Commercial Limited</a> |



FOR SAMPLE, ORDER **B336S** COLOR **34761**.

Additional Products

4” Guestroom Carpet Base | CPTB-001  
4” Corridor Carpet Base | CPTB-002

|              |                           |
|--------------|---------------------------|
| Style        | B334S                     |
| Color Number | J3515                     |
| Product Type | 4 in Carpet Base          |
| Size         | 4 in                      |
| Warranty     | 5 Year Commercial Limited |



FOR SAMPLE, ORDER **B334S** COLOR **J3515**.

12” Stairwell Carpet Stair Stringer | CPTB-006

|              |                           |
|--------------|---------------------------|
| Style        | B335S                     |
| Color Number | J3515                     |
| Product Type | Interior Wall Covering    |
| Size         | 12 in                     |
| Warranty     | 1 Year Commercial Limited |



FOR SAMPLE, ORDER **B335S** COLOR **J3515**.

4” Guestroom Wall Base | RB-001

|                                      |                                           |
|--------------------------------------|-------------------------------------------|
| Style                                | B328S                                     |
| Color                                | 00040                                     |
| Product Type                         | 4” Cove Base                              |
| Construction                         | Thermoplastic Rubber (TPR)                |
| Actual Dimensions                    | 1,440 in x 4 in                           |
| Linear ft Per Roll   Pieces Per Roll | 120   1                                   |
| Warranty                             | <a href="#">5 Year Commercial Limited</a> |




FOR SAMPLE, ORDER **B328S** COLOR **00040**.

# Additional Products

## 6” Lobby, Breakfast Area, First Floor Public Space Wall Base | RB-002

|                                      |                                           |
|--------------------------------------|-------------------------------------------|
| Style                                | B327S                                     |
| Color                                | 00040                                     |
| Product Type                         | 6” Detail Profile                         |
| Construction                         | Thermoplastic Rubber (TPR)                |
| Actual Dimensions                    | 96 in x 6 in                              |
| Linear ft Per Roll   Pieces Per Roll | 48   6                                    |
| Warranty                             | <a href="#">5 Year Commercial Limited</a> |



FOR SAMPLE, ORDER  
B327S COLOR 00040.

## 4” BOH & Fitness Center Wall Base | RB-003


|                                      |                                           |
|--------------------------------------|-------------------------------------------|
| Style                                | B328S                                     |
| Color                                | 00040                                     |
| Product Type                         | 4” Cove Base                              |
| Construction                         | Thermoplastic Rubber (TPR)                |
| Actual Dimensions                    | 1,440 in x 4 in                           |
| Linear ft Per Roll   Pieces Per Roll | 120   1                                   |
| Warranty                             | <a href="#">5 Year Commercial Limited</a> |



FOR SAMPLE, ORDER  
B328S COLOR 00040.

## 6” Corridor Wall Base | RB-004

|                                      |                                           |
|--------------------------------------|-------------------------------------------|
| Style                                | B327S                                     |
| Color                                | 00040                                     |
| Product Type                         | 6” Detail Profile                         |
| Construction                         | Thermoplastic Rubber (TPR)                |
| Actual Dimensions                    | 96 in x 6 in                              |
| Linear ft Per Roll   Pieces Per Roll | 48   6                                    |
| Warranty                             | <a href="#">5 Year Commercial Limited</a> |



FOR SAMPLE, ORDER  
B327S COLOR 00040.

# Additional Products

## Guestroom Broadloom Carpet Pad | CPAD-001

|                       |                        |
|-----------------------|------------------------|
| Style                 | B110A                  |
| Description           | Fiber Select           |
| Weight                | 32 oz   1,085 g/m²     |
| Thickness             | 0.312 in   7.92 mm     |
| Density               | 8.5 lb/ft³   136 kg/m³ |
| Square yards per roll | 40                     |




## Public Space Broadloom Carpet Pad | CPAD-001

|                       |                        |
|-----------------------|------------------------|
| Style                 | B165A                  |
| Description           | DoubleStick            |
| Weight                | 34 oz   1,153 g/m²     |
| Thickness             | 0.3125 in   7.94 mm    |
| Density               | 8.5 lb/ft³   136 kg/m³ |
| Square yards per roll | 40                     |



## Guestroom Carpet Tile Cushion

|                       |                            |
|-----------------------|----------------------------|
| Style                 | B162A                      |
| Description           | CushionWorx® Lite          |
| Weight                | 20 lbs/roll   9.07 kg/roll |
| Thickness             | 0.080 in   2.032 mm        |
| Density               | 4.0 lb/ft³   64 kg/m³      |
| Square yards per roll | 84.4                       |



## Corridor Carpet Tile Cushion Inset Area Rug @ Lobby Cushion

|                       |                             |
|-----------------------|-----------------------------|
| Style                 | B161A                       |
| Description           | CushionWorx®                |
| Weight                | 40 lbs/roll   18.14 kg/roll |
| Thickness             | 0.125 in   3.18 mm          |
| Density               | 4.0 lb/ft³   64 kg/m³       |
| Square yards per roll | 105.6                       |



# Additional Products

## Broadloom Adhesive

|             |                             |
|-------------|-----------------------------|
| Style       | B112A                       |
| Description | Broadloom Adhesive   4 gal. |

## Resilient Adhesive

|             |                             |
|-------------|-----------------------------|
| Style       | B122A                       |
| Description | Resilient Adhesive   4 gal. |

## Carpet Tile Adhesive

|             |                               |
|-------------|-------------------------------|
| Style       | B113A                         |
| Description | Carpet Tile Adhesive   4 gal. |

## Broadloom Seam Sealer

|             |                                 |
|-------------|---------------------------------|
| Style       | B114A                           |
| Description | Broadloom Seam Sealer   1 quart |

## Cove Base Adhesive

|             |                             |
|-------------|-----------------------------|
| Style       | B160A                       |
| Description | Cove Base Adhesive   1 gal. |

## Cove Base Adhesive (Tube)

|             |                                               |
|-------------|-----------------------------------------------|
| Style       | B159A                                         |
| Description | Cove Base Adhesive  <br>12 30oz tubes per box |

# re[TURN]® Reclamation Program

Learn how to reduce your next project’s landfill consumption with carpet tile and hard surface recycling. At the end of its useful life, Shaw Contract will pick up and recycle PVC-free EcoWorx® carpet tile, PVC-free EcoWorx™ resilient and Shaw manufactured resilient at no cost to you. Call 1.800.509.SHAW to get started.

## Five Easy Steps

- 1

**IDENTIFY**  
Identify the existing flooring with the help of your local account executive.
- 2

**REGISTER**  
Partner with your account executive to register the project.
- 3

**PROPOSAL**  
Receive the proposal and guidelines to outline next steps for you or the general contractor.
- 4

**SCHEDULE**  
Our team will schedule and arrange pick up once the project proposal is finalized.
- 5

**COMPLETE**  
Celebrate the impact you’ve made by taking action. Receive your project certificate to acknowledge your effort.

