







At the heart of Shaw Contract we create products and solutions that positively impact people and the planet.

**We are Design Optimists.**



Scan to view the digital version  
of our 2023 Product Catalogue

#### CONTENTS

Featured Collections	18
Tile	237
Broadloom	386
Resilient	452
Engineered Hardwood	505
Accessories & Resources	515
Index	541



west elm +  
**ShawContract®**

Sometimes home is a place.  
Sometimes it's a feeling.  
It's where we come together.  
To work, to play, to think,  
to discover, to create, to belong.

To view the West Elm + Shaw Contract Collection go to pages 230-236




LOW EMBODIED CARBON | CARBON NEUTRAL WEST ELM + SHAW CONTRACT



Sustainability is what unites us. It is our foundation and our purpose: our equal rights, our shared experience, our hopeful future. It is the air we breathe and the earth we stand upon.

**People Together, Planet Forever.**



## Points of Ambition

### Material Health

We design and manufacture products to optimize human environments.



Cradle to Cradle Certified®

For more than 20 years, we have invested in material health with our EcoWorx® PVC-free carpet tile backing, the first flooring product to be Cradle to Cradle Certified®.

### Carbon Impact

We are a positive force in the global effort to collectively fight climate change.



 Low Embodied Carbon | Carbon Neutral

We offer a broad portfolio of products that are carbon neutral and optimized for low embodied carbon. Shaw has achieved carbon neutrality in our global commercial carpet operations (since 2018).

### Circular Economy

We practice a regenerative, closed-loop approach to sustainability.



We Want it Back

At the end of its useful life, we'll reclaim and recycle EcoWorx® backed carpet to make more EcoWorx® carpet products at no cost to you. Since 2006, Shaw has reclaimed and recycled nearly 1 billion pounds of post-consumer carpet reducing landfill waste.

### Diversity, Equity & Inclusion

We nurture an environment where every voice and perspective can be heard, with equal value placed on seen and unseen experiences.



Supplier Diversity Program

More than 42% of Shaw Industries' spend\* is with small and diverse suppliers. We want to promote supplier participation that is reflective of Shaw's diverse customer base and local communities, bringing more innovation and opening new markets for growth.

\*Based on spend categories where we have domestic (US) small or diverse suppliers who are capable of meeting our needs.



Individually we are unique,  
*together* we are whole.

To view the *Collective* Collection go to pages 48-51



Best of  
NeoCon  
2021  
Gold

NeoCon  
METROPOLIS LIKES  
2021 WINNER



LOW EMBODIED CARBON | CARBON NEUTRAL COLLECTIVE



# Keep Calm + Stay Centered

To view the *New Path* Collection go to pages 148-151



LOW EMBODIED CARBON | CARBON NEUTRAL **NEW PATH**



Best of  
NeoCon  
2022

Sustainability

Best of  
NeoCon  
2022

Silver

NeoCon  
METROPOLISLIKES  
2022 WINNER

INNATE STRIA TILE

INNATE LINEN SHEET

RAPSEEDS

RAPSEED OIL

CASTOR OIL

Drawing on the  
complex beauty and  
durable properties of  
natural materials.




LOW EMBODIED CARBON INNATE + IN TANDEM

To view the Innate + In Tandem Collection go to pages 116-117



# A Joyful Connectivity in Your Space



TOGETHER WE UNITE UNITE II

To view the *Unite II* Collection go to pages 212-215





# Let's Create Together

**StudioOne™** is here for you with inspiration, thought-starters and tools to fuel your next project. Whether virtual or in-person, our team will partner with you to provide customized design services. Ask questions. Explore ideas. Visualize selections in your space. It's all about saving time so you have more of it to do what you love.

**Let's start.**




Scan to learn more




# Beauty, Simplicity, Availability

SelectTWO is a quick & easy system for you to choose quick ship products by colour and price-point, with fast and reliable service. We've curated four tiers of market-ready selections for maximum design and budget flexibility. Within each tier, our design team has curated 5 different colour palettes, providing endless installation options. For projects that demand quick turnaround, SelectTWO helps ensure that design is fast tracked without compromising creativity.



Scan to view the  
SelectTWO product tiers

quick ship 

2,500 sq. yards of carpet ships  
within two weeks of placing order.



BEAUTY, SIMPLICITY, AVAILABILITY **SELECTTWO**



Featured Collections



Unite II



Collective



New Path



West Elm + Shaw Contract



Diffuse + Disperse



# Abide + Inhabit

Abide + Inhabit brings us close to nature. Natural materials are the inspiration for interiors where durability, practicality, and resilience are all linked to successful outcomes. Influenced by soothing Scandinavian design principles, the wood visuals of the coordinating collections are clean and natural with a less-is-more minimalism. Designed for seamless transitions between LVT and sheet, Abide + Inhabit creates a cohesive flooring system. To truly inhabit a space, you need a sense of well-being, a sense of familiarity, that comforting combination of inspiration and restoration that allows us to thrive.




Abide LVT | page 457-458, 466

Inhabit Sheet | page 457



Abide LVT | page 466



Inhabit Sheet | page 457-458, 466



# Active

Athletic textiles flex into our physical space, interjecting bold energy and graphic motion. Shape the floor in sweeping linear movement. Balance the workplace with pops of energy and optimism. Active is made to mix scale and add density with varying texture and colour.




Advance Tile + Track Tile | page 241, 371

Turn Tile | page 375



Advance Tile | page 241



Dash Tile | page 277



Track Tile | page 371



# All Access

The All Access collection is grounded in functionality. Designed to balance performance and aesthetics, walk off tiles create a transition from outdoors to interiors. Entryway systems are the most effective way to protect and maintain interior flooring, minimizing the amount of soil and moisture entering the building – a true complement to every style of interior flooring.



Divvy Tile | page 285



Jive Tile | page 320



Swift Tile | page 367



Pace Tile | page 333



# Altered

Welcome to an Altered perspective, where things aren't quite what they seem. Layer your curiosity with creativity to blur the line between what's real and what's surreal. This is Altered, a collection of 9 × 36 and 18 × 36 tiles, where manipulation takes left, right, and center stage —redefining how we see. Not just within your space, but all that surrounds it.



Distort Tile + Manipulate Tile + Color Form Tile | page 284, 327, 267



Manipulate Tile | page 327



Glitch Tile | page 302

Tile | Collection: Altered



# AlterNATURE

The Shaw Contract Design team seeks verdant inspiration. An avant-garde runway show, cutting edge textile techniques, the weathered and worn bark of a tree. AlterNATURE is a broadloom and tile collection of rich textural variations lifted from the natural world, exaggerated with a synthetic edge.



Timber | page 445

Natural Selection | page 425



Ingrain Tile | page 316

Core | page 399



Entwine Tile | page 293

Grounded | page 412



Earth Tone Tile | page 289

Broadloom + Tile | Collection: AlterNATURE



# Art of Escape

Art of Escape embraces the allure of natural landscapes. With subtle, tactile textures and neutral tones, these patterns in nature-inspired hues enhance and never overwhelm an interior, allowing you to relax and focus on the beauty of the landscape.



Chalet Tile | page 259

Refuge | page 430



Retreat | page 431



# Assembly

The places where we work, learn, play and heal are blending and becoming multi-functional. Assembly is designed for these environments and encourages meaningful interactions at the intersection of community, people and place. Designed to work individually or in unison, combine pattern, scale and accents to promote wayfinding, brand identity and flexible spaces.



Establish Tile + Convene Tile | page 294, 273

Establish Tile | page 294



Support Tile | page 365



Convene Tile | page 273



# BottleFloor

BottleFloor is a new hybrid flooring material, made from an average of 28% post-consumer PET bottles. Every square yard of BottleFloor contains an average of 61 recycled plastic bottles. With the visual of soft surface and the durability of a hard surface, this product is 4mm thick and can be installed side-by-side with most EcoWorx® carpet tiles with no need for transitions.

Waste diverted, style converted.



Stitched Tile + Felted Tile | page 363, 298

Stitched Tile | page 363



Felted Tile | page 298



# Branching Out

Branching Out offers timeless wood visuals available in a fresh palette of neutrals ranging from light and airy to warm and rich. They bring a feeling of comfort and authenticity to any space. Paired with an acoustic backing to absorb and stop sound from traveling, a human-centered solution for private and public spaces.



Branching Out LVT + COREtec® | page 469



Branching Out LVT + COREtec® | page 469



# Building Character

Character is the essence of a life well lived. Our lives are enriched by all that has gone before. In senior living communities the demand for functional, soothing environments reflects the changing needs of today's seniors. Building Character blends patterns and textures that intrigue and soothe, a sophisticated interpretation of all the elements that enrich senior living communities.



Intuition + Solitude LVT | page 417, 493

Intuition | page 417



Sophistication | page 438



Quest | page 429



# Campus

The Campus collection, inspired by the Bauhaus, works on the same principles of collaboration and experimentation to create designs that merge and adapt across multi-use spaces. 100 years ago the Bauhaus set out to create a future where good design was accessible to all, the Campus collection is part of that future, bridging form and function to deliver a dynamic collection that uses pattern and colour in interchangeable ways.



Commons Tile + Quad Tile + Makerspace Tile | page 270, 345, 327

Quad Tile | page 345



Commons Tile | page 270



Makerspace Tile | page 327



# Canopy

The Canopy collection is designed to transition from place to place naturally and seamlessly. With 9 × 36 inch tiles as well as broadloom, you can create an intuitive sense of flow from one space to another. Carpet tile coordinates beautifully with our Terrain II LVT collection to make easy transitions from soft to hard surface flooring.




Balcony Tile | page 249

Elevate Tile | page 290



Weathered Tile | page 382

Preserve Tile | page 342



Weathered Color Tile | page 382



Broadloom + Tile | Collection: Canopy







Broadloom + Tile | Collection: Canopy

Broadloom + Tile | Collection: Canopy



Suspend Tile | page 367

Habitat Tile | page 306



Ground | page 412

Below | page 393




# Clearview

Clearview, a tile collection combining performance and style, at a price that makes sense. Let the value of Clearview brighten the environment around you.



Transparent Tile | page 373

Glaze Tile | page 301



Clear Tile | page 262

Tile | Collection: Clearview



# Collective

Individually we are unique. Together we are whole. As humans on this beautiful planet, what we have in common is so much greater than what divides us. We thrive in a global community that gives us perspective and gives voice to others to come together and laugh, share, work, learn, and care for each other. Collective shares a sense of unity that roots us in a positive spirit while letting our individual lights shine stronger than ever.





Side by Side Tile | page 357

Hand in Hand Tile | page 307



In Common Tile | page 315







# Color At Work II

Color at Work II is a force for positivity in all the spaces we work, learn, heal and play. Two different sized tiles (18 x 36 and 9 x 36) and three styles of subtle neutrals, graduating to saturated colours that can be combined in an infinite variety of ways. Just as people see colour differently, Color at Work II with its vast array of design possibilities offers a fresh and inventive perspective on how colour works to create dynamic spaces.



Chromatone Tile | page 261

Achromatic Tile | page 240



Saturate Tile | page 352





# Color Frame & Color Form

Let your shape run wild. You have a vision in mind. Now imagine, changing it at will. The combination of 9 × 36 and 24 × 24 tiles means you can go monochromatic subtle or make a progressive colour statement. Zag instead of zig. Explore unique shapes. Experiment diverse colour hues. You've got colour carte blanche. And the ability to let your creativity loose.



Color Frame Tile + Color Form Tile | pages 268, 267

Color Frame Tile | page 268



Color Form Tile | page 267



# Community

Design has the power to build community by creating communal spaces that draw people together. As the needs of communities change, both locally and globally, these spaces are becoming more fluid and flexible, more layered and diverse. The Community collection was created to work together in harmony.



Exchange Tile + Inclusive COREtec® | page 294, 480

Back Weave Tile | page 248



Knotted Tile | page 322





Share + Inclusive COREtec® | page 436, 480

Expression COREtec® + Process Tile | page 478, 344



Flat Weave Tile | page 299

Heddle Tile + Flat Weave Tile | page 308, 299



# Compound + Cast

Compound was created to showcase subtle beauty marks that mimic the look of concrete, making each installation beautiful and unique. Cast was born from curious play of aggregate materials, much like the appearance of age-old terrazzo. Through exploration of mixing and molding plaster, cement and resin, a resilient version of a classic material was born.



Compound LVT + Cast LVT | page 472, 470

Compound LVT | page 472




Cast LVT + Compound LVT | page 470, 472



# Configure

Interact with hexagonal shapes, asymmetric patterns and deconstructed designs. Engage with bold colour and modular form. Create spontaneously put-together spaces. Configure is a new shape of thinking. Impromptu all the way.



Base Tile + Contact Hexagon Tile + Color Shift Tile | pages 250, 273, 269



Color Shift Tile + Contact Hexagon Tile | page 269, 273



# COREtec®

Designed with realistic wood visuals and grain textures, the COREtec® series provides a beautiful traditional or transitional look with natural variations and visual depth. COREtec® with attached cork technology, offers high performance with value. The dimensionally stable layered construction makes installation quick and easy, saving on time and labor cost. The low-maintenance high performing ExoGuard™ finish is resistant to scratching and scuffing. COREtec® is 100% waterproof and can be installed in areas with topical moisture such as lobbies, reception areas, kitchen and bathrooms.



Respite COREtec® | page 492

Stratum 700 COREtec® | page 495



Stratum 500 COREtec® | page 495



Defined COREtec® | page 475



Stratum Eiris COREtec® | page 476



Stratum XL COREtec® | page 496



Stratum Linear COREtec® | page 485



# Cover + Envelop

The Cover + Envelop collection conveys warmth and simplicity. The beauty lies in the grains that cover the floor and envelop the space. Cover + Envelop delivers high performance and durability in heavy commercial environments. With a patented layered construction, the rigid core is dimensionally stable, waterproof, scratch resistant and reduces sound transmission. Installation is quick and easy, reducing time and labor costs. Manufactured in the USA without ortho-phthalates, Cover + Envelop are Floorscore® certified for low-VOCs.



Cover Rigid Core + Envelop Rigid Core | page 474, 477

Envelop Rigid Core | page 477



Cover Rigid Core | page 474



# Creating Space

The Creating Space carpet tile and LVT collection centers us on the present moment, and gives us the tools we need to be less stressed, calmer and kinder to ourselves and others—a collection with a human-centric ethos that fosters a positive culture through design.



Intention Tile | page 317

Aware Tile | page 248



Present Tile | page 342





Thoughtful LVT | page 501



Kind LVT + Thoughtful LVT | page 485, 501



# Cultivate Soul

A collection of 18 x 36 tiles and broadloom exists in the comfort zone, the inviting hearth, the cozy nook. In these places, we can enjoy life's simple pleasures and are transported to memories of the people, things, and places we love.



Adage EcoWorx® Tile | page 240



Belief EcoWorx® Tile | page 251




Truism EcoWorx® Tile | page 375




Belief Ultraloc® MB | page 393



Moral Ultraloc® MB | page 423



Notion Ultraloc® MB | page 426



Adage Ultraloc® MB | page 388

Truism Ultraloc® MB | page 447



# Cut & Compose


Letters, numbers and abstract elements are cut, rotated, deconstructed and composed to graphic effect. Education makes a bold design statement in No Rules tile.



Shaw Contract will donate 1.5% of the sales of Cut & Compose to support the Green Apple initiative of Center for Green Schools at the U.S. Green Building Council to create healthier, safer, more sustainable learning environments. Learn more. Take action. [centerforgreenschools.org](http://centerforgreenschools.org)

Rotate Tile | page 352 [sejnu.com](http://sejnu.com)

Copy Tile | page 274 [sejnu.com](http://sejnu.com)




Construct Tile | page 272 [sejnu.com](http://sejnu.com)

Tile | Collection: Cut & Compose



# Design Journey Novice & Master

Immersed in intricacy. An expedition through rural Cambodia and Laos, a culture steeped in silk weaving. We immersed ourselves in the process, awed by the intricate techniques handed down from master to novice, generation to generation. This collection pays homage to the artistry of weaving and celebrates precision of craft.



Plain Weave Tile + Cloth Tile | pages 337, 263

Artisan Tile | page 247



Chok Loom | page 397



Artisan Loom | page 390



# Dialogue

In a world that often feels fragmented, we yearn to connect. To bond with local culture and people. To feel at home. In communal spaces that invite us to gather and connect. To exchange ideas and experiences. To talk. To listen. To learn. Dialogue takes full advantage of exclusive Tailor Tuft technology. Tailor Tuft gives luxe pile-height distinction and sharp, rich detail to create an embossed effect, deepening the communication between designers and the spaces they create.



Face To Face Tile + Type LVT | page 296, 501

Written Tile | page 384




Translate Tile | page 373



Face To Face Tile | page 296



Spoken Tile + Coded LVT | page 361, 470



Subtext Tile | page 365



# Diffuse + Disperse

The Diffuse + Disperse collection gives you the freedom to create installations in any configuration. Be flexible, freeform and fast. As part of our No Rules collection, Diffuse + Disperse is made to move spaces with mergeable dye lots, allowing you to mix and match pattern and installation. Instill a sense of pride in place with our new styles, Diffuse Color + Disperse Color. Thoughtful, energetic pops of colour on a neutral base convey the identity, excitement and spirit of the environment and its inhabitants.



Diffuse Color Tile 24 × 24 | page 278

Disperse Color Tile 24 × 24 | page 282



Diffuse Tile 24 × 24 | page 279



Disperse Tile 24 × 24 | page 283



# District

Whatever your Situation, Intent or Purpose the three distinct designs in this collection allow you to divide your space into districts of pattern, textures and scale. All styles are available for quick ship up to 2,500 yards within two weeks.



Intent Tile | page 317

Purpose Tile | page 344



Situation Tile | page 358




# Dye Lab

The iconic Dye Lab collection is revisited with newly curated colourways. The elegant and unpredictable visual mimics the colour shifts rendered in naturally dyed textiles, bringing lush intimacy or expansive boldness to a space. The palette is inspired by a colour journey of experiments with natural dyes including madder root, Osage orange, sandalwood and Saxon. The palette unfolds with intense saturated hues, softer washes and a wider range of neutral tones.



Dye Lab Tile | page 288

Dye Lab Tile | page 288



Dye Lab Tile | page 288

Tile | Collection: Dye Lab



# Encounter

Collaboration begins with a passing conversation in the hallway, a brainstorm around a cup of coffee, or an impromptu exchange at a worktable. Introducing Encounter, a collection designed for all of the encounters that enhance all the ways we work—together and on our own, active and quiet. Encounter features three versatile patterns on StrataWorx® carpet tile backing. Inspired by the collaborative power of the modern workspace, Encounter supports the spaces that boost performance, spark new ideas, and help us feel truly connected.







Downtime Tile | page 285



Hub Tile | page 310




# Engineered Hardwood

Wood flooring, beloved for its warm, tactile nature, has been reimagined by Shaw Contract. We start with the highest quality timber. We add artisanal craftsmanship. Then we combine them in an innovative manufacturing process that honors the authentic properties of the material while advancing its capabilities to a new level of performance.




Authenticity | page 509




Kinship | page 511



Camaret



Distinctive | page 509




Bespoke | page 508



Handcrafted | page 510



Refined | page 512



Resurgence | page 513

Engineered Hardwood



# Eon + Amalgam


Natural visuals bring a feeling of cutting-edge sophistication that is at once timeless and utterly of the moment. They combine aesthetics with durability and acoustical benefits to bring a tactile effect that adds character and depth. Eon+Amalgam are the ideal alternatives to porcelain, ceramic, and concrete, with easier and more cost-effective installation. These products are loose lay optional, also offering a solution for raised access flooring.




Eon LVT | page 477



Amalgam LVT | page 466



Amalgam LVT | page 466



Eon LVT | page 477



# Extraordinary

A sensory experience, wild and nomadic. Rethinking the process of carpet construction, we saw something Extraordinary. What was once waste, became an essential ingredient, key to this tactile terrain. A rugged beauty, a topographic texture, micro to macro. Extraordinary is made to be touched.



Foundation Tile + Resurface Tile + Primitive Tile | page 300, 350, 343

Foundation Tile | page 300



Resurface Tile | page 350



Primitive Tile | page 343



# Feeling Plush

Elegance for your space. Classic styling and texture. Rich patterning. A sophisticated colour palette. A graceful broadloom and tile connection creating unexpected luminescence in any space.



Glow | page 410

Radiance Tile | page 346



Glitz Tile | page 303



# Floor Architecture

From ceiling to wall to ground floor, we are surrounded by architectural planes of influence. These surrounding spatial elements play together in floor architecture. This collection is constructed with nuanced colour and punctuated with realistic imprints, making a strong design statement.



Bisect Tile | page 254



Landform Tile | page 323



Steppe Tile | page 362



Ridge Tile | page 351



Poured Tile | page 340



Stacked Tile | page 362



# Gather

In Gather, past, present and future merge, fusing traditional patterns with a contemporary play on scale and colour. Gather joins a wealth of design influences that reflect the sophistication of community spaces where our cultures connect and flourish.



Ikat | page 414  
also available in Tile page 312



Batik + Cut LVT | page 392, 475  
also available in Tile page 251, 269



Tapestry | page 443  
also available in Tile page 368



# Gradation

The Gradation dye-injection Canvas carpet tile collection explores the discovery of colour. The Canvas technology allows us to create detailed visuals and soft, complex gradients which were previously unattainable with traditional tufting construction methods.



Gradation Tile | page 303



Gradation Tile | page 303



Gradation Tile | page 303



# Grain + Pigment

Plank position. Wide-format luxury vinyl plank designed for maximum versatility with a direct glue option or with our patented In\*Step™ locking system for adhesive-free, floating installation. Modern wood-grain textures and metallic sheen mix with the subtle striations of near-solids. The integrated palette forms nuanced transitions with natural wood tones and bold contrast with pops of bright.



Grain LVT + Pigment LVT | pages 478, 488

Grain LVT | page 478



Pigment LVT | page 488



# Hand Drawn

Trust the process. Setting electronic devices aside, we turned our attention to ink and paper and sketched. Following our instincts, we began a simple study of hand-drawn lines. We explored width, irregularity, imperfection. We experimented with line weight, abstract and analog proportion, and tactile movement. Through our own hands, we found beauty in the inconsistencies.



Stipple Tile + Fine Point Tile | page 363, 299

Lineweight Tile | pages 326



Fine Point Tile | pages 363



Stipple Tile | pages 363







# Haven

The Haven collection draws inspiration from the singular qualities we associate with home — comfort, well-being, warmth, softness, and a profound sense of place. Supple textures of a favorite sweater or a graceful woven fabric. The collection's inviting colour palette blends sophisticated neutrals with apricot, mint, and rosewood to create an impression of both subtlety and substance.



Familiar Tile | page 297

Dwelling Tile | page 287



Nest Tile | page 331



Shelter Tile | page 356



Honest Tile | page 309




Identity Tile | page 311

Tile | Collection: Haven



# Hexagon

There are six sides to every connection. Hexagon reflects the cultural shift toward more collaborative environments—influencing the ways we work, walk, communicate and create. This new shape of carpet tile design will change the way you move through a space, veer you off the beaten path and encourage collaborative chemistry. Build a social hive. Form new communities.



Bevel Tile + Plane Tile | pages 252, 338

Plane Tile | page 338



Linear Tile | page 325



Linear Shift Tile | page 325



# Innate + In Tandem

Shaw Contract furthers its commitment to healthier materials with Innate + In Tandem, a collection of coordinating tile and sheet products composed of bio-based polyurethane. Extremely durable with highest Martindale rating for scratch resistance and resistant to degradation from UV light, hand sanitizers, disinfectants and common stains. Sustainable, versatile and ease to maintain, Innate + In Tandem optimally performs in healthcare, workplace, education, retail and hospitality environments.



Innate Stria Bio-Based Polyurethane Heterogeneous Tile | page 482

Innate Linen Bio-Based Polyurethane Heterogeneous Sheet | page 459



Innate Bio-Based Polyurethane Heterogeneous Sheet | page 458

Innate Bio-Based Polyurethane Heterogeneous Tile | page 481



In Tandem Bio-Based Polyurethane Heterogeneous Sheet | page 457



In Tandem Bio-Based Polyurethane Heterogeneous Tile | page 479



PVC-Free Resilient | Collection: Innate + In Tandem



# Inside Shapes

ShawContract® + FORM US WITH LOVE

Inside Shapes is a flexible toolkit that inspires creativity. In four geometric shapes – the square, the curve, the point and the diagonal – and twelve colour options, comprised of light and dark shades, shapes, colours and shades can be chosen in pre-mixed sets, or curated individually to achieve different spatial effects – from clear wayfinding and zoning, to subtle changes of energy and mood, from areas for creative collaboration to places for quieter periods of concentration.



Square Tile + Diagonal Tile | page 361, 278

Square Tile | pages 361



Diagonal Tile | pages 278



Curve Tile | pages 277



Point Tile | pages 339

Tile | Collection: Inside Shapes



Impression I | pages 313



Impression III | pages 314



Tile | Collection: Inside Shapes

Tile | Collection: Inside Shapes

Impression II | pages 313



Impression IV | pages 314





# In Sync

When thoughtful design and practicality come together. When you have all the tools at your disposal, you are guaranteed the kind of confidence that comes from choosing In Sync. Designed for ease of installation and a positive impact on people and the planet.



Correspond Tile + Companion Tile + Compound LVT | pages 275, 270, 472

Companion Tile | page 270



Partner Tile | pages 334



# Journey

The fluid transition between patterns and colours suggest the migrating sense of place and time of an ever-evolving planet. Journey is a collection that contemplates our past, our present, and our potential future, that calls to mind the smallness of our world and of the tangible connections that unite us.



Dune Tile | page 287



Dune Tile | pages 287



Current Tile | pages 276



# Joy Squared

As we grow, heal, and learn, the information we absorb and the experiences we have are profoundly impacted by our surroundings. Joy Squared works to bring the inspiration of joyous moments into environments where students, employees, or visitors want to be. This LVT collection uses colour to create memorable and positive experiences for the visitor. When paired with its expansive colourline, Joy Squared offers a variety of installation solutions from wayfinding to school branding to zoning.



Joy Squared LVT | page 484



Joy Squared LVT | page 484



# Kindred

Kindred evokes the feeling of personal connection. Create impactful moments and transitions throughout a space – equivalent to that experienced by those functioning within it. It's a representation of the complexity that link us to the people and places that initially brought those feelings to the surface.



Memory Tile + Honest Tile + Shelter Tile + Inlet LVT | page 328, 309, 356, 480

Dream Tile | page 286




Belong Tile | page 252



Memory Tile | page 328



Reminisce | page 430



Stay | page 439




# Light Series



Projected energy. Shards of colour and jabs of light.  
Light Series lives in a state of perpetual motion. Vivid  
wavelengths in varied scale and colour intensity.



Absorbed Tile + Vibrant Tile | pages 239, 380



Absorbed Tile | page 238



Applied Tile | page 245



# Living Systems

Step into a space designed to engage, evolve and revitalize the senses. Regenerative design influences this system-led collection with organic and textural aesthetics. Living Systems mirrors nature, responds to be adaptive, transforms outlooks and co-creates a living system for all interior spaces.



Observe Color Tile + Transform Color Tile | page 331, 372

Source Tile | page 360



Boundless Tile + Observe Color Tile | page 255, 331







# Material Matters

Diametrically opposed, brilliantly composed. Blur the line between hard form and imperceptible shape. Elements converge in 18 × 36 and 24 × 24. Juxtapose your space.



Fringe Tile + Wander Tile + Embark Tile | pages 301, 381, 290

Wander Tile | page 381



Embark Tile | page 290



Fringe Tile | page 301



Haze Tile | page 307




Vapor Tile | page 378



# Mindful Play

Nonlinear thinking. Mindful Play is made for lively interaction between people and spaces. Think simple, geometric forms, boldly engineered stripes, and powerful colour blocking. Learn to collaborate. Work to reconnect.



Tile + Resilient | Collection: Mindful Play



# MineralFloor

People are the foundation of a space. MineralFloor is a high performing, PVC-free solution that stands up to the demands of the commercial spaces where we work, learn, heal and live. Scratch and indentation resistant – so people can collaborate and roam carefree without the worry of harming the floor. Walk on and on and on.



Origin Rigid Mineral Core | page 487



Basis Rigid Mineral Core | page 467



# Mix

Carpet collections unite. Each and every Mix colour is designed to coordinate with all tints, tones and hues of Gradient. So you can go tone-on-tone or total contrast, on the fly or in your own time. You be the mix master. It's colourful coexistence.



Hybrid Tile | page 310



Meld | page 421



Eclectic | page 405



Catalyst Tile | page 257



# Modern Edit

Threadbare opulence. Modern Edit pays homage to vintage textile design, reframing luxury with industrial edge and unconventional scale. Ingeniously constructed and artfully instilled with a sense of place.



Rethread Tile | page 350



Ornate Tile | page 333



Edition | page 405

Inherit | page 415

Rethread Tile + Ornate Tile | pages 350, 333



# Natural Choreography

designed by  
**david rockwell + ShawContract®**

Natural Choreography LVT embraces variation of the natural form. Cut LVT mimics the natural end-cut of wood, connected in a beautifully organic installation. Shear LVT creates the impression of ornate marble slab with metallic inlay.



Cut LVT | page 475



Shear LVT | page 493



# New Path

The New Path collection transforms the workplace from a static location to a welcoming destination. We are all still returning to a new normal, searching out new paths where the boundaries are intentionally blurred. New Path finds happiness in new beginnings, leading us to a new understanding of our workplaces. A new path with no fixed sense of direction that shifts organically, taking its cues from nature to bring a restorative sense of harmony to our work days. A collection that speaks to the triumph of connection over isolation, a reminder that there are always new paths ahead.









# Noble Materials

Enter the alchemist. Sacred geometry. Meticulously plotted diagrams. Charted experimentation. The hierarchy of Noble Materials revealed. Gold, silver and copper inlays form opulent details in natural textures. Sleek stonework with gleaming touches of polished metal. Nature takes form, an unexpected pairing of movement and texture. A curated study of true alchemy, in tile, broadloom and resilient.



Alchemy Tile + Honed Tile | pages 242, 308

Alchemy Tile | page 242



Honed Tile | page 308



Slab Tile | page 359



Form Tile | page 300



Strata | pages 440



Fault | pages 408




Emerge LVT | page 476



Resilient + Custom | Collection: Noble Materials

Broadloom | Collection: Noble Materials



Monolith | page 422

Base Metal | page 391

Cascade Rug YF25718\*

Bookmatch Tile CT25836\* + Fine Agate Tile CT25829\*

*\*Available with a minimum yardage. Contact your sales representative for more details.*



# Off The Grid

The need to connect, to reflect and be in the moment is ever more compelling. As our our digital lives remove us from our senses, we yearn for the calming power of a soft surface, the visual harmony found in nature and for physical connection. Off the Grid is a deeply textural collection, of undulating patterns that mirror the natural world, boundaries that blur the edges, forging deeper connections to the world around us.



Beyond Tile | page 253  
\*also available in broadloom page 394



Escape | page 407



Discover Tile | page 281



Expanse Tile | page 295



Seek Tile | page 355



# On The Edge

Pattern and colour sketched, washed and traced along 18 x 36 tile edges to create daring layers of design. And installation takes audacious forms, freeing the boundaries of your space.



Vertical Edge Tile + Minimal Tile | pages 379, 330

Vertical Edge Tile | page 379



Minimal Tile | page 330



Merge Tile | page 328



# Openwork

High luster yarns and matte fibre interlace, soft patterns form. Ikat striations, Kasuri patterns and slubbed textures blend and blur. Naturally rugged, gently finished.



Kasuri Tile + Bias Tile | pages 321, 253

Inlay | page 416



Effect | page 406



Bias Tile | page 253



Kasuri Tile | page 321



Mesh Tile | page 329



# The Park

Transform space and spirit. The Park is designed to redefine boundaries, enhance our mood and open our minds. Colour, pattern and texture influence and enhance the way we move and gather, from large crowds to peaceful pathways. Transition from communal energy to a quiet, singular moment. Alone. Together.

Create Tile | page 275



Reflect Tile | page 347



Renew Tile | page 348



Reflect Tile + Drift Tile | page 347, 286



Explore Tile | page 295



Zone Tile | page 385



# Places


Spend the day in a vibrant metropolis. Explore the shores of a coastline. In your travels, slow down and take in the changing landscape. Places captures memories of a destination. Calm moments in nature contrast the lights and energy of a city skyline. Quick to ship, global to local, collaborative workplace to quiet retreat.



Sky Tile + Sea Tile + Sea Edge Tile | pages 359, 355, 354




City Central Tile | page 262




Central Line Tile | page 258



Summit | page 441



Birch | page 394



Grove | page 413



# reFrame

In a digital age, our increased desire for sensory stimulation draws us toward the tactile. reFrame is a woven LVT that adds visual depth and texture to the spaces where we work, play and learn. A hybrid floor covering, it combines hard surface durability with soft surface aesthetics. Inspired by the fine weaving and ombré textile dyeing, reFrame creates tonal colour shifts along the length of each tile for dramatic colour play.



reFrame LVT | page 490

# reThink

Our design team set out to rethink the way we use materials and construct flooring, weaving the boundary between hard and soft. Combining hard surface durability with soft surface aesthetics, reThink woven LVT is a hybrid floor covering that weaves utilitarian purpose with textile appeal.



reThink LVT | page 492



# Rewoven

Simple lines, rugged shapes. Rewoven is topographic to the touch. Trace, Align and Sculpt in EcoWorx® Tile. Layer and Dimension in Ultraloc broadloom. All Cradle to Cradle Certified® Silver and engineered for the unpredictable.



Sculpt Tile | page 353

Align Tile | page 242



Trace Tile | page 371



Contour | page 399



Outline | page 426



Dimension | page 403



Layer | page 419



# Rise

How do you respond to disorder and disruption? Sometimes we need to create new paths, rethink and rebuild. The Rise Custom Collection is our response to overcoming the challenges we face. It draws inspiration from the world around us; a collection created from a place of empathy. It pays tribute to the resilience of the hospitality industry and the spirit of renewal as we all move forward, buoyed by optimism rather than weighed down by difficulties. Together we rise.





Rise



Rise



Rise



# Rugs


Wherever you're working from, make it all yours. Introducing our new Rug Collection. With designs that translate beliefs into a space. To foster a sense of togetherness. To create a sense of place. To connect you to where you are, from the ground up.



Heritage Rug G018R | page 414



Motif Rug G037R | page 424



Archway Rug G062R | page 389



Waterfall Rug G030R | page 448



Embrace Rug G002R | page 406



Share Rug G079R | page 436



# Set Up

Environments are shaped for the minds that fill them. Set Up lets you create dynamic work and learning spaces that encourage inquiry, action, imagination and collaboration, building the foundation for creative ideas to grow. The Set Up collection includes both hard and soft flooring options. Practice, Discussion and Curiosity carpet tiles feature Solution Q Extreme® nylon in all loop construction for added strength in high traffic areas, ease of maintenance, and colour fastness. Mindset LVT is built for demanding spaces with a 20 mil wear layer and ExoGuard+™ topcoat.




Mindset LVT | page 486

Practice Tile | page 341



Discussion Tile | page 282



Curiosity Tile + Discussion Tile + Mindset LVT | page 276, 282, 486



# Shade

It begins with a spark. A flash. A glowing moment of inspiration that grows and grows until it reaches its full and luminous potential. A collection with patterns, tones and hues that enlighten, inspire and ignite. We think you'll see carpet in a whole new light.



Tone | page 446

Tint | page 445



Gradient | page 411



Gradient Tile | page 304



# Shifting Fields

The place where land, sky, water, and horizon meet is always shifting. As landscapes change, our natural world adapts. So it is in the spaces we occupy. They, too, shift to support the different ways we work. Shifting Fields brings that notion down to earth. The collection captures our need to design for ever-shifting environments. And to adapt gracefully.



Plains Tile + Landing Edge Tile | page 337, 323

Plains Tile | pages 337



Enclave Tile | pages 291

Landing Tile | page 324



Vista Tile | page 381

Landing Edge Tile | page 323



Clearing Tile | page 263



Tile | Collection: Shifting Fields



# Simply By Nature

Inspired by the wonders of the outside world, the Simply By Nature collection brings organic patterns and soft textures inside to the spaces where you work and connect. Like a breath of fresh air, this naturally-inspired collection brings beauty and calm to any room. Its earth-tone colour palette blends perfectly with a variety of aesthetics bringing versatility to interior environments.



Arrange Tile + Array Tile + Structure Tile | page 246, 246, 364


Accord | page 388



Array Tile | page 246



Arrange Tile | pages 246



Amend | page 389



Offset Tile | page 332



Structure Tile | page 364

Broadloom + Tile | Collection: Simply By Nature







Soleil De Mer



Soleil de Mer



Custom | Collection: Soleil de Mer

Custom | Collection: Soleil de Mer



Soleil de Mer



Soleil de Mer



# Solitude

Peace of place. Find strength in Solitude LVT, a collection of wood visuals in subtle shades of quiet. Embossed grain textures from light to medium give a realistic look and feel. Constructed in 5mm thickness for smoother flow without transition strips, and an innovative silencing layer to reduce sound transfer. Calm and be calmed.



Solitude LVT | page 493

# Soundscape

Sound layers build our experiences in the places where we work, play and rest—footsteps; a phone ringing; colleagues chatting or the steps of the hotel guest above your room. Many sounds are unavoidable. With Soundscape, designers can create a sonic environment that reduces sound and encourages positive emotional and physical responses in a space.



Soundscape LVT | page 494



# Space Worx

A place for everything and everthing in your space. The ergonomics of the workspace is limitless. A well-planned space should be accommodating, efficient and work to its full potential. Space Worx entices with functionality. It appeals with practicality. And it opens up the possibility for how you work the room.



Primary Tile + Basic Tile | page 343, 250



Basic Tile | page 250



Primary Tile | page 343



Centric Tile | page 259



Surround Tile | page 366



# Suited

We respond to our environments in a myriad of ways, but the core of our responses are aesthetic, tactile or emotional. Suited draws upon all of these responses to both soothe and empower, inspire and engage. Suited brings an innate confidence to each new space, evoking a sense of comfort and belonging. Taking its cues from timeless fabrics, this lushly tactile collection reinterprets them to create an evolving story of pattern and texture. This is not simple nostalgia, but instead a multi-layered experience where the familiar and the new forge a bond between person and place.



Houndstooth Tile + Textile Tile + Resurgence Hardwood | page 309, 369, 513

Check Tile | page 260



Jacquard Tile | page 319



Textile ULT | page 369



# Surface and Strand

Cemented elements. Concrete characteristics. Linear stone.  
These are the subtle visuals of Surface and Strand, two new  
18 x 36 resilient designs. Mix styles and add scale. Bring an air of  
composed balance to architectural spaces.



Strand LVT | page 494

Surface LVT | page 496



Strand LVT | page 494



# Symmetry

Geometric shapes seen in urban architecture and natural landscapes are interpreted to add intricate visual interest and balance to public and private spaces. Symmetry offers two patterns: Ease captures the movement of stone pavers with dynamic changes in scale and Interlude is a deconstructed motif that adds a rich dimension to any room.



Interlude Tile + Ease Tile | page 318, 289



Interlude Tile | page 318

Tile | Collection: Symmetry



# Tailored

Inspired by the craftsmanship and rich tradition of classic tweed and bespoke clothing, Tailored weaves together hard surface durability with soft surface aesthetics. Just as tweed has maintained its status over centuries as both hard-wearing yet stylish, Tailored blends performance and aesthetics for the places we work, live and learn.



Tailored Woven LVT | page 497

Tailored Woven LVT | page 497



Tailored Woven LVT | page 497



# TeamWork

What makes teams work? The best ones aren't as much about IQ as they are about We-Q. Every team is made up of eclectic personalities and strengths. So it is with our TeamWork collection. Each colour palette in the collection was inspired by a different personality. Colourful and playful. Pragmatic and functional. Down to earth and flexible. They all come together here.



Tile | Collection: TeamWork

Kick Off Tile, Collaboration Tile, Follow Up Tile + Huddle Tile



# Terasu

On tranquil ground. The garden is a work of peaceful design. Each plant and bloom, chosen for its symbolic purpose and intention. Tile, broadloom and resilient sheet patterns in fresh colours to mix and coordinate throughout a space. Bold enough to make a statement, subtle enough to build a foundation. Grounded in the healing properties of nature.



Terrace LVT | page 497



Kusa Tile | page 322  
also available in broadloom page 419



Hana Tile | page 306  
also available in broadloom page 413



Botan Tile | page 255  
also available in broadloom page 395



Roji Sheet + Reed Sheet | page 462, 460



Tatami Sheet | page 463



# Terrain II

Bring the rustic beauty of the outdoors in with the Terrain II collection. Terrain II features oak, walnut, and rustic wood visuals with contemporary colourways + pops of colour. Made in the USA, all colours are available in 12 mil, 20 mil and 30 mil wear layers to fit various end use requirements. Terrain II is also available in the rigid core platform to prevent subfloor telegraphing and offer top-down moisture protection.



Terrain II LVT + Rigid Core | page 499, 500



Terrain II LVT + Rigid Core | page 499, 500

Resilient | Collection: Terrain II LVT + Rigid Core



# Timeless Essentials

Our design team has been thoughtful so that you can be practical. Timeless Essentials classic hospitality design aesthetics have been carefully curated in a 4 tier system that provides style and value at every level. The colours and patterns work in harmony across guest rooms and public spaces, just set the budget level and the design decisions are effortless.



Timeless Essentials



Timeless Essentials



# Unearthed

Beneath the surface of the earth live some of nature's most healing elements. Grounded in the evidence-based design principle that nature is a proven collaborator in healing, Unearthed exposes living earth to healthcare spaces. Raw mineral patterning, shimmering layers, rocky textures. Deep down, this 18 × 36 collection is gracefully balanced and profoundly solid.



Mica Tile + Quartz Tile | pages 329, 345




Agate Tile | page 241



Jasper Tile | page 320



Quartz Tile | page 345



Mica Tile | page 329

Tile | Collection: Unearthed



# Unite

Demanding spaces can also be beautiful. Unite is a collection that brings together the look of refined wood and stone in neutral and bright shades. Loose lay or adhered to the floor, it combines a natural beauty and the utmost durability.



Inlet LVT + Honest Tile | page 480, 309



Cove LVT | page 473



# Unite II

The Unite II Collection celebrates a combination of materials, joining together the look of clean wood with insets of a concrete terrazzo visual, creating a joyful connectivity in your space. All styles in Unite II have a layered construction that are engineered for enhanced durability in high-demand environments. It features our maintenance friendly ExoGuard+™ finish with more resistance to abrasion, staining, and improved cleanability. Loose lay or adhered to the floor, Unite II styles combines a natural beauty and the utmost durability.









# Vertical Layers

Weathered and worn. Forgotten places tell the story of present and past. Scratched surfaces, peeling paint, crumbling brick. Elements of time are exposed in Vertical Layers, plank by plank. Find beauty in the unexpected.



Relief Tile + Uncover Tile | page 347, 376

Expose Tile | page 296



Tinge Tile | page 370



Undertone Tile | page 376



Unveil LVT | page 504




Patina Rug PR29795\*

\*Custom carpet available with a minimum order. Contact your account manager for more details.



# View

Form a new point of view. Positive and negative spaces take organic shape. Bold, energetic lines form optical texture in No Rules tile and broadloom. Eyeing a tight schedule? Looks like you're in luck. Place your order for up to 2,500 yards of broadloom or tile, and upon confirmation, we'll ship to your door in two weeks or less.



Broadloom + Tile | Collection: View

Reverse Tile + Direction Tile | pages 351, 281 [sejnu ou](#)

Switch | page 442

Modify | page 422

Transfer | page 446





Tile | Collection: View



Realm Tile | page 346



Field Tile | page 298




Scape Tile + Field Tile + Reverse Tile + Quiet Cover LVT | pages 353, 298, 351, 489

Tile | Collection: View



# Virtual Spaces

Shared spaces interconnect with digital dimension and graphic patterns. A network emerges with vivid bursts of colour-blocking—fusing classrooms, media spaces, gathering spots and conference settings. It's responsive design for high-performance learning environments.



Augment Tile + Hype Tile | pages 247, 311 [sejnu ou](#)

Hype Tile | page 311 [sejnu ou](#)



Tile | Collection: Virtual Spaces



Augment Tile | page 247 [sejnu ou](#)



# Vitality

Wellness from the ground up. Whether your space is an operating room, a laboratory or a patient room, Vitality homogeneous sheet can connect the purpose of your space with the solutions you need. With the Vitality Collection, colour and performance can become the foundation of your design. Clean, semi-solid colours and the restorative principles of biophilic design inform this collection and help connect and direct your healing spaces with the hues found in nature. Vitality in its truest sense is about being strong and active—within ourselves and within the spaces that heal us. Depend on the durability, stain resistance and easy maintenance procedures to keep your spaces operational and functional. Vitality, Vitality Hues and Vitality Tones feature a wide range of 72 colours to fit any environment whether it be for a renovation or new construction.







Vitality Tones Homogeneous Sheet | page 465



Vitality Homogeneous Sheet | page 463



# A Walk In the Garden

Form a new point of view. Positive and negative spaces take organic shape. Bold, energetic lines form optical texture in tile and broadloom.



Basalt II Tile | page 249



Fault Lines II Tile | page 297



Tile | Collection: A Walk In the Garden

Pavers II Tile + Gravel II Tile + Fault Lines II Tile | page 335, 305, 297

Gravel II Tile | page 305

Pavers II Tile | page 335



# west elm + ShawContract®

Sometimes home is a place. Sometimes it's a feeling. It's where we come together. To work, to play, to think, to discover, to create, to belong.

West Elm + Shaw Contract is a collection that embraces the warmth and comfort of home wherever you may be. It combines the handcrafted sensibility of natural materials and textiles with the utter durability and sustainability that commercial environments demand. West Elm style meets Shaw Contract performance. We find ourselves at the intersection of modern design, affordability and community—where the boundaries have become inextricably intertwined. And in that space, we've forged a collaboration that feels like home.



Broadloom + Tile + Rugs | Collection: West Elm





Broadloom + Tile + Rugs | Collection: West Elm

Broadloom + Tile + Rugs | Collection: West Elm



Chisel Tile | page 261

Grit Tile | page 305



Zeal Tile | page 384



Spark Tile | page 360





Diamonds | page 403



Shale | page 436



Flame | page 409





Kista | page 418

CARPET TILE



Above Tile | Canopy

Tile Size | 9x36



88481 Still

Product Specifications

<b>Style Number</b>	5T392	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6333 ozs./yd <sup>3</sup>	10.22 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Herringbone, Stagger	




Coordinating Products

Habitat Tile, Suspend Tile, Below Broadloom, Ground Broadloom

Absorbed Tile | Light Series


Tile Size | 24x24



01595 Glare

Product Specifications


<b>Style Number</b>	5T003	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6990 ozs./yd <sup>3</sup>	10.61 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	



Coordinating Products

Applied Tile, Vibrant Tile, Visible Tile





07555 Charcoal

**Product Specifications**


**Style Number** 5T107  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 18 oz. 610.3 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6480 ozs./yd<sup>3</sup> 11.09 kilotex  
**Product Size** 18 in x 36 in 45.7 cm x 91.4 cm




**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In



Black  
07505



Silver  
07518



Charcoal  
07555

**Coordinating Products**  
 Chromatone Tile, Saturate Tile, Value Tile



27490 Wisdom

**Product Specifications**

**Style Number** 5T427  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 28 oz. 949.4 g/m<sup>2</sup>  
**Gauge** 1/10 39.4/10 cm  
**Average Density** 10957 ozs./yd<sup>3</sup> 8.45 kilotex  
**Product Size** 18 in x 36 in 46 cm x 91 cm



**Secondary Backing** EcoWorx® Tile  
**Recommended Installation** Basketweave, Boxed in, Brick, Ashlar




Kith  
27150



Thankful  
27320



Pause  
27405



Gracious  
27429




Wisdom  
27490




Introspective  
27516



Virtue  
27585



Comfort  
27761



Hearten  
27860

**Coordinating Products**  
 Adage Ultraloc® MB, Truism Ultraloc® MB, Belief Ultraloc® MB, Notion Ultraloc® MB, Moral Ultraloc® MB, Truism EcoWorx® Tile, Belief EcoWorx® Tile



04535 Coordinate

**Product Specifications**

**Style Number** 5T202  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 20 oz. 678.1 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 8471 ozs./yd<sup>3</sup> 10.21 kilotex  
**Product Size** 12 in x 48 in 30.5 cm x 121.9 cm




**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Ashlar, Stagger, Herringbone, Brick




Focus  
04111




Ability  
04325



Meditate  
04327



Motivate  
04375



Accelerate  
04432



Endurance  
04505



Energy  
04515



Coordinate  
04535



Balance  
04551




Strategy  
04555



Flexible  
04595



Perform  
04675



Adapt  
04761



Strenuous  
04870


**Coordinating Products**  
 Dash Tile, Track Tile, Turn Tile



14740 Zircon

**Product Specifications**

**Style Number** 5T015  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 93% Solution Dyed / 7% Yarn Dyed  
**Tufted Weight** 22 oz. 746 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6236 ozs./yd<sup>3</sup> 12.15 kilotex  
**Product Size** 18 in x 36 in 45.7 cm x 91.4 cm



**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Basketweave, Herringbone, Boxed-In, Brick, Half Basketweave, Ashlar




Gypsum  
14111




Clay  
14150




Amber  
14200




Azurite  
14315




Tourmaline  
14320



Olivine  
14330




Graphite  
14481



Galena  
14515




Cinnabar  
14713



Zircon  
14740



Hematite  
14760



Smoky Quartz  
14761


**Coordinating Products**  
 Jasper Tile, Mica Tile, Quartz Tile






33111 Alabaster Gold

**Product Specifications**

<b>Style Number</b>	5T135		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	30 oz.	1,017.17 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	9231 ozs./yd <sup>3</sup>	7.59 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		





**Coordinating Products**  
Base Metal Woven, Fault, Form Tile, Honed Tile, Monolith Woven, Slab Tile, Strata



83761 Clay

**Product Specifications**

<b>Style Number</b>	5T006		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.11 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.37/10 cm	
<b>Average Density</b>	5581 ozs./yd <sup>3</sup>	11.84 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		




**Coordinating Products**  
Contour, Dimension, Layer, Outline, Sculpt Tile, Sculpt Loop Tile, Trace Tile




50678 Include Color

**Coordinating Products**  
Collective I Tile, Collective II Tile, Collective III Tile, Collective IV Tile, Collective V Tile, In Common Tile, Side By Side Tile, Alongside, In Tune

**Product Specifications**


<b>Style Number</b>	5T494		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 ozs./yd <sup>2</sup>	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12 in	47.2/10 cm	
<b>Average Density</b>	6120 ozs./yd <sup>3</sup>	0.226 g/cm <sup>3</sup>	
<b>Product Size</b>	9 in x 36 in	23 cm x 91 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger		




50678 Include Color

**Coordinating Products**  
Collective I Tile, Collective II Tile, Collective III Tile, Collective IV Tile, Collective V Tile, In Common Tile, Side By Side Tile, All Together, In Tune

**Product Specifications**

<b>Style Number</b>	5T495		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 ozs./yd <sup>2</sup>	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12 in	47.2/10 cm	
<b>Average Density</b>	5885 ozs./yd <sup>3</sup>	0.218 g/cm <sup>3</sup>	
<b>Product Size</b>	9 in x 36 in	23 cm x 91 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger		








27585 Gleam

**Coordinating Products**  
Glimmer Tile, Shine Tile

**Product Specifications**

<b>Style Number</b>	59327	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.40 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5276 ozs./yd <sup>3</sup>	9.50 kilotex
<b>Product Size</b>	24 in x 24 In	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



04595 Glare + 04284 Brilliant + 04675 Lava + 04326 Night Vision + 04429 Cosmic

**Coordinating Products**  
Absorbed Tile, Vibrant Tile, Visible Tile

**Product Specifications**

<b>Style Number</b>	5T004	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7266 ozs./yd <sup>3</sup>	12.52 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn	




26500 Filter

**Coordinating Products**  
Distort Tile, Glitch Tile, Manipulate Tile

**Product Specifications**

<b>Style Number</b>	5T126	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.30 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7043 ozs./yd <sup>3</sup>	10.98 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Basketweave, Half Basketweave, Herringbone, Boxed In, Brick	









94535 Mirror Grey

**Product Specifications**

<b>Style Number</b>	5T294		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	4760 ozs./yd <sup>3</sup>	8.75 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		





**Coordinating Products**  
Accord, Amend, Array Tile, Offset Tile, Structure Tile



94535 Mirror Grey

**Product Specifications**

<b>Style Number</b>	5T295		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	4431 ozs./yd <sup>3</sup>	8.78 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




**Coordinating Products**  
Arrange Tile, Offset Tile, Structure Tile



96111 Natural Silk

**Product Specifications**

<b>Style Number</b>	5T097		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	34% Solution Dyed / 66% Yarn Dyed		
<b>Tufted Weight</b>	38 oz.	1,288.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	12436 ozs./yd <sup>3</sup>	9.19 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Ashlar, Quarter Turn		





**Coordinating Products**  
Artisan Loom, Chok Loom, Cloth Tile, Plain Weave Tile



64761 Lively

**Product Specifications**

<b>Style Number</b>	5T064		
<b>Fibre</b>	Solution Q Extreme® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7347 ozs./yd <sup>3</sup>	10.58 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		



**Coordinating Products**  
Hype Tile, Social Media Tile, Social Media






58505 Ink

**Product Specifications**

<b>Style Number</b>	5T358 (EcoWorx®)   5T376 (EcoLogix® Tile)	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5333 ozs./yd <sup>3</sup>	10.10 kilotex
	5414 ozs./yd <sup>3</sup>	10.10 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®   EcoLogix® Tile	
<b>Recommended Installation</b>	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger	



**Coordinating Products**  
Conscious Tile, Intention Tile, Present Tile, Thoughtful LVT, Kind LVT




88760 Branch



**Product Specifications**

<b>Style Number</b>	5T389	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5942 ozs./yd <sup>3</sup>	9.69 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	



**Coordinating Products**  
Ground, Below, Elevate Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Wildwood Tile, Weathered Color Tile




01100 Argan



**Product Specifications**

<b>Style Number</b>	5T303	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7099 ozs./yd <sup>3</sup>	8.82 kilotex
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Basketweave, Brick, Half Basketweave, Monolithic, Ashlar, Stagger, Herringbone	



**Coordinating Products**  
Embrace, Exchange Tile, Flat Weave Tile, Heddle Tile, Knotted Tile, Process Tile, Share



98481 Slate

**Product Specifications**

<b>Style Number</b>	5T198	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6652 ozs./yd <sup>3</sup>	9.49 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	




**Coordinating Products**  
Fault Lines II Tile, Gravel II Tile, Pavers II Tile



Base Tile | Configure

Tile Size | Hexagon



59597 Spatial

Product Specifications

<b>Style Number</b>	5T159	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26.0	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	10065 ozs./yd <sup>3</sup>	15.07 kilotex
<b>Product Size</b>	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Raandom, Diagonal, Monolithic	



**Coordinating Products**  
Color Shift Tile, Contact Tile, Plane Tile

Basic Tile | Space Worx


Tile Size | 24x24



17597 Storm Cloud

Product Specifications

<b>Style Number</b>	5T121	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	13 oz.	440.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	4457 ozs./yd <sup>3</sup>	7.57 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



**Coordinating Products**  
Centric Tile, Primary Tile, Surround Tile

Batik Tile | Gather

Tile Size | 18x36



85402 Timeless

Product Specifications

<b>Style Number</b>	5T348	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7049 ozs./yd <sup>3</sup>	8.59 kilotex
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Herringbone	



**Coordinating Products**  
Batik, Ikat, Ikat Tile, Linen, Linen Tile, Tapestry, Tapestry Tile

Belief EcoWorx® Tile | Cultivate Soul

Tile Size | 18x36



27860 Hearten

Product Specifications

<b>Style Number</b>	5T429	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7467 ozs./yd <sup>3</sup>	8.24 kilotex
<b>Product Size</b>	18 in x 36 in	46 cm x 91 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Ashlar	




**Coordinating Products**  
Adage Ultraloc® MB, Truism Ultraloc® MB, Belief Ultraloc® MB, Notion Ultraloc® MB, Moral Ultraloc® MB, Adage EcoWorx® Tile, Truism EcoWorx® Tile






48515 Hearthen + 48486 Serene

**Product Specifications**

<b>Style Number</b>	5T261		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	18 oz.	610.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	8640 ozs./yd <sup>3</sup>	10.94 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




**Coordinating Products**  
Dream Tile, Memory Tile, Stay, Reminisce



55530 Tweed + 55105 Bleached

**Product Specifications**

<b>Style Number</b>	5T057		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	63% Solution Dyed / 37% Yarn Dyed		
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7038 ozs./yd <sup>3</sup>	13.18 kilotex	
<b>Product Size</b>	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Random, Diagonal		





**Coordinating Products**  
Linear Shift Tile, Linear Tile, Plane Tile



15580 Ridge

**Product Specifications**

<b>Style Number</b>	5T218		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	30 oz.	1,017.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6243 ozs./yd <sup>3</sup>	7.86 kilotex	
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick		




**Coordinating Products**  
Beyond, Discover Tile, Escape, Expanse Tile, Seek Tile



93555 Tinsmith

**Product Specifications**

<b>Style Number</b>	5T043		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	53% Solution Dyed / 47% Yarn Dyed		
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6046 ozs./yd <sup>3</sup>	12.34 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Quarter Turn, Monolithic, Brick, Ashlar		



**Coordinating Products**  
Effect, Inlay, Kasuri Tile, Mesh Tile






06518 Silt

**Product Specifications**

<b>Style Number</b>	5T448	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	8597 ozs./yd <sup>3</sup>	8.78 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	




**Coordinating Products**  
Landform Tile, Ridge Tile, Steppe Tile, Poured Tile, Stacked Tile



36300 Pond

**Product Specifications**

<b>Style Number</b>	5T192	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7313 ozs./yd <sup>3</sup>	12.96 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



**Coordinating Products**  
Botan, Hana, Hana Tile, Kusa, Kusa Tile, Reed Sheet, Roji Sheet, Tatami Sheet



31500 Ebony

**Product Specifications**

<b>Style Number</b>	5T032	
<b>Fibre</b>	PET Polyester	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	50.5 oz.	1,712.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5285 ozs./yd <sup>3</sup>	9.84 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn	




**Coordinating Products**  
Bon Jour II, Entrée Tile, Welcome II Tile, Welcome II



05105 Optimistic + 05761 Mountain

**Product Specifications**

<b>Style Number</b>	5T314	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	567.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7373 ozs./yd <sup>3</sup>	8.47 kilotex
<b>Product Size</b>	9 in x 36 in	22.86 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Herringbone, Ashlar, Stagger	




**Coordinating Products**  
Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Color Tile, Transform Tile





05761 Fuse

**Product Specifications**

<b>Style Number</b>	59113		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5615 ozs./yd <sup>3</sup>	9.32 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




**Coordinating Products**  
Linage Tile




90100 Bubbly

 Carbon Neutral  
Low Embodied Carbon

**Product Specifications**

<b>Style Number</b>	5T493		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 ozs./yd <sup>2</sup>	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12 in	47.2/10 cm	
<b>Average Density</b>	5322 ozs./yd <sup>3</sup>	0.197 g/cm <sup>3</sup>	
<b>Product Size</b>	18 in x 36 in	46 cm x 91 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger		




**Coordinating Products**  
Upbeat, Positive, Centered



54103 Golden Eye

**Product Specifications**

<b>Style Number</b>	59554		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7355 ozs./yd <sup>3</sup>	9.76 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Random, Monolithic, Quarter Turn, Ashlar, Brick		




**Coordinating Products**  
Intrigue Tile



64755 Marble

**Product Specifications**

<b>Style Number</b>	59579		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5058 ozs./yd <sup>3</sup>	9.16 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Ashlar, Brick, Monolithic, Quarter Turn, Random		



**Coordinating Products**  
Eclectic, Hybrid Tile, Meld






**Carbon Neutral**  
**Low Embodied Carbon**

**Product Specifications**

<b>Style Number</b>	5T492	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 ozs./yd <sup>2</sup>	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12 in	47.2/10 cm
<b>Average Density</b>	6876 ozs./yd <sup>3</sup>	0.254 g/cm <sup>3</sup>
<b>Product Size</b>	18 in x 36 in	46 cm x 91 cm
<b>Secondary Backing</b>	StrataWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	




90100 Bubbly

**Coordinating Products**  
Upbeat, Positive, Calm




**Product Specifications**

<b>Style Number</b>	5T176	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6581 ozs./yd <sup>3</sup>	10.12 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



72516 Scenic Citron

**Coordinating Products**  
Birch, City Central Tile, Grove, Sea Edge Tile, Sea Tile, Sky Tile, Summit



**Product Specifications**

<b>Style Number</b>	5T124	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6353 ozs./yd <sup>3</sup>	9.27 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	



17481 Blue Herring

**Coordinating Products**  
Basic Tile, Primary Tile, Surround Tile



**Product Specifications**

<b>Style Number</b>	5T232	
<b>Fibre</b>	Solution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6113 ozs./yd <sup>3</sup>	9.66 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoLogix®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Herringbone, Stagger	



19110 Sand Dollar


**Coordinating Products**  
Refuge, Retreat





61979 Artistic


**Product Specifications**

<b>Style Number</b>	59561		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	74% Solution Dyed / 26% Yarn Dyed		
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>	
<b>Gauge</b>	5/64	50.4/10 cm	
<b>Average Density</b>	7402 ozs./yd <sup>3</sup>	10.10 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Quarter Turn, Monolithic		



84111 Pebble

**Product Specifications**

<b>Style Number</b>	5T485		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	27 ozs./yd <sup>2</sup>	915.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 in	39.4/10 cm	
<b>Average Density</b>	5820 ozs./yd <sup>3</sup>	0.215 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		





**Coordinating Products**  
Stonework Tile, Grit Tile, Stone Broadloom



79515 Cotton

**Product Specifications**

<b>Style Number</b>	5T281		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	8129 ozs./yd <sup>3</sup>	8.40 kilotex	
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar		





**Coordinating Products**  
Houndstooth Tile, Jacquard Tile, Textile Tile, Textile Ultraloc®



07411 Cornflower Silver

**Product Specifications**

<b>Style Number</b>	5T444		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	18 oz.	2982 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6171 ozs./yd <sup>3</sup>	10.75 kilotex	
<b>Product Size</b>	18 in x 36 in	46 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Ashlar		



**Coordinating Products**  
Saturate Tile, Achromatic Tile






72515 Scenic

**Product Specifications**

<b>Style Number</b>	5T175	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.40 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6581 ozs./yd <sup>3</sup>	10.37 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	




**Coordinating Products**  
 Birch, City Central Tile, Grove, Sea Edge Tile, Sea Tile, Sky Tile, Summit



71111 Sand

**Product Specifications**

<b>Style Number</b>	5T381	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7660 ozs./yd <sup>3</sup>	10.21 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



**Coordinating Products**  
 Vista Tile, Landing Edge Tile, Landing Tile, Enclave Tile, Plains Tile



62103 Porcelain

**Product Specifications**

<b>Style Number</b>	59564	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	4500 ozs./yd <sup>3</sup>	8.35 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn, Monolithic, Random	



**Coordinating Products**  
 Glaze Tile, Transparent Tile

\*Also available as Staticsmart™ ESD



96111 Natural Silk

**Product Specifications**

<b>Style Number</b>	5T096	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	41% Solution Dyed / 59% Yarn Dyed	
<b>Tufted Weight</b>	38 oz.	1,288.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	12324 ozs./yd <sup>3</sup>	9.03 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



**Coordinating Products**  
 Artisan Tile, Artisan Loom, Chok Loom, Plain Weave Tile





38105 Greige

**Coordinating Products**  
 Collective II Tile, Collective III Tile, Collective IV Tile,  
 Collective V Tile, Hand in Hand Tile, Side by Side Tile,  
 In Common Tile

**Product Specifications**

<b>Style Number</b>	5T438	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7862 ozs./yd <sup>3</sup>	9.34 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	






38105 Greige

**Coordinating Products**  
 Collective I Tile, Collective II Tile, Collective IV Tile,  
 Collective V Tile, Hand in Hand Tile, Side by Side Tile,  
 In Common Tile

**Product Specifications**

<b>Style Number</b>	5T440	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7862 ozs./yd <sup>3</sup>	9.52 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	




38105 Greige

**Coordinating Products**  
 Collective I Tile, Collective III Tile, Collective IV Tile,  
 Collective V Tile, Hand in Hand Tile, Side by Side Tile,  
 In Common Tile

**Product Specifications**

<b>Style Number</b>	5T439	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5846 ozs./yd <sup>3</sup>	9.34 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	




38105 Greige

**Coordinating Products**  
 Collective I Tile, Collective II Tile, Collective III Tile,  
 Collective V Tile, Hand in Hand Tile, Side by Side Tile,  
 In Common Tile

**Product Specifications**

<b>Style Number</b>	5T441	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6887 ozs./yd <sup>3</sup>	17.54 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	








38105 Greige

**Coordinating Products**  
 Collective I Tile, Collective II Tile, Collective III Tile,  
 Collective IV Tile, Hand in Hand Tile, Side by Side Tile,  
 In Common Tile

**Product Specifications**

<b>Style Number</b>	5T442	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7765 ozs./yd <sup>3</sup>	12.26 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



81557 Disappear

**Coordinating Products**  
 Achromatic, Chromatic Tile, Color Frame Tile,  
 Saturate Tile, Value Tile, Valve Tile

**Product Specifications**

<b>Style Number</b>	5T112	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6511 ozs./yd <sup>3</sup>	10.54 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone	









81557 Disappear



**Product Specifications**

<b>Style Number</b>	5T081		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7200 ozs./yd <sup>3</sup>	10.90 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




**Coordinating Products**


Color Form Tile, Diffuse Color, Disperse Color



58150 Gilded


**Product Specifications**

<b>Style Number</b>	59358		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	90% Solution Dyed / 10% Yarn Dyed		
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7624 ozs./yd <sup>3</sup>	9.52 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Random		




**Coordinating Products**


Kinetic Tile



59615 Social

**Product Specifications**


<b>Style Number</b>	5T161		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	10,065 ozs./yd <sup>3</sup>	15.07 kilotex	
<b>Product Size</b>	24.9 in x 28.8 in dia	63.2 cm x 73.2 cm dia	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Random, Diagonal, Monolithic		



**Coordinating Products**

Base Tile, Contact Tile, Plane Tile







23515 Chrome

**Coordinating Products**  
Makerspace Tile, Quad Tile

**Product Specifications**


<b>Style Number</b>	5T323		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6545 ozs./yd <sup>3</sup>	0.24 g/m <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		





52515 Fuse

**Coordinating Products**  
Correspond Tile, Partner Tile

**Product Specifications**


<b>Style Number</b>	5T352		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6353 ozs./yd <sup>3</sup>	8.48 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




40150 Bare Necessities

**Coordinating Products**  
Simplicity

**Product Specifications**


<b>Style Number</b>	59342		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	86% Solution Dyed / 14% Yarn Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5885 ozs./yd <sup>3</sup>	8.56 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn		




58505 Ink

**Coordinating Products**  
Aware Tile, Intention Tile, Present Tile, Thoughtful LVT, Kind LVT

**Product Specifications**

<b>Style Number</b>	5T359 (EcoWorx®)   5T377 (EcoLogix® Tile)		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5333 ozs./yd <sup>3</sup>	10.08 kilotex	
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®   EcoLogix® Tile		
<b>Recommended Installation</b>	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger		





## Constellation Tile


Tile Size | 24x24



26710 Shooting Star

### Product Specifications

<b>Style Number</b>	59326	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	57% Solution Dyed / 43% Yarn Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8727 ozs./yd <sup>3</sup>	11.03 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic	



**Coordinating Products**  
Constellation Ultraloc

## Construct Tile | Cut & Compose


Tile Size | 24x24



03585 Sector

### Product Specifications

<b>Style Number</b>	5T104	
<b>Fibre</b>	Solution Q Extreme® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7121 ozs./yd <sup>3</sup>	9.71 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Brick, Ashlar, Random	



**Coordinating Products**  
Collage, Copy Tile, Rotate Tile

## Contact Hexagon | Configure

Tile Size | Hexagon



59596 Social Dialogue

### Product Specifications

<b>Style Number</b>	5T160	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	10065 ozs./yd <sup>3</sup>	15.07 kilotex
<b>Product Size</b>	24.9 in x 28.8 in dia	63.2 cm x 73.2 cm dia
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Random, Diagonal, Monolithic	



**Coordinating Products**  
Base Tile, Color Shift Tile, Plane Tile

## Convvene Tile | Assembly


Tile Size | 12x48



67517 Dynamic Interaction

### Product Specifications

<b>Style Number</b>	5T269	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7826 ozs./yd <sup>3</sup>	11.02 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone	




**Coordinating Products**  
Establish Tile, Support Tile

more colors →



Convene Tile | Assembly

Tile Size | 12x48



Clear Link 67558 Vivid Link 67559 Brilliant Link 67560 Radiant Foundation 67581 Dynamic Foundation 67582 Clear Foundation 67583 Vivid Foundation 67584 Brilliant Foundation 67585

Copy Tile | Cut & Compose


Tile Size | 24x24



03585 Sector

Product Specifications

<b>Style Number</b>	5T103	
<b>Fibre</b>	Solution Q Extreme® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6968 ozs./yd <sup>3</sup>	9.71 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Brick, Ashlar, Random	



Notation 03150 Format 03370 Abstract 03481 Ecliptic 03500 Typeset 03505 Sector 03585  
Cut Up 03740 Integer 03751 Emblem 03753 Factor 03760 Characters 03761 Radius 03765

**Coordinating Products**  
Collage, Construct Tile, Rotate Tile

Correspond Tile | In Sync 


Tile Size | 24x24



52515 Fuse

Product Specifications

<b>Style Number</b>	5T353	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6853 ozs./yd <sup>3</sup>	8.47 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	StrataWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	




Fuse 52515 Together 52516 Union 52335 Join 52501 Alike 52557 Equal 52530  
Mix 52750 Connect 52531 Duo 52597 Combo 52598 Balanced 52485 Link 52500

**Coordinating Products**  
Companion Tile, Partner Tile

Create Tile | The Park

Tile Size | 18x36



38530 Recharge

Product Specifications

<b>Style Number</b>	5T140	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.37/10 cm
<b>Average Density</b>	8244 ozs./yd <sup>3</sup>	8.60 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In	




Inspire 38505 Awaken 38506 Recharge 38530 Dwell 38535 Coexist 38557 Nest 38760

**Coordinating Products**  
Drift Tile, Explore Tile, Reflect Tile, Renew Tile, Zone Tile




Curiosity Tile | Set Up

Tile Size | 12x48



Product Specifications

<b>Style Number</b>	5T396	
<b>Fibre</b>	Solution Q® Extreme Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.32 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5586 ozs./yd <sup>3</sup>	9.86 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



94515 Prepare + 94402 Perceive

**Coordinating Products**  
Discussion Tile, Practice Tile, Mindset LVT


Current Tile | Journey

Tile Size | 9x36



Product Specifications

<b>Style Number</b>	5T350	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7373 ozs./yd <sup>3</sup>	9.31 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



49761 Desert + 49675 Desert Clay

**Coordinating Products**  
Dune Tile


Curve Tile | Inside Shapes

Tile Size | 24x24




Product Specifications

<b>Style Number</b>	5T241	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	7423 ozs./yd <sup>3</sup>	13.82 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	



**Recommended Installation** **Specified** | Shapes are meant to be used in shape and colour combinations. An installation key or other instructions needs to be created by the specifier. See [insideshapes.com/specify](https://insideshapes.com/specify) for more details.



86500 Pine Dark + 86534 Pine Light

**Coordinating Products**  
Diagonal, Impression I, Impression II, Impression III, Impression IV, Point, Square


Dash Tile | Active

Tile Size | 12x48



Product Specifications

<b>Style Number</b>	5T203	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	10,286 ozs./yd <sup>3</sup>	10.58 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



04595 Flexible

**Coordinating Products**  
Advance Tile, Track Tile, Turn Tile



Diagonal Tile | Inside Shapes

Tile Size | 24x24



86345 Kolmården Light + 86396 Kolmården Dark

Product Specifications

**Style Number** 5T242  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 20 oz. 678.8 g/m<sup>2</sup>  
**Gauge** 1/8 31.5/10 cm  
**Average Density** 7423 ozs./yd<sup>3</sup> 13.82 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®



Recommended Installation

**Specified** | Shapes are meant to be used in shape and colour combinations. An installation key or other instructions needs to be created by the specifier. See [insideshapes.com/specify](https://insideshapes.com/specify) for more details.



**Coordinating Products**  
 Curve, Impression I, Impression II, Impression III, Impression IV, Point, Square

Diffuse Color | Diffuse + Disperse


Tile Size | 24x24



78520 Cool Teal, 78720 Warm Teal

Product Specifications


**Style Number** 5T478  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 16 ozs./yd<sup>2</sup> 542.5 g/m<sup>2</sup>  
**Gauge** 1/12 in 47.2/10 cm  
**Average Density** 6261 ozs./yd<sup>3</sup> 0.232 g/cm<sup>3</sup>  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx® Tile  
**Recommended Installation** Quarter Turn, Random, Monolithic, Brick, Ashlar



**Coordinating Products**  
 Disperse 9x36, Diffuse 9x36, Diffuse 24x24 EcoLogix®, Diffuse 24x24 EcoLogix® Es, Disperse Color 24x24 EcoWorx® Tile, Disperse 24x24, Color Frame Tile


Diffuse Color | Diffuse + Disperse

Tile Size | 24x24



Diffuse Tile | Diffuse + Disperse quick ship


Tile Size | 24x24 | 9x36



75597 Passport

Product Specifications

**Style Number** 59575 (24 in x 24 in) | 5T185 (9 in x 36 in)  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 16 oz. 542.5 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6261 ozs./yd<sup>3</sup> 9.23 kilotex  
**Product Sizes** 24 in x 24 in 61 cm x 61 cm  
 9 in x 36 in 22.9 cm x 91.4 cm  
**Secondary Backing** EcoWorx®\*\*  
**Recommended Installation** Monolithic, Ashlar, Brick, Quarter Turn, Random, Herringbone (9x36 only)




**Coordinating Products**  
 Disperse Tile

\*Both sizes available with EcoLogix® Backing 5T233 and 5T244. Only 24 x 24 tile offered as Quick Ship



Diffuse Tile | Diffuse + Disperse quick ship

Tile Size | 24x24 | 9x36




Diffuse StrataWorx® | SelectONE InStock

Tile Size | 24x24



Product Specifications

<b>Style Number</b>	5T419	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	543.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6261 ozs./yd <sup>3</sup>	9.23 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	StrataWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	



75500 Routes

**Coordinating Products**  
Poured StrataWorx®, Surround StrataWorx®

Direction Tile | View quick ship

Tile Size | 24x24




69505 Zone

**Coordinating Products**  
Field Tile, Modify, Realm Tile, Reverse Tile, Scape Tile, Shape Tile, Switch, Transfer

Product Specifications

<b>Style Number</b>	5T071	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5047 ozs./yd <sup>3</sup>	8.87 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	



Discover Tile | Off the Grid

Tile Size | 12x48




15580 Ridge

**Coordinating Products**  
Beyond, Beyond Tile, Escape, Expanse Tile, Seek Tile

Product Specifications

<b>Style Number</b>	5T217	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4 cm
<b>Average Density</b>	6783 ozs./yd <sup>3</sup>	14.00 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	





Discussion Tile | Set Up


Tile Size | 12x48



94990 Collaborate + 94515 Prepare

Product Specifications

**Style Number** 5T395  
**Fibre** Solution Q® Extreme Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 18 oz. 610.32 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 5735 ozs./yd<sup>3</sup> 9.86 kilotex  
**Product Size** 12 in x 48 in 30.5 cm x 121.9 cm  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Ashlar, Stagger, Herringbone, Brick



Coordinating Products

Curiosity Tile, Practice Tile, Mindset LVT

Disperse Color | Diffuse + Disperse

Tile Size | 24x24



Disperse Color | Diffuse + Disperse


Tile Size | 24x24



78527 Cool Red

Product Specifications

**Style Number** 5T479  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 16 ozs./yd<sup>2</sup> 542.5 g/m<sup>2</sup>  
**Gauge** 1/12 in 47.2/10 cm  
**Average Density** 6128 ozs./yd<sup>3</sup> 0.227 g/cm<sup>3</sup>  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx® Tile  
**Recommended Installation** Quarter Turn, Random, Monolithic, Brick, Ashlar



Coordinating Products

Disperse 9x36, Diffuse 9x36, Diffuse 24x24 EcoLogix®, Diffuse 24x24 EcoLogix® Es, Disperse Color 24x24 EcoWorx® Tile, Disperse 24x24, Color Frame Tile

Disperse Tile | Diffuse + Disperse



Tile Size | 24x24 | 9x36



75557 Train Station

Product Specifications

**Style Number** 59576 (24 in x 24 in) | 5T184 (9 in x 36 in)  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 16 oz. 542.5 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6128 ozs./yd<sup>3</sup> 9.24 kilotex  
**Product Sizes** 24 in x 24 in 61 cm x 61 cm  
 9 in x 36 in 22.9 cm x 91.4 cm  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Ashlar, Brick, Quarter Turn, Random, Herringbone (9 x 36 only)



Coordinating Products


Diffuse Tile

\*Only 24 x 24 tile offered as Quick Ship



Disperse Tile | Diffuse + Disperse

Tile Size | 24x24 | 9x36





Distort Tile | Altered

Tile Size | 18x36



**Product Specifications**

<b>Style Number</b>	5T127	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.      610.3 g/m <sup>2</sup>	
<b>Gauge</b>	1/12      47.2/10 cm	
<b>Average Density</b>	6612 ozs./yd <sup>3</sup> 10.98 kilotex	
<b>Product Size</b>	18 in x 36 in      45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In	



26500 Filter

**Coordinating Products**  
Analog Tile, Glitch Tile, Manipulate Tile

Divvy Tile | All Access


Tile Size | 24x24




12505 Stride

**Coordinating Products**  
Path Tile, Portal Tile, Jive Tile, Pace Tile, Swift Tile

**Product Specifications**

<b>Style Number</b>	5T411	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.      1017.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/12      47.2/10 cm	
<b>Average Density</b>	6923 ozs./yd <sup>3</sup> 17.54 kilotex	
<b>Product Size</b>	24 in x 24 in      61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	



Downtime | Encounter 


Tile Size | 24x24




57760 Team

**Coordinating Products**  
Energize Tile, Hub Tile

**Product Specifications**

<b>Style Number</b>	5T457	
<b>Fibre</b>	Solution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 ozs./yd <sup>2</sup> 508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 in      39.4/10 cm	
<b>Average Density</b>	6207 ozs./yd <sup>3</sup> 0.23 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in      61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	









48211 Golden + 48515 Hearten + 48486 Serene

**Product Specifications**

<b>Style Number</b>	5T265		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	9000 ozs./yd <sup>3</sup>	10.00 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





**Coordinating Products**  
Belong, Memory



38515 Breeze + 38284 Flourish

**Product Specifications**

<b>Style Number</b>	5T142		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6092 ozs./yd <sup>3</sup>	10.81 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone		





**Coordinating Products**  
Create Tile, Explore Tile, Reflect Tile, Renew Tile, Zone Tile



49486 Carbon Atmosphere + 49505 Carbon

**Product Specifications**

<b>Style Number</b>	5T349		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	7286 ozs./yd <sup>3</sup>	9.31 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick		





**Coordinating Products**  
Current Tile



38518 Fog + 38675 Apricot

**Product Specifications**

<b>Style Number</b>	5T239		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6492 ozs./yd <sup>3</sup>	11.54 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone		



**Coordinating Products**  
Familiar Tile, Honest Tile, Identity Tile, Nest Tile, Shelter Tile






41316 Fustic Wood

**Product Specifications**

<b>Style Number</b>	5T041	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Piece Dyed	
<b>Tufted Weight</b>	36 oz.	1,220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7406 ozs./yd <sup>3</sup>	10.11 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Brick, Ashlar	



38103 Balsa

**Product Specifications**

<b>Style Number</b>	59338	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	51% Solution Dyed / 49% Yarn Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	9846 ozs./yd <sup>3</sup>	20.97 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



**Coordinating Products**


Core, Entwine Tile, Grounded, Ingrain Tile, Natural Selection, Timber



27560 Pulse

**Product Specifications**

<b>Style Number</b>	5T343	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6612 ozs./yd <sup>3</sup>	9.33 kilotex
<b>Product Size</b>	9 in x 36 in	22.86 cm x 91.44 cm
<b>Secondary Backing</b>	EcoLogix®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Herringbone, Stagger	



**Coordinating Products**

Interlude Tile







88760 Branch

**Coordinating Products**  
Ground, Below, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Wildwood Tile, Weathered Color Tile

**Product Specifications**

<b>Style Number</b>	5T388	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz. 576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12 47.2/10 cm	
<b>Average Density</b>	6581 ozs./yd <sup>3</sup> 9.69 kilotex	
<b>Product Size</b>	24 in x 24 in 61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	




37530 Airy

**Coordinating Products**  
Fringe Tile, Haze Tile, Vapor Tile, Wander Tile

\*Also available as Staticsmart™ ESD

**Product Specifications**


<b>Style Number</b>	5T040	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	98% Solution Dyed / 2% Yarn Dyed	
<b>Tufted Weight</b>	17 oz. 576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12 47.2/10 cm	
<b>Average Density</b>	5829 ozs./yd <sup>3</sup> 9.29 kilotex	
<b>Product Size</b>	24 in x 24 in 61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	




71535 Pristine

**Coordinating Products**  
Vista Tile, Landing Edge Tile, Landing Tile, Clearing Tile, Plains Tile

**Product Specifications**


<b>Style Number</b>	5T371	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz. 745.9 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 39.4/10 cm	
<b>Average Density</b>	7071 ozs./yd <sup>3</sup> 7.44 kilotex	
<b>Product Size</b>	18 in x 36 in 45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	




05515 Radiant

**Coordinating Products**  
Boundless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile

**Product Specifications**

<b>Style Number</b>	5T305	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz. 745.9 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 39.4/10 cm	
<b>Average Density</b>	8703 ozs./yd <sup>3</sup> 7.17 kilotex	
<b>Product Size</b>	9 in x 36 in 22.86 cm x 91.44 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	









57760 Team

**Product Specifications**

<b>Style Number</b>	5T458		
<b>Fibre</b>	Solution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	15 ozs./yd <sup>2</sup>	508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 in	39.4/10 cm	
<b>Average Density</b>	5243 ozs./yd <sup>3</sup>	0.194 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		





**Coordinating Products**  
Downtime Tile, Hub Tile



86536 Experience Lime + 86586 Transform Teal

**Product Specifications**

<b>Style Number</b>	5T187		
<b>Fibre</b>	Solution Q Extreme® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.37/10 cm	
<b>Average Density</b>	6063 ozs./yd <sup>3</sup>	9.26 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




**Coordinating Products**  
Impact Tile, Inspire LVT, Think Tile



31557 Sterling

**Product Specifications**

<b>Style Number</b>	5T033		
<b>Fibre</b>	PET Polyester		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	44.5 oz.	1,508.8 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6091 ozs./yd <sup>3</sup>	11.34 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Quarter Turn		





**Coordinating Products**  
Bon Jour, Bon Jour II Tile, Welcome, Welcome II Tile



78713 Burl

**Product Specifications**

<b>Style Number</b>	59337		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	44% Solution Dyed / 56% Yarn Dyed		
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	8170 ozs./yd <sup>3</sup>	19.91 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		



**Coordinating Products**  
Core, Earth Tone Tile, Grounded, Ingrain Tile, Natural Selection, Timber




Establish Tile | Assembly

Tile Size | 12x48



Product Specifications

<b>Style Number</b>	5T268	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	8182 ozs./yd <sup>3</sup>	11.27 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone	



67375 Vivid + 67515 Interaction

**Coordinating Products**  
Convence, Support


Expanse Tile | Off the Grid

Tile Size | 12x48



Product Specifications

<b>Style Number</b>	5T219	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4 cm
<b>Average Density</b>	6243 ozs./yd <sup>3</sup>	7.87 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



15580 Ridge

**Coordinating Products**  
Beyond, Beyond Tile, Discover Tile, Escape, Seek Tile

Exchange Tile | Community


Tile Size | 18x36



**Carbon Neutral**  
**Low Embodied Carbon**

Product Specifications

<b>Style Number</b>	5T304	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7000 ozs./yd <sup>3</sup>	0.26 g/cm <sup>3</sup>
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger	




01100 Argan

**Coordinating Products**  
Embrace, Share, Back Weave Tile, Flat Weave Tile, Heddle Tile, Knotted Tile, Process Tile

Explore Tile | The Park

Tile Size | 9x36



Product Specifications

<b>Style Number</b>	5T143	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	39/10 cm
<b>Average Density</b>	5610 ozs./yd <sup>3</sup>	10.93 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone	



38530 Recharge

**Coordinating Products**  
Create Tile, Drift Tile, Reflect Tile, Renew Tile



Expose Tile | Vertical Layers


Tile Size | 9x36



50504 Restore

Product Specifications

<b>Style Number</b>	5T151
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	98% Solution Dyed / 2% Yarn Dyed
<b>Tufted Weight</b>	24 oz. 813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12 47.2/10 cm
<b>Average Density</b>	6085 ozs./yd <sup>3</sup> 11.69 kilotex
<b>Product Size</b>	9 in x 36 in 22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Herringbone, Ashlar, Brick, Monolithic



**Coordinating Products**  
Relief Tile, Tinge Tile, Uncover Tile, Undertone Tile, Unveil LVT

Face to Face Tile | Dialogue

Tile Size | 18x36



50504 Restore

Product Specifications

<b>Style Number</b>	5T405
<b>Fibre</b>	EcoSolution Q100™ Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	30 oz. 1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10 39.4/10 cm
<b>Average Density</b>	8504 ozs./yd <sup>3</sup> 8.53 kilotex
<b>Product Size</b>	18 in x 36 in 45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Ashlar, Stagger



**Coordinating Products**  
Spoken Tile, Written Tile, Translate Tile, Subtext Tile, Coded LVT, Type LVT

Familiar Tile | Haven

Tile Size | 9x36




35516 Greige

**Coordinating Products**  
Dwelling Tile, Honest Tile, Identity Tile, Nest Tile, Shelter Tile

Product Specifications

<b>Style Number</b>	5T235
<b>Fibre</b>	EcoSolution Q100™
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	28 oz. 949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10 39.4/10 cm
<b>Average Density</b>	8195 ozs./yd <sup>3</sup> 8.00 kilotex
<b>Product Size</b>	9 in x 36 in 22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone



Fault Lines II Tile | A Walk In The Garden

Tile Size | 9x36




98760 Branch

**Coordinating Products**  
Basalt II Tile, Gravel II Tile, Pavers II Tile

Product Specifications

<b>Style Number</b>	5T199
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	17 oz. 576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12 47.2/10 cm
<b>Average Density</b>	6725 ozs./yd <sup>3</sup> 9.49 kilotex
<b>Product Size</b>	9 in x 36 in 22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger







55665 Velveteen

**Coordinating Products**  
Stitched

**Product Specifications**

<b>Style Number</b>	5T455
<b>Fibre</b>	100% PET
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	75 ozs./yd <sup>2</sup> 2540 g/m <sup>2</sup>
<b>Product Size</b>	12 in x 48 in      30 cm x 122 cm
<b>Secondary Backing</b>	High Density Non-Woven PET Composite
<b>Recommended Installation</b>	Brick, Ashlar, Stagger, Herringbone





78111 Sight

**Coordinating Products**  
Direction Tile, Modify, Realm Tile, Reverse Tile, Scape Tile, Shape Tile, Switch, Transfer

**Product Specifications**

<b>Style Number</b>	5T079
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	17 oz.      576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12      47.2/10 cm
<b>Average Density</b>	5464 ozs./yd <sup>3</sup> 9.94 kilotex
<b>Product Size</b>	24 in x 24 in      61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random




13111 Gesso

**Coordinating Products**  
Conte', Erase, Lineweight Tile, Scribe, Stipple Tile, Stylus

**Product Specifications**

<b>Style Number</b>	5T113
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	20 oz.      678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12      47.2/10 cm
<b>Average Density</b>	6372 ozs./yd <sup>3</sup> 10.19 kilotex
<b>Product Size</b>	18 in x 36 in      45.7 cm x 91.4 cm
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In




01100 Argan

**Coordinating Products**  
Back Weave, Embrace, Exchange Tile, Heddle Tile, Knotted Tile, Process Tile, Share

**Product Specifications**

<b>Style Number</b>	5T321
<b>Fibre</b>	EcoSolution Q100™ Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	20 oz.      678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12      47.2/10 cm
<b>Average Density</b>	6792 ozs./yd <sup>3</sup> 9.54 kilotex
<b>Product Size</b>	9 in x 36 in      22.86 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger








**Product Specifications**

<b>Style Number</b>	5T136	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6765 ozs./yd <sup>3</sup>	7.48 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	




33505 Onyx Silver

**Coordinating Products**  
Alchemy Tile, Base Metal, Emerge LVT, Fault, Honed Tile, Monolith Woven, Strata, Slab Tile



**Product Specifications**

<b>Style Number</b>	5T169	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	54% Solution Dyed / 46% Yarn Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7140 ozs./yd <sup>3</sup>	15.90 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



68535 Calcite

**Coordinating Products**  
Primitive Tile, Resurface Tile



**Product Specifications**

<b>Style Number</b>	5T038	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	98% Solution Dyed / 2% Yarn Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6480 ozs./yd <sup>3</sup>	10.06 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Half Basketweave, Brick, Basketweave, Boxed In, Herringbone	




37557 Smoke

**Coordinating Products**  
Embark Tile, Haze Tile, Vapor Tile, Fringe



**Product Specifications**

<b>Style Number</b>	59562	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	4500 ozs./yd <sup>3</sup>	7.51 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn, Monolithic, Random	



62103 Porcelain

**Coordinating Products**  
Clear Tile, Transparent Tile



Glimmer Tile | Bright Work

Tile Size | 24x24



27585 Gleam

Product Specifications

<b>Style Number</b>	59329	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5276 ozs./yd <sup>3</sup>	9.50 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



**Coordinating Products**  
Allure Tile, Shine Tile

Glitz Tile | Feeling Plush


Tile Size | 24x24



60755 Natural Tonic

Product Specifications

<b>Style Number</b>	59360	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8120 ozs./yd <sup>3</sup>	9.48 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn, Monolithic, Ashlar	



**Coordinating Products**  
Glow, Radiance Tile

Glitch Tile | Altered


Tile Size | 9x36



26500 Filter

Product Specifications

<b>Style Number</b>	5T128	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7200 ozs./yd <sup>3</sup>	10.98 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone	



**Coordinating Products**  
Analog Tile, Color Form Tile, Distort Tile, Manipulate Tile

Gradation Tile


Tile Size | 24x24



39760 Shadow

Product Specifications

<b>Style Number</b>	5T339	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	Dye Injection Print / Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8710 ozs./yd <sup>3</sup>	12.16 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn	








34111 Sandstone

**Coordinating Products**  
Gradient, Tint, Tone

\*Denotes colourways with recommended installation of quarter turn only

**Product Specifications**

<b>Style Number</b>	59534	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	7423 ozs./yd <sup>3</sup>	11.72 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn*, Monolithic	




98557 Path

**Coordinating Products**  
Basalt II Tile, Fault Lines II Tile, Pavers II Tile

**Product Specifications**

<b>Style Number</b>	5T200	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6511 ozs./yd <sup>3</sup>	9.49 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	





84111 Pebble

**Coordinating Products**  
Chisel Tile, Stone Broadloom, Stonework Tile

**Product Specifications**

<b>Style Number</b>	5T486	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	27 ozs./yd <sup>2</sup>	915.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in	39.4/10 cm
<b>Average Density</b>	6000 ozs./yd <sup>3</sup>	0.222 g/cm <sup>3</sup>
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	








88481 Still

**Coordinating Products**  
Above Tile, Suspend Tile, Below Broadloom, Ground Broadloom

**Product Specifications**

<b>Style Number</b>	5T390	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5797 ozs./yd <sup>3</sup>	10.23 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Herringbone, Stagger	




36300 Pond

**Coordinating Products**  
Botan, Botan Tile, Hana, Kusa, Kusa Tile

**Product Specifications**

<b>Style Number</b>	5T193	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7313 ozs./yd <sup>3</sup>	12.96 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	




50100 Include

**Coordinating Products**  
Collective I Tile, Collective II Tile, Collective III Tile, Collective V Tile, In Common, Side by Side

**Product Specifications**

<b>Style Number</b>	5T450	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7448 ozs./yd <sup>3</sup>	8.65 kilotex
<b>Product Size</b>	18 in x 36 in	46 cm x 91 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



37557 Smoke

**Coordinating Products**  
Embark Tile, Fringe Tile, Vapor Tile, Wander Tile

**Product Specifications**

<b>Style Number</b>	5T037	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	98% Solution Dyed / 2% Yarn Dyed	
<b>Tufted Weight</b>	18 oz.	610.30 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6612 ozs./yd <sup>3</sup>	10.59 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Half Basketweave, Brick, Basketweave, Boxed In, Herringbone	








Carbon Neutral  
Low Embodied Carbon

**Product Specifications**

<b>Style Number</b>	5T320	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6792 ozs./yd <sup>3</sup>	9.49 kilotex
<b>Product Size</b>	9 in x 36 in	22.86 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



01100 Argan


**Coordinating Products**  
Back Weave Tile, Embrace, Exchange Tile, Flat Weave Tile, Knotted Tile, Process Tile, Share



Carbon Neutral  
Low Embodied Carbon

**Product Specifications**

<b>Style Number</b>	5T236	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	10,500 ozs./yd <sup>3</sup>	7.67 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone	




35870 Rosewood

**Coordinating Products**  
Dwelling Tile, Familiar Tile, Identity Tile, Nest Tile, Shelter Tile



**Product Specifications**

<b>Style Number</b>	5T134	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7467 ozs./yd <sup>3</sup>	7.75 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	




33100 Carrara

**Coordinating Products**  
Alchemy Tile, Base Metal, Emerge LVT, Fault, Form Tile, Monolith Woven, Slab Tile, Strata



**Product Specifications**

<b>Style Number</b>	5T282	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6545 ozs./yd <sup>3</sup>	8.47 kilotex
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	



79530 Mohair

**Coordinating Products**  
Check Tile, Jacquard Tile, Textile Tile, Textile Ultraloc®







57760 Team

**Coordinating Products**  
Downtime Tile, Energize Tile

**Product Specifications**


<b>Style Number</b>	5T459		
<b>Fibre</b>	Solution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	15 ozs./yd <sup>2</sup>	508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 in	39.4/10 cm	
<b>Average Density</b>	5625 ozs./yd <sup>3</sup>	0.208 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx®		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




64549 Amplify

**Coordinating Products**  
Augment Tile

**Product Specifications**


<b>Style Number</b>	5T065		
<b>Fibre</b>	Solution Q Extreme® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7273 ozs./yd <sup>3</sup>	10.40 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




64755 Marble

**Coordinating Products**  
Catalyst Tile, Eclectic, Meld

**Product Specifications**


<b>Style Number</b>	59580		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.40 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5058 ozs./yd <sup>3</sup>	9.16 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Ashlar, Brick, Monolithic, Quarter Turn, Random		




35516 Greige


**Coordinating Products**  
Dwelling Tile, Familiar Tile, Honest Tile, Nest Tile, Shelter Tile

**Product Specifications**


<b>Style Number</b>	5T237		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6933 ozs./yd <sup>3</sup>	7.67 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone		







**Product Specifications**

<b>Style Number</b>	5T346		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6675 ozs./yd <sup>3</sup>	8.59 kilotex	
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Monolithic, Brick, Basketweave, Boxed In, Half Basketweave, Herringbone, Ashlar		




85402 Timeless  
 Recollect 85215   Novelty 85327   Timeless 85402   Classic 85496   Heritage 85530   Nostalgic 85665

**Coordinating Products**  
 Batik, Batik Tile, Ikat, Linen, Linen Tile, Tapestry, Tapestry Tile



**Product Specifications**

<b>Style Number</b>	5T188		
<b>Fibre</b>	Solution Q Extreme® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6059 ozs./yd <sup>3</sup>	9.71 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





86405 Teal  
 Lime 86325    Teal 86405    Blue 86429   Orange 86668   Red 86855   Purple 86965

**Coordinating Products**  
 Engage Tile, Inspire LVT, Think Tile



**Product Specifications**

<b>Style Number</b>	5T257		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.8 g/m <sup>2</sup>	
<b>Gauge</b>	1/8	31.5/10 cm	
<b>Average Density</b>	8000 ozs./yd <sup>3</sup>	11.72 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	 <b>Random</b>   Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.		





IM002 Warm Light  
 Grey IM001   Warm Light IM002   Warm Dark IM003   Cool Light IM004   Cool Dark IM005

**Coordinating Products**  
 Curve Tile, Diagonal Tile, Impression II Tile, Impression III Tile, Impression IV Tile, Point Tile, Square Tile



**Product Specifications**

<b>Style Number</b>	5T258		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.8 g/m <sup>2</sup>	
<b>Gauge</b>	1/8	31.5/10 cm	
<b>Average Density</b>	8000 ozs./yd <sup>3</sup>	11.72 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	 <b>Random</b>   Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.		



IM007 Grey Dark  
 Grey Light IM006   Grey Dark IM007   Warm Light IM008   Warm Dark IM009   Cool Light IM010   Cool Dark IM011

**Coordinating Products**  
 Curve, Diagonal, Impression I, Impression III, Impression IV, Point, Square





IM014 Cool

**Product Specifications**

**Style Number** 5T259  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 20 oz. 678.8 g/m<sup>2</sup>  
**Gauge** 1/8 31.5/10 cm  
**Average Density** 8000 ozs./yd<sup>3</sup> 11.72 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®




**Recommended Installation**



**Random** | Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.



Grey  
IM012



Warm  
IM013



Cool  
IM014

**Coordinating Products**

Curve, Diagonal, Impression I, Impression II, Impression IV, Point, Square



IM016 Warm

**Product Specifications**

**Style Number** 5T260  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 20 oz. 678.8 g/m<sup>2</sup>  
**Gauge** 1/8 31.5/10 cm  
**Average Density** 8000 ozs./yd<sup>3</sup> 11.72 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®



**Recommended Installation**



**Random** | Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.



Grey  
IM015



Warm  
IM016



Cool  
IM017

**Coordinating Products**

Curve Tile, Diagonal Tile, Impression I Tile, Impression II Tile, Impression III Tile, Point Tile, Square Tile



33327 Canopy


**Product Specifications**

**Style Number** 59592  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 26 oz. 881.6 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 7548 ozs./yd<sup>3</sup> 11.35 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®




**Recommended Installation**


Monolithic, Quarter Turn, Ashlar, Brick




Desert  
33201




Vapor  
33315




Canopy  
33327



Mist  
33335




Reflect  
33402



Cloud  
33530




Silhouette  
33549




Sunwashed  
33665




Illume  
33725




Kindle  
33750



Obscure  
33760



Moonlight  
33761



Aura  
33990

**Coordinating Products**

Sketch Tile, Veil Tile



50100 Include


**Product Specifications**

**Style Number** 5T451  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 22 oz. 745.9 g/m<sup>2</sup>  
**Gauge** 1/10 39.4/10 cm  
**Average Density** 8000 ozs./yd<sup>3</sup> 8.18 kilotex  
**Product Size** 9 in x 36 in 22.9 cm x 91.4 cm  
**Secondary Backing** EcoWorx® Tile




**Recommended Installation**


Monolithic, Brick, Ashlar, Herringbone, Stagger




Include  
50100




Include Color  
50678




Together  
50105




Together Color  
50210




Merge  
50518




Merge Color  
50675




Link  
50580




Link Color  
50375




Join  
50761




Join Color  
50865



Unify  
50500



Unify Color  
50485



Connect  
50505


**Coordinating Products**


Collective I Tile, Collective II Tile, Collective III Tile, Collective IV Tile, Collective V Tile, Hand in Hand Tile, Side by Side Tile





**Product Specifications**

<b>Style Number</b>	5T010		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6128 ozs./yd <sup>3</sup>	9.12 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





09585 Immense

**Coordinating Products**  
Vast Tile




**Product Specifications**

<b>Style Number</b>	59339		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	53% Solution Dyed / 47% Yarn Dyed		
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7680 ozs./yd <sup>3</sup>	19.57 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		





39103 Balsa

**Coordinating Products**  
Core, Earth Tone Tile, Entwine Tile, Grounded, Natural Selection, Timber



**Product Specifications**

<b>Style Number</b>	5T208		
<b>Fibre</b>	Solution Q Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	14 oz.	474.7 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6000 ozs./yd <sup>3</sup>	8.23 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx™		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




08557 Nocturne

**Coordinating Products**  
Purpose Tile, Situation Tile



**Product Specifications**

<b>Style Number</b>	5T360 (EcoWorx®)   5T378 (EcoLogix® Tile)		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5333 ozs./yd <sup>3</sup>	10.12 kilotex	
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	EcoLogix® Tile Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger		



58505 Ink

**Coordinating Products**  
Aware Tile, Conscious Tile, Present Tile, Thoughtful LVT, Kind LVT






27560 Pulse

**Product Specifications**

<b>Style Number</b>	5T344	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6231 ozs./yd <sup>3</sup>	9.33 kilotex
<b>Product Size</b>	9 in x 36 in	22.86 cm x 91.44 cm
<b>Secondary Backing</b>	EcoLogix®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Herringbone, Stagger	



**Coordinating Products**  
Ease Tile



54761 Micro Film

**Product Specifications**

<b>Style Number</b>	59558	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7355 ozs./yd <sup>3</sup>	9.76 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Random, Monolithic, Quarter Turn, Ashlar, Brick	





**Coordinating Products**  
Captivate Tile



50678 Include Color

**Product Specifications**

<b>Style Number</b>	5T496	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 ozs./yd <sup>2</sup>	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12 in	47.2/10 cm
<b>Average Density</b>	6120 ozs./yd <sup>3</sup>	0.226 g/cm <sup>3</sup>
<b>Product Size</b>	9 in x 36 in	23 cm x 91 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	




**Coordinating Products**  
Collective I Tile, Collective II Tile, Collective III Tile,  
Collective IV Tile, Collective V Tile, In Common Tile,  
Side By Side Tile, Alongside, All Together



79210 Saffron

**Product Specifications**

<b>Style Number</b>	5T280	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6675 ozs./yd <sup>3</sup>	8.59 kilotex
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	



**Coordinating Products**  
Check Tile, Houndstooth Tile, Textile Tile,  
Textile Ultraloc®






14150 Clay

**Product Specifications**

**Style Number** 5T016  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 93% Solution Dyed / 7% Yarn Dyed  
**Tufted Weight** 22 oz. 746 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6092 ozs./yd<sup>3</sup> 12.17 kilotex  
**Product Size** 18 in x 36 in 45.7 cm x 91.4 cm  
**Secondary Backing** EcoWorx®



**Recommended Installation** Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Ashlar



**Coordinating Products**  
 Agate Tile, Mica Tile, Quartz Tile




92761 Alloy

**Product Specifications**

**Style Number** 5T046  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 57% Solution Dyed / 43% Yarn Dyed  
**Tufted Weight** 22 oz. 746 g/m<sup>2</sup>  
**Gauge** 1/10 39.4/10 cm  
**Average Density** 6092 ozs./yd<sup>3</sup> 11.64 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®



**Recommended Installation** Quarter Turn, Monolithic, Brick, Ashlar



**Coordinating Products**  
 Bias Tile, Effect, Inlay, Mesh Tile



12557 Traverse

**Product Specifications**


**Style Number** 5T412  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 30 oz. 1017.2 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 7448 ozs./yd<sup>3</sup> 17.48 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx® Tile



**Recommended Installation** Quarter Turn, Random, Monolithic, Brick, Ashlar



**Coordinating Products**  
 Path Tile, Portal Tile, Divvy Tile, Pace Tile, Swift Tile



58150 Gilded

**Product Specifications**

**Style Number** 59359  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 90% Solution Dyed / 10% Yarn Dyed  
**Tufted Weight** 18 oz. 610.3 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 7624 ozs./yd<sup>3</sup> 9.36 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®



**Recommended Installation** Monolithic, Quarter Turn, Ashlar, Random



**Coordinating Products**  
 Color Play Tile






01100 Argan

**Coordinating Products**  
 Back Weave Tile, Embrace, Exchange Tile, Flat Weave Tile, Heddle Tile, Process Tile, Share

**Product Specifications**

<b>Style Number</b>	5T301	
<b>Fibre</b>	EcoSolution Q100™	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7695 ozs./yd <sup>3</sup>	8.81 kilotex
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger	




36300 Pond

**Coordinating Products**  
 Botan, Botan Tile, Hana, Hana Tile, Kusa, Reed Sheet, Roji Sheet, Tatami Sheet

**Product Specifications**

<b>Style Number</b>	5T194	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7261 ozs./yd <sup>3</sup>	12.95 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	




06518 Silt

**Coordinating Products**  
 Bisect Tile, Ridge Tile, Steppe Tile, Poured Tile, Stacked Tile

**Product Specifications**

<b>Style Number</b>	5T449	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7111 ozs./yd <sup>3</sup>	8.78 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	




71323 Remote Coast + 71396 Pristine Forest

**Coordinating Products**  
 Vista Tile, Clearing Tile, Landing Tile, Enclave Tile, Plains Tile

**Product Specifications**

<b>Style Number</b>	5T375	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7472 ozs./yd <sup>3</sup>	7.25 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	





Landing Tile | Shifting Fields


Tile Size | 18x36



71535 Pristine

Product Specifications

<b>Style Number</b>	5T373	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8250 ozs./yd <sup>3</sup>	7.29 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	



Pristine 71535   Remote 71580   Distant 71505   Brilliant 71105   Expansive 71760   Opulent 71555

**Coordinating Products**  
Vista Tile, Clearing Tile, Landing Edge Tile, Enclave Tile, Plains Tile

Linage Tile | No Rules

Tile Size | 24x24




05761 Fuse

Product Specifications

<b>Style Number</b>	59106	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5464 ozs./yd <sup>3</sup>	9.47 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	



Crossroads 05309   Maze 05335   Timeless 05400   Labyrinth 05485   Versatile 05500   Boundaries 05505



Symbolic 05512   Element 05601   Knot 05715   Wired 05730   Bridge 05750   Fuse 05761

**Coordinating Products**  
Byline Tile

Linear Shift Tile | Hexagon



Tile Size | Hexagon



56531 Tweed Mortar

Product Specifications

<b>Style Number</b>	5T056	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	62% Solution Dyed / 38% Yarn Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6990 ozs./yd <sup>3</sup>	10.91 kilotex
<b>Product Size</b>	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Random, Diagonal	



Pewter Ivory 56114   Bleached Mortar 56156   Tan Mortar 56157   Black Charcoal 56505   Black Kiln 56506   Bleached Pewter 56518



Pewter Tweed 56530   Tweed Mortar 56531   Charcoal Tweed 56595   Charcoal Kiln 56596   Ivory Tan 56706   Kiln Mortar 56763

**Coordinating Products**  
Bevel Tile, Linear Tile, Plane Tile

Linear Tile | Hexagon


Tile Size | Hexagon




55530 Tweed

Product Specifications

<b>Style Number</b>	5T055	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	70% Solution Dyed / 30% Yarn Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6050 ozs./yd <sup>3</sup>	11.22 kilotex
<b>Product Size</b>	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Random, Diagonal	



Bleached 55105   Ivory 55114   Mortar 55156   Black 55505   Pewter 55518   Tweed 55530



Charcoal 55595   Tan 55706   Kiln 55763

**Coordinating Products**  
Bevel Tile, Linear Shift Tile, Plane Tile





85404 Timeless

**Product Specifications**

<b>Style Number</b>	5T345	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8129 ozs./yd <sup>3</sup>	8.12 kilotex
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Basketweave, Boxed In, Half Basketweave, Herringbone, Ashlar	




**Coordinating Products**  
Batik, Batik Tile, Ikat, Ikat Tile, Linen, Tapestry, Tapestry Tile



13111 Gesso

**Product Specifications**

<b>Style Number</b>	5T114	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6050 ozs./yd <sup>3</sup>	10.38 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In	




**Coordinating Products**  
Conte, Erase, Fine Point Tile, Scribe, Stipple Tile, Stylus



23400 Laszlo

**Product Specifications**

<b>Style Number</b>	5T325	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6545 ozs./yd <sup>3</sup>	8.99 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	




**Coordinating Products**  
Commons Tile, Quad Tile



26500 Filter

**Product Specifications**

<b>Style Number</b>	5T130	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	Solution	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6750 ozs./yd <sup>3</sup>	11.35 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone	




**Coordinating Products**  
Analog Tile, Distort Tile, Glitch Tile






48515 Hearten

**Product Specifications**

<b>Style Number</b>	5T263	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	19 oz. 644.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 39.4/10 cm	
<b>Average Density</b>	8047 ozs./yd <sup>3</sup> 10.86 kilotex	
<b>Product Size</b>	24 in x 24 in 61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	





**Coordinating Products**  
Belong, Dream, Reminisce, Stay



67586 Brite Green Fringe + 67585 Shimmer Fringe

**Product Specifications**

<b>Style Number</b>	59167	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	91% Solution Dyed / 9% Yarn Dyed	
<b>Tufted Weight</b>	18 oz. 610.3 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 39.4/10 cm	
<b>Average Density</b>	5838 ozs./yd <sup>3</sup> 11.08 kilotex	
<b>Product Size</b>	18 in x 36 in 45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave	





**Coordinating Products**  
Minimal Tile, Vertical Edge Tile



93515 Flux

**Product Specifications**

<b>Style Number</b>	5T044	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	57% Solution Dyed / 43% Yarn Dyed	
<b>Tufted Weight</b>	22 oz. 746 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 39.4/10 cm	
<b>Average Density</b>	6046 ozs./yd <sup>3</sup> 12.15 kilotex	
<b>Product Size</b>	24 in x 24 in 61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn, Monolithic, Brick, Ashlar	




**Coordinating Products**  
Bias Tile, Effect, Inlay, Kasuri Tile



14150 Clay

**Product Specifications**

<b>Style Number</b>	5T014	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	93% Solution Dyed / 7% Yarn Dyed	
<b>Tufted Weight</b>	22 oz. 746 g/m <sup>2</sup>	
<b>Gauge</b>	1/12 47.2/10 cm	
<b>Average Density</b>	6236 ozs./yd <sup>3</sup> 12.16 kilotex	
<b>Product Size</b>	18 in x 36 in 45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave	



**Coordinating Products**  
Agate Tile, Jasper Tile, Quartz Tile






64515 Limit

**Product Specifications**

<b>Style Number</b>	59164
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	87% Solution Dyed / 13% Yarn Dyed
<b>Tufted Weight</b>	18 oz.                      610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	6480 ozs./yd <sup>3</sup> 11.43 kilotex
<b>Product Size</b>	18 in x 36 in              45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave




**Coordinating Products**  
Merge Tile, Vertical Edge Tile



38518 Fog

**Product Specifications**

<b>Style Number</b>	5T238
<b>Fibre</b>	EcoSolution Q100™ Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	24 oz.                      813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12                            47.2/10 cm
<b>Average Density</b>	6803 ozs./yd <sup>3</sup> 13.91 kilotex
<b>Product Size</b>	9 in x 36 in              22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone



**Coordinating Products**  
Dwelling Tile, Familiar Tile, Honest Tile, Identity Tile, Shelter Tile



02305 Potential

**Product Specifications**

<b>Style Number</b>	59502
<b>Fibre</b>	Solution Q Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	20 oz.                      678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	6923 ozs./yd <sup>3</sup> 11.32 kilotex
<b>Product Size</b>	24 in x 24 in              61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic




**Coordinating Products**  
Momentum IV, Unitary



05865 Fragile Coral

**Product Specifications**

<b>Style Number</b>	5T309
<b>Fibre</b>	EcoSolution Q100™ Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	24 oz.                      813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	8907 ozs./yd <sup>3</sup> 7.33 kilotex
<b>Product Size</b>	9 in x 36 in              22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger



**Coordinating Products**  
Boundless Tile, Endless Tile, Observe Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile






**Carbon Neutral**  
**Low Embodied Carbon**

**Product Specifications**

**Style Number** 5T306  
**Fibre** EcoSolution Q100™ Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 22 oz. 746 g/m<sup>2</sup>  
**Gauge** 1/10 39.4/10 cm  
**Average Density** 9103 ozs./yd<sup>3</sup> 7.25  
**Product Size** 9 in x 36 in 22.9 cm x 91.4 cm  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Brick, Ashlar, Herringbone, Stagger



05515 Radiant


**Coordinating Products**

Boundless Tile, Endless Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile



**Product Specifications**

**Style Number** 5T296  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 16 oz. 542.5 g/m<sup>2</sup>  
**Gauge** 1/10 39.4/10 cm  
**Average Density** 4500 ozs./yd<sup>3</sup> 8.78 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** StrataWorx® Tile  
**Recommended Installation** Quarter Turn, Random, Monolithic, Brick, Ashlar



94535 Mirror Grey


**Coordinating Products**

Arrange Tile, Array Tile, Structure Tile



**Product Specifications**

**Style Number** 5T166  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 48% Solution Dyed / 52% Yarn Dyed  
**Tufted Weight** 34 oz. 1,152.8 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 9638 ozs./yd<sup>3</sup> 20.85 kilotex  
**Product Size** 18 in x 36 in 45.7 cm x 91.4 cm  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Herringbone, Brick, Ashlar, Stagger



64595 Vintage Grey


**Coordinating Products**

Edition, Inherit, Intricate LVT, Rethread Tile



**Product Specifications**

**Style Number** 5T413  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 28 oz. 949.4 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 7937 ozs./yd<sup>3</sup> 17.57 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx® Tile  
**Recommended Installation** Quarter Turn, Random, Monolithic, Brick, Ashlar



12549 Step

**Coordinating Products**


Path Tile, Portal Tile, Divvy Tile, Jive Tile, Swift Tile






52515 Fuse

**Product Specifications**

<b>Style Number</b>	5T354		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6136 ozs./yd <sup>3</sup>	8.46 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




**Coordinating Products**  
Companion Tile, Correspond Tile



98595 Stone

**Product Specifications**

<b>Style Number</b>	5T201		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6581 ozs./yd <sup>3</sup>	9.49 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger		





**Coordinating Products**  
Basalt II Tile, Fault Lines II Tile, Gravel II Tile



34761 Portabella

**Product Specifications**

<b>Style Number</b>	5T034		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	8765 ozs./yd <sup>3</sup>	16.03 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		



**Coordinating Products**  
Portal Tile






71761 Coffee Break

**Product Specifications**

<b>Style Number</b>	59369	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7742 ozs./yd <sup>3</sup>	12.32 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic	



**Coordinating Products**  
Peto II, Peto II 26 Tile

\*Also available in 26 oz. 59371 and as Staticsmart™ ESD




96111 Natural Silk

**Product Specifications**

<b>Style Number</b>	5T098	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	43% Solution Dyed / 57% Yarn Dyed	
<b>Tufted Weight</b>	38 oz.	1,288.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	9913 ozs./yd <sup>3</sup>	8.72 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	




**Coordinating Products**  
Artisan Loom, Chok Loom, Cloth Tile



71485 Reservoir + 71580 Remote

**Product Specifications**

<b>Style Number</b>	5T374	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7071 ozs./yd <sup>3</sup>	7.44 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar	



**Coordinating Products**  
Vista Tile, Clearing Tile, Landing Edge Tile, Landing Tile, Enclave Tile





54518 Pewter

**Coordinating Products**  
Bevel Tile, Linear Shift Tile, Linear Tile

**Product Specifications**

**Style Number** 5T054  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 22 oz. 746 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6887 ozs./yd<sup>3</sup> 13.24 kilotex  
**Product Size** 24.9 in h x 28.8 in dia 63.2 cm h x 73.2 cm dia  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Random, Diagonal



86496 Glass Dark + 86411 Glass Light


**Coordinating Products**  
Curve, Diagonal, Impression I, Impression II, Impression III, Impression IV, Square

**Product Specifications**

**Style Number** 5T243  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 20 oz. 678.1 g/m<sup>2</sup>  
**Gauge** 1/8 31.5/10 cm  
**Average Density** 8000 ozs./yd<sup>3</sup> 11.72 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®



**Recommended Installation** **Specified** | Shapes are meant to be used in shape and colour combinations. An installation key or other instructions needs to be created by the specifier. See insideshapes.com/specify for more details.




34500 Ebony

**Coordinating Products**  
Path Tile

**Product Specifications**

**Style Number** 5T035  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 28 oz. 949.4 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 7814 ozs./yd<sup>3</sup> 15.98 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Quarter Turn, Ashlar, Brick, Random








90100 Bubbly

**Coordinating Products**  
Upbeat, Centered, Calm

**Product Specifications**

<b>Style Number</b>	5T491	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 ozs./yd <sup>2</sup>	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12 in	47.2/10 cm
<b>Average Density</b>	5720 ozs./yd <sup>3</sup>	0.212 g/cm <sup>3</sup>
<b>Product Size</b>	18 in x 36 in	46 cm x 91 cm
<b>Secondary Backing</b>	StrataWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	





06481 River Rock

**Coordinating Products**  
Diffuse StrataWorx, Surround StrataWorx

**Product Specifications**

<b>Style Number</b>	5T420	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7385 ozs./yd <sup>3</sup>	9.34 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	StrataWorx® Tile	
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar	




06530 Mortar

**Coordinating Products**  
Stacked Tile

**Product Specifications**

<b>Style Number</b>	5T206	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7385 ozs./yd <sup>3</sup>	9.34 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	




94668 Imagine + 94515 Prepare

**Coordinating Products**  
Curiosity Tile, Discussion Tile, Mindset LVT

**Product Specifications**

<b>Style Number</b>	5T394	
<b>Fibre</b>	Solution Q® Extreme Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.32 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5355 ozs./yd <sup>3</sup>	9.86 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	








58505 Ink

**Product Specifications**

<b>Style Number</b>	5T361 (EcoWorx®)   5T379 (EcoLogix® Tile)
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	20 oz.                      678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12                            47.2/10 cm
<b>Average Density</b>	5333 ozs./yd <sup>3</sup> 10.10 kilotex
	5294 ozs./yd <sup>3</sup> 10.10 kilotex
<b>Product Size</b>	18 in x 36 in              45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®   EcoLogix® Tile
<b>Recommended Installation</b>	Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger




**Coordinating Products**  
Aware Tile, Conscious Tile, Intention Tile, Thoughtful LVT, Kind LVT



17597 Storm Cloud

**Product Specifications**

<b>Style Number</b>	5T123
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	13 oz.                      440.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	4875 ozs./yd <sup>3</sup> 7.51 kilotex
<b>Product Size</b>	24 in x 24 in              61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick




**Coordinating Products**  
Basic Tile, Centric Tile, Surround Tile



88760 Branch

**Product Specifications**

<b>Style Number</b>	5T423
<b>Fibre</b>	EcoSolution Q100™ Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	24 oz.                      813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	7927 ozs./yd <sup>3</sup> 7.44 kilotex
<b>Product Size</b>	9 in x 36 in              22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger



**Coordinating Products**  
Ground, Below, Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Weathered Tile, Wildwood Tile, Weathered Color Tile



68515 Glacier

**Product Specifications**

<b>Style Number</b>	5T170
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	52 oz.                      1,763.2 g/m <sup>2</sup>
<b>Gauge</b>	1/11                            43.3/10 cm
<b>Average Density</b>	6908 ozs./yd <sup>3</sup> 11.29 kilotex
<b>Product Size</b>	12 in x 48 in              30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick



**Coordinating Products**  
Foundation Tile, Resurface Tile






01100 Argan

**Coordinating Products**  
Back Weave Tile, Embrace, Exchange Tile, Flat Weave Tile, Heddle Tile, Knotted Tile, Share

**Product Specifications**

<b>Style Number</b>	5T302		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	7754 ozs./yd <sup>3</sup>	8.85 kilotex	
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger		




08557 Nocturne

**Coordinating Products**  
Intent Tile, Situation Tile

**Product Specifications**

<b>Style Number</b>	5T209		
<b>Fibre</b>	Solution Q Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	14 oz.	474.7 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	5040 ozs./yd <sup>3</sup>	8.13 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx™		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




23515 Cyan Chrome

**Coordinating Products**  
Commons Tile, Makerspace Tile

**Product Specifications**

<b>Style Number</b>	5T324		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6194 ozs./yd <sup>3</sup>	8.68 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




14330 Olivine

**Coordinating Products**  
Agate Tile, Jasper Tile, Mica Tile

**Product Specifications**

<b>Style Number</b>	5T017		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	94% Solution Dyed , 6% Yarn Dyed		
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6545 ozs./yd <sup>3</sup>	11.86 kilotex	
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave, Ashlar		






Radiance Tile | Feeling Plush

Tile Size | 24x24



Product Specifications

<b>Style Number</b>	59361	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	9076 ozs./yd <sup>3</sup>	13.45 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar	



60755 Natural Tonic

**Coordinating Products**  
Glitz Tile, Glow


Realm Tile | View

Tile Size | 24x24



Product Specifications

<b>Style Number</b>	5T078	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	4721 ozs./yd <sup>3</sup>	9.12 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	




78111 Sight

**Coordinating Products**  
Modify, Switch, Transfer, Direction, Field, Reverse, Scape, Shape


Reflect Tile | The Park

Tile Size | 18x36



Product Specifications

<b>Style Number</b>	5T139	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8409 ozs./yd <sup>3</sup>	8.66 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In	



38530 Recharge

**Coordinating Products**  
Create Tile, Drift Tile, Explore Tile, Renew Tile, Zone Tile



Relief Tile | Vertical Layers

Tile Size | 9x36



Product Specifications

<b>Style Number</b>	5T152	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	98% Solution Dyed, 2% Yarn Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6638 ozs./yd <sup>3</sup>	11.82 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Herringbone, Ashlar, Brick	



50515 Past

**Coordinating Products**  
Expose Tile, Tinge Tile, Uncover Tile, Undertone Tile, Unveil LVT





**Product Specifications**

<b>Style Number</b>	5T141	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5684 ozs./yd <sup>3</sup>	10.94 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone	



38530 Recharge

**Coordinating Products**  
Create Tile, Drift Tile, Explore Tile, Reflect Tile, Zone Tile

Repartee Tile



**Product Specifications**

<b>Style Number</b>	59387	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8703 ozs./yd <sup>3</sup>	14.13 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn, Ashlar	




87750 Word Play

Respond Color Tile | Living Systems



**Product Specifications**

<b>Style Number</b>	5T310	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8151 ozs./yd <sup>3</sup>	7.33 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



05865 Fragile Coral


**Coordinating Products**  
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Source Tile, Transform Tile, Transform Color Tile

Respond Tile | Living Systems



**Product Specifications**

<b>Style Number</b>	5T307	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7920 ozs./yd <sup>3</sup>	7.26 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



05515 Radiant

**Coordinating Products**  
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Color Tile, Source Tile, Transform Tile, Transform Color Tile



Resurface Tile | Extraordinary

Tile Size | 12x48




68515 Cinder

Product Specifications

<b>Style Number</b>	5T168	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	56% Solution Dyed / 44% Yarn Dyed	
<b>Tufted Weight</b>	34 oz.	1,152.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7243 ozs./yd <sup>3</sup>	17.87 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	

**Recommended Installation** Monolithic, Ashlar, Stagger, Herringbone, Brick



**Coordinating Products**  
Foundation Tile, Primitive Tile

Rethread Tile | Modern Edit

Tile Size | 18x36




64595 Vintage Grey

Product Specifications

<b>Style Number</b>	5T165	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	45% Solution Dyed / 55% Yarn Dyed	
<b>Tufted Weight</b>	34 oz.	1,152.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	10116 ozs./yd <sup>3</sup>	19.13 kilotex
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	

**Recommended Installation** Monolithic, Herringbone, Brick, Ashlar, Stagger



**Coordinating Products**  
Edition, Inherit, Intricate LVT, Ornate Tile

Reverse Tile | View

Tile Size | 24x24




69505 Zone

Product Specifications

<b>Style Number</b>	5T069	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5684 ozs./yd <sup>3</sup>	8.7 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	

**Recommended Installation** Monolithic, Quarter Turn, Ashlar, Brick, Random



**Coordinating Products**  
Direction Tile, Field Tile, Modify, Realm Tile, Scape Tile, Shape Tile, Switch, Transfer

Ridge Tile | Floor Architecture

Tile Size | 24x24




06518 Silt

Product Specifications

<b>Style Number</b>	5T446	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	9143 ozs./yd <sup>3</sup>	8.78 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx® Tile	

**Recommended Installation** Quarter Turn, Random, Monolithic, Brick, Ashlar




**Coordinating Products**  
Bisect Tile, Landform Tile, Steppe Tile, Poured Tile, Stacked Tile





**Product Specifications**

<b>Style Number</b>	5T105	
<b>Fibre</b>	Solution Q Extreme® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6680 ozs./yd <sup>3</sup>	9.71 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Brick, Ashlar, Random	




03585 Sector

**Coordinating Products**  
Construct Tile, Collage EcoWorx® Performance  
Broadloom, Copy Tile



**Product Specifications**

<b>Style Number</b>	5T080	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	4721 ozs./yd <sup>3</sup>	9.12 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	



7811 Sight

**Coordinating Products**  
Direction Tile, Field Tile, Modify, Realm Tile, Reverse  
Tile, Switch, Shape Tile, Transfer



**Product Specifications**

<b>Style Number</b>	5T109	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6968 ozs./yd <sup>3</sup>	11.26 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone	




07555 Charcoal

**Coordinating Products**  
Achromatic Tile, Chromatone Tile, Color Form Tile,  
Value Tile



**Product Specifications**

<b>Style Number</b>	5T007	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5581 ozs./yd <sup>3</sup>	11.84 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



83761 Clay

**Coordinating Products**  
Align Tile, Contour, Dimension, Layer, Outline,  
Sculpt Loop Tile, Trace Tile



Sculpt Loop Tile | Rewoven

Tile Size | 24x24



83761 Clay

Product Specifications

<b>Style Number</b>	5T183	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8889 ozs./yd <sup>3</sup>	11.84 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



**Coordinating Products**  
Align Tile, Contour, Dimension, Layer, Outline, Sculpt Tile, Trace Tile

Sea Edge Tile | Places



Tile Size | 24x24



72536 Ocean Coral

Product Specifications

<b>Style Number</b>	5T173	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7116 ozs./yd <sup>3</sup>	9.45 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	



**Coordinating Products**  
Central Line Tile, City Central Tile, Sea Tile, Sky Tile, Summit, Grove, Birch

Sea Tile | Places


Tile Size | 24x24



72535 Ocean

Product Specifications

<b>Style Number</b>	5T172	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7948 ozs./yd <sup>3</sup>	9.44 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	



**Coordinating Products**  
Central Line Tile, City Central Tile, Sea Edge Tile, Sky Tile

Seek Tile | Off the Grid


Tile Size | 12x48



15580 Ridge

Product Specifications

<b>Style Number</b>	5T216	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4 cm
<b>Average Density</b>	6367 ozs./yd <sup>3</sup>	12.73 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	




**Coordinating Products**  
Beyond, Beyond Tile, Discover Tile, Escape, Expanse Tile






69505 Zone

**Product Specifications**

<b>Style Number</b>	5T070		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5192 ozs./yd <sup>3</sup>	8.88 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





**Coordinating Products**  
Direction Tile, Field Tile, Modify, Realm Tile, Reverse Tile, Scape Tile, Switch, Transfer



27585 Gleam

**Product Specifications**

<b>Style Number</b>	59328		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5276 ozs./yd <sup>3</sup>	9.50 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		





**Coordinating Products**  
Allure Tile, Glimmer Tile



38870 Rosewood

**Product Specifications**

<b>Style Number</b>	5T240		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6092 ozs./yd <sup>3</sup>	11.37 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone		





**Coordinating Products**  
Dwelling Tile, Familiar Tile, Honest Tile, Identity Tile, Nest Tile



50100 Include


**Product Specifications**

<b>Style Number</b>	5T452		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	6912 ozs./yd <sup>3</sup>	8.95 kilotex	
<b>Product Size</b>	18 in x 36 in	46 cm x 91 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger		





**Coordinating Products**  
Collective I Tile, Collective II Tile, Collective III Tile, Collective IV Tile, Collective V Tile, Hand in Hand Tile, In Common Tile





**Product Specifications**

<b>Style Number</b>	5T210		
<b>Fibre</b>	Solution Q Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	14 oz.	474.7 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	5091 ozs./yd <sup>3</sup>	8.13 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx™		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





08557 Nocturne

**Coordinating Products**  
Intent Tile, Purpose Tile



**Product Specifications**

<b>Style Number</b>	59591		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7548 ozs./yd <sup>3</sup>	11.36 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		





33327 Canopy

**Coordinating Products**  
Imprint Tile, Veil Tile



**Product Specifications**

<b>Style Number</b>	5T174		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6876 ozs./yd <sup>3</sup>	9.61 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





72481 Adventure

**Coordinating Products**  
Central Line Tile, City Central Tile, Sea Edge Tile, Sea Tile, Summit, Grove



**Product Specifications**

<b>Style Number</b>	5T133		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	5778 ozs./yd <sup>3</sup>	7.65 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		



33505 Onyx

**Coordinating Products**  
Alchemy Tile, Base Metal, Emerge LVT, Fault, Form Tile, Honed Tile, Monolith Woven, Strata






05105 Optimistic + 05761 Mountain

**Coordinating Products**  
Boundless Tile, Observe Color Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Color Tile, Transform Tile

**Product Specifications**

<b>Style Number</b>	5T315		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	17 oz.	567.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	9000 ozs./yd <sup>3</sup>	7.33 kilotex	
<b>Product Size</b>	9 in x 36 in 22.86 cm x 91.44 cm		
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Brick, Herringbone, Ashlar, Stagger		




87327 Vibrance - Color

**Coordinating Products**  
Zest Tile, Zeal Tile, Verve Broadloom

**Product Specifications**

<b>Style Number</b>	5T489		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	26 ozs./yd <sup>2</sup>	881.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 in	39.4/10 cm	
<b>Average Density</b>	6545 ozs./yd <sup>3</sup>	0.242 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in 61 cm x 61 cm		
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		



50504 Restore

**Coordinating Products**  
Face to Face Tile, Written Tile, Translate Tile, Subtext Tile, Coded LVT, Type LVT

**Product Specifications**

<b>Style Number</b>	5T406		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	7636 ozs./yd <sup>3</sup>	9.20 kilotex	
<b>Product Size</b>	9 in x 36 in 22.86 cm x 91.4 cm		
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Herringbone, Brick, Ashlar, Stagger		



86850 Falu Red Dark + 86800 Falu Red Light

**Coordinating Products**  
Curve, Diagonal, Impression I, Impression II, Impression III, Impression IV, Point

**Product Specifications**


<b>Style Number</b>	5T244		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.8 g/m <sup>2</sup>	
<b>Gauge</b>	1/8	31.5/10 cm	
<b>Average Density</b>	8000 ozs./yd <sup>3</sup>	11.72 kilotex	
<b>Product Size</b>	24 in x 24 in 61 cm x 61 cm		
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	<b>Specified</b>   Shapes are meant to be used in shape and colour combinations. An installation key or other instructions needs to be created by the specifier. See <a href="https://insideshapes.com/specify">insideshapes.com/specify</a> for more details. This style can also be installed monolithic or quarter turn.		








**Product Specifications**

<b>Style Number</b>	5T207		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	8113 ozs./yd <sup>3</sup>	9.15 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





06481 River Rock

**Coordinating Products**  
Poured Tile



**Product Specifications**

<b>Style Number</b>	5T116		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6667 ozs./yd <sup>3</sup>	10.17 kilotex	
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	Synthetic		
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Basketweave, Half Basketweave, Herringbone, Boxed In		





13111 Gesso

**Coordinating Products**  
Conte®, Erase, Fine Point Tile, Lineweight Tile, Scribe, Stylus



**Product Specifications**

<b>Style Number</b>	5T447		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	8113 ozs./yd <sup>3</sup>	8.78 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




06518 Silt

**Coordinating Products**  
Bisect Tile, Landform Tile, Ridge Tile, Poured Tile, Stacked Tile



**Product Specifications**

<b>Style Number</b>	5T456		
<b>Fibre</b>	100% PET		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	75 ozs./yd <sup>2</sup>	2540 g/m <sup>2</sup>	
<b>Product Size</b>	12 in x 48 in	30 cm x 122 cm	
<b>Secondary Backing</b>	High Density Non-Woven PET Composite		
<b>Recommended Installation</b>	Brick, Ashlar, Stagger, Herringbone		



56667 Velour Stitch

**Coordinating Products**  
Felted






84111 Pebble

**Coordinating Products**  
Chisel Tile, Grit Tile, Stone Broadloom

**Product Specifications**

<b>Style Number</b>	5T484		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	27 ozs./yd <sup>2</sup>	915.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 in	39.4/10 cm	
<b>Average Density</b>	6395 ozs./yd <sup>3</sup>	0.237 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




94535 Mirror Grey

**Coordinating Products**  
Accord, Amend, Arrange Tile, Array Tile, Offset Tile

**Product Specifications**

<b>Style Number</b>	5T297		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	4760 ozs./yd <sup>3</sup>	8.76 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		



05105 Connection

**Coordinating Products**  
Face to Face Tile, Spoken Tile, Written Tile, Translate Tile, Coded LVT, Type LVT

**Product Specifications**

<b>Style Number</b>	5T409		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	7423 ozs./yd <sup>3</sup>	8.65 kilotex	
<b>Product Size</b>	9 in x 36 in	22.86 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Herringbone, Brick, Ashlar, Stagger		




67515 Interaction

**Coordinating Products**  
Convене Tile, Establish Tile

**Product Specifications**

<b>Style Number</b>	5T267		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7579 ozs./yd <sup>3</sup>	11.27 kilotex	
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Stagger, Herringbone		








17481 Blue Herring

**Product Specifications**

<b>Style Number</b>	5T125		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6429 ozs./yd <sup>3</sup>	9.27 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		





**Coordinating Products**  
Basic Tile, Centric Tile, Primary Tile



17530 Limestone

**Product Specifications**

<b>Style Number</b>	5T421		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6429 ozs./yd <sup>3</sup>	9.27 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	StrataWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




**Coordinating Products**  
Diffuse StrataWorx®, Poured StrataWorx®



88481 Still

**Coordinating Products**  
Above Tile, Habitat Tile, Below Broadloom, Ground Broadloom


**Product Specifications**

<b>Style Number</b>	5T391		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	19 oz.	644.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5700 ozs./yd <sup>3</sup>	10.25 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Ashlar, Brick, Herringbone, Stagger		



12557 Traverse

**Product Specifications**

<b>Style Number</b>	5T414		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	8195 ozs./yd <sup>3</sup>	17.48 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		





**Coordinating Products**  
Path Tile, Portal Tile, Jive Tile, Pace Tile, Divvy Tile





**Product Specifications**

<b>Style Number</b>	5T018		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5053 ozs./yd <sup>3</sup>	8.94 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




18761 Wave


**Coordinating Products**  
Tempt Tile

*\*Also available as Staticsmart™ ESD*



**Product Specifications**

<b>Style Number</b>	5T019		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	5053 ozs./yd <sup>3</sup>	9.12 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




18585 Lure

**Coordinating Products**  
Tangle Tile

*\*Also available as Staticsmart™ ESD*



**Product Specifications**

<b>Style Number</b>	5T347		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	30 oz.	1017.2 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	7200 ozs./yd <sup>3</sup>	8.56 kilotex	
<b>Product Size</b>	18 in x 36 in	45.72 cm x 91.44 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar, Stagger, Herringbone		





85402 Timeless

**Coordinating Products**  
Batik, Batik Tile, Ikat, Ikat Tile, Linen, Linen Tile, Tapestry



**Product Specifications**

<b>Style Number</b>	5T279		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	8129 ozs./yd <sup>3</sup>	8.12 kilotex	
<b>Product Size</b>	18 in x 36 in	45.7 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Basketweave, Boxed In, Brick, Half Basketweave, Monolithic, Ashlar		



79500 Merino

**Coordinating Products**  
Check Tile, Houndstooth Tile, Jacquard Tile, Textile Ultraloc®






86535 Experience

**Product Specifications**

<b>Style Number</b>	5T186	
<b>Fibre</b>	Solution Q Extreme® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6063 ozs./yd <sup>3</sup>	9.26 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random	




**Coordinating Products**  
Engage Tile, Impact Tile



83761 Clay

**Product Specifications**

<b>Style Number</b>	5T005	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7129 ozs./yd <sup>3</sup>	11.85 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	




**Coordinating Products**  
Align Tile, Contour, Dimension, Layer, Outline, Sculpt Loop Tile, Sculpt Tile




56516 Burnished Pewter

**Product Specifications**

<b>Style Number</b>	5T156	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6652 ozs./yd <sup>3</sup>	8.53 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Herringbone, Ashlar, Brick, Monolithic	




**Coordinating Products**  
Expose Tile, Relief Tile, Uncover Tile, Undertone Tile, Unveil LVT



04595 Flexible

**Product Specifications**

<b>Style Number</b>	5T204	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	8780 ozs./yd <sup>3</sup>	10.02 kilotex
<b>Product Size</b>	12 in x 48 in	30.5 cm x 121.9 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Ashlar, Stagger, Herringbone, Brick	



**Coordinating Products**  
Advance Tile, Dash Tile, Turn Tile






05865 Fragile Coral

**Coordinating Products**  
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Tile

**Product Specifications**

<b>Style Number</b>	5T311	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	9000 ozs./yd <sup>3</sup>	7.33 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



05105 Connection

**Coordinating Products**  
Face to Face Tile, Spoken Tile, Written Tile, Subtext Tile, Coded LVT, Type LVT

**Product Specifications**

<b>Style Number</b>	5T408	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7826 ozs./yd <sup>3</sup>	8.50 kilotex
<b>Product Size</b>	9 in x 36 in	22.86 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Herringbone, Brick, Ashlar	




05515 Radiant

**Coordinating Products**  
Boundless Tile, Endless Tile, Observe Tile, Observe Color Tile, Respond Tile, Respond Color Tile, Source Tile, Transform Color Tile

**Product Specifications**

<b>Style Number</b>	5T308	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6439 ozs./yd <sup>3</sup>	7.25 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	




62103 Porcelain

**Coordinating Products**  
Clear Tile, Glaze Tile


**Product Specifications**

<b>Style Number</b>	59563	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	15 oz.	508.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	4500 ozs./yd <sup>3</sup>	8.35 kilotex
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn, Monolithic, Ashlar, Brick	









\*Also available as Staticsmart™ ESD





**Product Specifications**


**Style Number** 59368  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 30 oz. 1,017.2 g/m<sup>2</sup>  
**Gauge** 1/10 39.4/10 cm  
**Average Density** 11,613 ozs./yd<sup>3</sup> 16.04 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Quarter Turn



27429 Gracious

**Product Specifications**

**Style Number** 5T428  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 28 oz. 949.4 g/m<sup>2</sup>  
**Gauge** 1/10 39.4/10 cm  
**Average Density** 10839 ozs./yd<sup>3</sup> 8.23 kilotex  
**Product Size** 18 in x 36 in 46 cm x 91 cm  
**Secondary Backing** EcoWorx® Tile  
**Recommended Installation** Basketweave, Boxed in, Brick, Ashlar



**Coordinating Products**



Adage Ultraloc® MB, Truism Ultraloc® MB, Belief Ultraloc® MB, Notion Ultraloc® MB, Moral Ultraloc® MB, Adage EcoWorx® Tile, Belief EcoWorx® Tile



04535 Coordinate + 04870 Strenuous

**Product Specifications**

**Style Number** 5T205  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 20 oz. 678.1 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 9863 ozs./yd<sup>3</sup> 10.40 kilotex  
**Product Size** 12 in x 48 in 30.5 cm x 121.9 cm  
**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Ashlar, Stagger, Herringbone, Brick



**Coordinating Products**

Advance Tile, Dash Tile, Track Tile






50515 Pewter

**Product Specifications**

<b>Style Number</b>	5T150	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6698 ozs./yd <sup>3</sup>	11.67 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Herringbone, Ashlar, Brick, Monolithic	




**Coordinating Products**  
Expose Tile, Relief Tile, Tinge Tile, Undertone Tile, Unveil LVT



57515 Past

**Product Specifications**

<b>Style Number</b>	5T157	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6652 ozs./yd <sup>3</sup>	8.35 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Herringbone, Ashlar, Brick	




**Coordinating Products**  
Expose Tile, Relief Tile, Tinge Tile, Uncover Tile, Unveil LVT



90100 Bubbly

**Product Specifications**

<b>Style Number</b>	5T490	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	17 ozs./yd <sup>2</sup>	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12 in	47.2/10 cm
<b>Average Density</b>	5322 ozs./yd <sup>3</sup>	0.197 g/cm <sup>3</sup>
<b>Product Size</b>	18 in x 36 in	46 cm x 91 cm
<b>Secondary Backing</b>	StrataWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	




**Coordinating Products**  
Positive, Centered, Calm



07518 Silver Charcoal

**Product Specifications**

<b>Style Number</b>	5T110	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	18 oz.	610.3 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6750 ozs./yd <sup>3</sup>	10.39 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone	



**Coordinating Products**  
Achromatic Tile, Color Form Tile, Saturate Tile





37557 Smoke

**Product Specifications**

**Style Number** 5T036  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 98% Solution Dyed / 2% Yarn Dyed  
**Tufted Weight** 18 oz. 610.3 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6480 ozs./yd<sup>3</sup> 10.41 kilotex  
**Product Size** 18 in x 36 in 45.7 cm x 91.4 cm



**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Brick, Basketweave, Herringbone, Boxed In, Half Basketweave



**Coordinating Products**  
 Embark Tile, Fringe Tile, Haze Tile, Wander Tile




33327 Canopy

**Product Specifications**

**Style Number** 59594  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 26 oz. 881.6 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 7313 ozs./yd<sup>3</sup> 11.36 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm



**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Quarter Turn, Ashlar, Brick



**Coordinating Products**  
 Imprint Tile, Sketch Tile




09505 Encompass

**Product Specifications**

**Style Number** 5T009  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 100% Solution Dyed  
**Tufted Weight** 16 oz. 542.5 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6128 ozs./yd<sup>3</sup> 9.12 kilotex  
**Product Size** 24 in x 24 in 61 cm x 61 cm



**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Quarter Turn, Ashlar, Brick, Random



**Coordinating Products**  
 Infinite Tile




67155 Oatmeal Margin

**Product Specifications**

**Style Number** 59114  
**Fibre** EcoSolution Q® Nylon  
**Dye Method** 92% Solution Dyed / 8% Yarn Dyed  
**Tufted Weight** 22 oz. 746 g/m<sup>2</sup>  
**Gauge** 1/12 47.2/10 cm  
**Average Density** 6712 ozs./yd<sup>3</sup> 12.99 kilotex  
**Product Size** 18 in x 36 in 45.7 cm x 91.4 cm




**Secondary Backing** EcoWorx®  
**Recommended Installation** Monolithic, Basketweave, Herringbone, Boxed In, Brick, Half Basketweave



**Coordinating Products**  
 Merge Tile, Minimal Tile







01585 Frequency

**Coordinating Products**  
Absorbed Tile, Applied Tile, Visible Tile

**Product Specifications**


<b>Style Number</b>	5T001		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6207 ozs./yd <sup>3</sup>	11.17 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




01761 Pixel

**Coordinating Products**  
Absorbed Tile, Applied Tile, Vibrant Tile

**Product Specifications**


<b>Style Number</b>	5T002		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6667 ozs./yd <sup>3</sup>	10.98 kilotex	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick, Random		




71111 Sand

**Coordinating Products**  
Plains Tile, Clearing Tile, Landing Edge Tile, Landing Tile, Enclave Tile

**Product Specifications**


<b>Style Number</b>	5T380		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	18 oz.	610.32 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	7281 ozs./yd <sup>3</sup>	10.05 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Herringbone, Brick, Monolithic, Ashlar, Stagger		



37530 Airy

**Coordinating Products**  
Embark Tile, Fringe Tile, Haze Tile, Vapor Tile

**Product Specifications**

<b>Style Number</b>	5T039		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	98% Solution Dyed / 2% Yarn Dyed		
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/12	47.2/10 cm	
<b>Average Density</b>	6000 ozs./yd <sup>3</sup>	9.17 kilotex	
<b>Product Size</b>	24 in X24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Quarter Turn, Ashlar, Brick		





Weathered Color Tile | Canopy

Tile Size | 9x36




88535 Quiet

**Carbon Neutral**  
**Low Embodied Carbon**

Product Specifications

<b>Style Number</b>	5T426	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7385 ozs./yd <sup>3</sup>	7.33 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



**Coordinating Products**  
Ground, Below, Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Weathered Color Tile

Weathered Tile | Canopy

Tile Size | 9x36




88557 Shade

**Carbon Neutral**  
**Low Embodied Carbon**

Product Specifications

<b>Style Number</b>	5T424	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7448 ozs./yd <sup>3</sup>	7.45 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



**Coordinating Products**  
Ground, Below, Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Wildwood Tile, Weathered Color Tile

Welcome II Tile | Steppin Out

Tile Size | 24x24



31557 Sterling

Product Specifications

<b>Style Number</b>	5T031	
<b>Fibre</b>	PET Polyester	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	49 oz.	1672.6 g/m <sup>2</sup>
<b>Average Density</b>	6477 ozs./yd <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended Installation</b>	Quarter Turn	



**Coordinating Products**  
Bon Jour II, Bon Jour II Tile, Entrée Tile, Welcome II

Wildwood Tile | Canopy

Tile Size | 9x36



88760 Branch

**Carbon Neutral**  
**Low Embodied Carbon**

Product Specifications

<b>Style Number</b>	5T425	
<b>Fibre</b>	EcoSolution Q100™ Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7322 ozs./yd <sup>3</sup>	7.45 kilotex
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm
<b>Secondary Backing</b>	EcoWorx® Tile	
<b>Recommended Installation</b>	Monolithic, Brick, Ashlar, Herringbone, Stagger	



**Coordinating Products**  
Ground, Below, Elevate Tile, Balcony Tile, Habitat Tile, Suspend Tile, Above Tile, Preserve Tile, Weathered Tile, Wildwood Tile






50504 Restore

**Coordinating Products**  
Face to Face Tile, Spoken Tile, Translate Tile, Subtext Tile, Coded LVT, Type LVT

**Product Specifications**

<b>Style Number</b>	5T407		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	7636 ozs./yd <sup>3</sup>	9.20 kilotex	
<b>Product Size</b>	9 in x 36 in	22.86 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Monolithic, Herringbone, Brick, Ashlar, Stagger		




87327 Vibrance - Color

**Coordinating Products**  
Zeal Tile, Spark Tile, Verve Broadloom

**Product Specifications**

<b>Style Number</b>	5T487		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	26 ozs./yd <sup>2</sup>	881.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10	39.4/10 cm	
<b>Average Density</b>	5814 ozs./yd <sup>3</sup>	0.215 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		





87327 Vibrance - Color

**Coordinating Products**  
Zest Tile, Spark Tile, Verve Broadloom

**Product Specifications**

<b>Style Number</b>	5T488		
<b>Fibre</b>	EcoSolution Q100™ Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	26 ozs./yd <sup>2</sup>	881.5 g/m <sup>2</sup>	
<b>Gauge</b>	1/10 in	39.4/10 cm	
<b>Average Density</b>	5442 ozs./yd <sup>3</sup>	0.201 g/cm <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm	
<b>Secondary Backing</b>	EcoWorx® Tile		
<b>Recommended Installation</b>	Quarter Turn, Random, Monolithic, Brick, Ashlar		




58300 Green

**Coordinating Products**  
Create Tile, Drift Tile, Explore Tile, Reflect Tile, Renew Tile

**Product Specifications**

<b>Style Number</b>	5T158		
<b>Fibre</b>	EcoSolution Q® Nylon		
<b>Dye Method</b>	100% Solution Dyed		
<b>Tufted Weight</b>	35 oz.	1186.7 g/m <sup>2</sup>	
<b>Gauge</b>	3/16	21.0/10 cm	
<b>Average Density</b>	3913 ozs./yd <sup>3</sup>	7.68 kilotex	
<b>Product Size</b>	9 in x 36 in	22.9 cm x 91.4 cm	
<b>Secondary Backing</b>	EcoWorx®		
<b>Recommended Installation</b>	Herringbone, Monolithic, Brick, Ashlar		






BROADLOOM





**Product Specifications**

<b>Style Number</b>	5A297	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	34.4/10 cm
<b>Average Density</b>	7252 ozs./yd <sup>3</sup>	8.86 kilotex
<b>Pattern Repeat</b>	72 in x 52.2 in	182.88 cm x 132.59 cm
<b>Secondary Backing</b>	Ultraloc® MB	



27860 Hearten


**Coordinating Products**

Truism Ultraloc® MB, Belief Ultraloc® MB, Notion Ultraloc® MB, Moral Ultraloc® MB, Adage EcoWorx® Tile, Truism EcoWorx® Tile, Belief EcoWorx® Tile



**Product Specifications**

<b>Style Number</b>	5A252	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5703 ozs./yd <sup>3</sup>	8.27 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	60.96 cm x 60.96 cm
<b>Secondary Backing</b>	ClassicBac®	



94535 Mirror Grey


**Coordinating Products**

Accord, Arrange Tile, Array Tile, Offset Tile, Structure Tile



**Product Specifications**

<b>Style Number</b>	5A253	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6261 ozs./yd <sup>3</sup>	8.26 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	60.96 cm x 60.96 cm
<b>Secondary Backing</b>	ClassicBac®	



63521 Partner


**Coordinating Products**

Amend, Arrange Tile, Array Tile, Offset Tile, Structure Tile



**Product Specifications**

<b>Style Number</b>	5A270	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	51 oz.	1729.2 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	6100 ozs./yd <sup>3</sup>	11.22 kilotex
<b>Pattern Repeat</b>	72 in x 104.55 in	1.84 cm x 2.66 cm
<b>Secondary Backing</b>	Ultraloc®	



70675 Sketch

\*Also available in standard rug sizes





96111 Natural Silk

**Product Specifications**

<b>Style Number</b>	5A208
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	30% Solution Dyed / 70% Yarn Dyed
<b>Tufted Weight</b>	38 oz. 1,288.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10 39.4/10 cm
<b>Average Density</b>	9060 ozs./yd <sup>3</sup> 9.04 kilotex
<b>Pattern Repeat</b>	48 in x 36 in 121.92 cm x 91.44 cm
<b>Secondary Backing</b>	Ultraloc®




**Coordinating Products**  
Artisan Tile, Chok Loom, Chok Tile, Cloth Tile, Kit Tile, Matmee Tile, Plain Weave Tile



83210 Earth

**Product Specifications**

<b>Style Number</b>	5A283
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	36 oz. 1220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10 39.4/10 cm
<b>Average Density</b>	6056 ozs./yd <sup>3</sup> 10.08 kilotex
<b>Pattern Repeat</b>	144 in x 172.8 in 3.66 cm x 4.39 cm
<b>Secondary Backing</b>	Ultraloc®




\*Also available in standard rug sizes



67100 Empathy

**Product Specifications**

<b>Style Number</b>	5A267
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	46 oz. 1559.7 g/m <sup>2</sup>
<b>Gauge</b>	1/11 43/10 cm
<b>Average Density</b>	7263 ozs./yd <sup>3</sup> 11.28 kilotex
<b>Pattern Repeat</b>	144 in x 216 in 3.66 cm x 5.49 cm
<b>Secondary Backing</b>	Ultraloc®



Empathy 67100

\*Also available in standard rug sizes



18100 Carrara Silver

**Product Specifications**

<b>Style Number</b>	5A219
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Woven Pile Height</b>	38 oz. 1,288.4 g/m <sup>2</sup>
<b>Pitch</b>	216 315 perm
<b>Average Density</b>	7558 ozs./yd <sup>3</sup> 11.23 kilotex
<b>Pattern Repeat</b>	.375 in .95 cm
<b>Secondary Backing</b>	Unitary



**Coordinating Products**  
Alchemy Tile, Emerge LVT, Fault, Form Tile, Honed Tile, Monolith Woven, Slab Tile, Strata





**Product Specifications**

<b>Style Number</b>	60785	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	9076 ozs./yd <sup>3</sup>	9.03 kilotex
<b>Pattern Repeat</b>	144 in x 144 in	3.66 m x 2.9 m
<b>Secondary Backing</b>	Ultraloc®	



Recollect 85215    Novelty 85327    Timeless 85402    Classic 85496    Heritage 85530    Nostalgic 85665


85402 Timeless

**Coordinating Products**  
Ikat ULT, Linen ULT, Tapestry ULT




**Product Specifications**

<b>Style Number</b>	5A299	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	34.4/10 cm
<b>Average Density</b>	6503 ozs./yd <sup>3</sup>	8.54 kilotex
<b>Pattern Repeat</b>	36 in x 38 in	91.44 cm x 96.52 cm
<b>Secondary Backing</b>	Ultraloc® MB	



Kith 27150    Thankful 27320    Pause 27405    Gracious 27429    Wisdom 27490    Introspective 27516



Virtue 27585    Comfort 27761    Hearthen 27860

27860 Hearthen

**Coordinating Products**  
Adage Ultraloc® MB, Truism Ultraloc® MB, Notion Ultraloc® MB, Moral Ultraloc® MB, Adage EcoWorx® Tile, Truism EcoWorx® Tile, Belief EcoWorx® Tile



**Product Specifications**

<b>Style Number</b>	5B094	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Dye Injection Print	
<b>Tufted Weight</b>	36 oz.	1,220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5043 ozs./yd <sup>3</sup>	11.75 kilotex
<b>Pattern Repeat</b>	18 in x 18 in	45.72 cm x 45.72 cm
<b>Secondary Backing</b>	ClassicBac®	



Refined 94314    Ooh La La 94335    On The Town 94713    So Glam 94725    Panache 94761


94761 Panache

**Coordinating Products**  
Cranford, Kennebunk, Moritz, Wisdom




**Product Specifications**

<b>Style Number</b>	5A290	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5617 ozs./yd <sup>3</sup>	9.93 kilotex
<b>Pattern Repeat</b>	12 in x 16 in	30.48 cm x 40.64 cm
<b>Secondary Backing</b>	Ultraloc®	



Quiet 90535    Branch 90761    Calm 90959    Path 90555    Still 90481    Shade 90557



Deep Sky 90485    Shadow 90500

90761 Branch

**Coordinating Products**  
Above Tile, Habitat Tile, Suspend Tile, Ground Broadloom






15580 Ridge


**Product Specifications**

<b>Style Number</b>	5A243	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7297 ozs./yd <sup>3</sup>	13.59 kilotex
<b>Pattern Repeat</b>	144 in x 108.8 in	365.76 cm x 276.35 cm
<b>Secondary Backing</b>	Ultraloc®	



**Coordinating Products**  
Beyond Tile, Discover Tile, Escape, Expanse Tile, Seek Tile


\*Some colours are also available in standard rug sizes



72760 Village

**Product Specifications**

<b>Style Number</b>	5A235	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7266 ozs./yd <sup>3</sup>	12.36 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	60.96 cm x 60.96 cm
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**  
Central Line Tile, City Central Tile, Grove, Sea Tile, Sea Edge Tile, Sky Tile, Summit



31500 Ebony

**Product Specifications**

<b>Style Number</b>	60746	
<b>Fibre</b>	Pet Polyester	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	51 oz.	1,729.2 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5379 ozs./yd <sup>3</sup>	10.02 kilotex
<b>Pattern Repeat</b>	.28 in	.71 cm
<b>Secondary Backing</b>	Performance Rubber	




**Coordinating Products**  
Bon Jour II Tile, Entree Tile, Welcome II, Welcome II Tile



36300 Pond

**Product Specifications**

<b>Style Number</b>	5A236	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7429 ozs./yd <sup>3</sup>	13.14 kilotex
<b>Pattern Repeat</b>	72 in x 50 in	182.88 cm x 127 cm
<b>Secondary Backing</b>	Ultraloc®	



**Coordinating Products**  
Botan Tile, Hana, Hana Tile, Kusa, Kusa Tile, Roji Sheet, Reed Sheet, Tatami Sheet






80515 Mink

\*Also available in standard rug sizes

**Product Specifications**

<b>Style Number</b>	5A280	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	44 oz.	1491.9 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	6387 ozs./yd <sup>3</sup>	11.21 kilotex
<b>Pattern Repeat</b>	144 in x 144 in	3.66 m x 3.66 m
<b>Secondary Backing</b>	Ultraloc®	



Pure 80516    Mink 80515    Jet 80500



53818 Immerse

\*Also available in standard rug sizes

**Product Specifications**

<b>Style Number</b>	5A353	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	31 ozs./yd <sup>2</sup>	1051.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in	39.4/10 cm
<b>Average Density</b>	5289 ozs./yd <sup>3</sup>	0.196 g/cm <sup>3</sup>
<b>Pattern Repeat</b>	144 in x 197.6 in	3.66 m x 5.02 m
<b>Secondary Backing</b>	Ultraloc®	



Retreat 53100    Escape 53500    Immerse 53818



81555 Mysterious

\*Also available in standard rug sizes

**Product Specifications**

<b>Style Number</b>	5A281	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	44 oz.	1491.9 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	6887 ozs./yd <sup>3</sup>	11.19 kilotex
<b>Pattern Repeat</b>	144 in x 95.36 in	3.66 m x 2.42 m
<b>Secondary Backing</b>	Ultraloc®	



Mysterious 81555    Delicate 81545    Luminescent 81100



99760 Kadai

**Coordinating Products**  
Artisan Tile, Artisan Loom, Chok Tile, Cloth Tile, Kit Tile, Matmee Tile, Plain Weave

**Product Specifications**

<b>Style Number</b>	5A211	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	53% Solution Dyed / 47% Yarn Dyed	
<b>Tufted Weight</b>	38 oz.	1,288.5 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	9060 ozs./yd <sup>3</sup>	9.34 kilotex
<b>Pattern Repeat</b>	72 in x 74 in	182.88 cm x 187.96 cm
<b>Secondary Backing</b>	Ultraloc®	



Natural Silk 99111    Heddle 99156    Pidan 99314    Tradition 99496    Angkor 99500    Naga 99504  
Pagoda 99515    Handcraft 99555    Bayon 99585    Copper 99601    Temple 99713    Kadai 99760  
Annato 99880    Sanskrit 99906






26710 Shooting Star

**Product Specifications**


<b>Style Number</b>	60550	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	70% Solution Dyed / 30% Yarn Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7800 ozs./yd <sup>3</sup>	11.84 kilotex
<b>Pattern Repeat</b>	.41 in x 6.91 in	1.04 cm x 17.55 cm
<b>Secondary Backing</b>	Ultraloc®	




86515 Zinc

**Product Specifications**

<b>Style Number</b>	5A186	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6646 ozs./yd <sup>3</sup>	13.13 kilotex
<b>Pattern Repeat</b>	3.6 in x 4.75 in	9.14 cm x 12.07 cm
<b>Secondary Backing</b>	ClassicBac®	




**Coordinating Products**  
Align Tile, Dimension, Layer, Outline, Sculpt Tile, Sculpt Loop Tile, Trace Tile



13761 Gouche

**Product Specifications**

<b>Style Number</b>	5A213	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5180 ozs./yd <sup>3</sup>	10.47 kilotex
<b>Pattern Repeat</b>	36 in x 36 in	91.44 cm x 91.44 cm
<b>Secondary Backing</b>	Ultraloc®	




**Coordinating Products**  
Brush LVT (8 mil, 12 mil, 20 mil), Erase, Fine Point Tile, Lineweight Tile, Line LVT (12 mil, 20 mil), Plaster LVT (12 mil, 20 mil), Scribe, Stipple Tile, Stylus



78103 Balsa

**Product Specifications**

<b>Style Number</b>	5A178	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	51% Solution Dyed / 49% Yarn Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7338 ozs./yd <sup>3</sup>	17.63 kilotex
<b>Pattern Repeat</b>	1.2 in x .75 in	3.05 cm x 1.91 cm
<b>Secondary Backing</b>	Ultraloc®	




**Coordinating Products**  
Earth Tone Tile, Entwine Tile, Grounded, Ingrain Tile, Natural Selection, Timber





**Product Specifications**

<b>Style Number</b>	5B093	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Dye Injection Print	
<b>Tufted Weight</b>	36 oz.	1,220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5043 ozs./yd <sup>3</sup>	11.75 kilotex
<b>Pattern Repeat</b>	36 in x 36 in	91.44 cm x 91.44 cm
<b>Secondary Backing</b>	ClassicBac®	



93761 Panache

**Coordinating Products**  
Bellcourt, Kennebunk, Moritz, Wisdom

Refined  
93314

Ooh La La  
93335

On The Town  
93713

So Glam  
93725

Panache  
93761



32325 Elephant

**Product Specifications**

<b>Style Number</b>	5A032	
<b>Fibre</b>	Nylon	
<b>Dye Method</b>	100% Piece Dyed	
<b>Tufted Weight *</b>	30 oz.	1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5373 ozs./yd <sup>3</sup>	8.32 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	ClassicBac®	



\*Also Available in 36 oz. 5A033



more colors →






58485 Denim

Product Specifications

<b>Style Number</b>	5A358
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	28 ozs./yd <sup>2</sup> 949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in      39.4/10 cm
<b>Average Density</b>	5390 ozs./yd <sup>3</sup> 0.199 g/cm <sup>3</sup>
<b>Pattern Repeat</b>	48 in x 48 in      1.22 m x 1.22 m
<b>Secondary Backing</b>	Ultraloc®



\*Also available in standard rug sizes



83111 Bisque


Product Specifications

<b>Style Number</b>	5A184
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	22 oz.      746 g/m <sup>2</sup>
<b>Gauge</b>	1/10      39.4/10 cm
<b>Average Density</b>	6046 ozs./yd <sup>3</sup> 11.69 kilotex
<b>Pattern Repeat</b>	14.4 in x 18 in      36.58 cm x 45.72 cm
<b>Secondary Backing</b>	Ultraloc®




**Coordinating Products**  
Align Tile, Contour, Layer, Outline, Sculpt Tile, Sculpt Loop Tile, Trace Tile





**Product Specifications**

<b>Style Number</b>	5A276	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	36 oz.	1220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6480 ozs./yd <sup>3</sup>	10.24 kilotex
<b>Pattern Repeat</b>	144 in x 144 in	3.66 m x 3.66 m
<b>Secondary Backing</b>	Ultraloc®	




76530 Morph

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	5A164	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5918 ozs./yd <sup>3</sup>	11.16 kilotex
<b>Pattern Repeat</b>	1.81 in x 1.75 in	4.59 cm x 4.45 cm
<b>Secondary Backing</b>	ClassicBac®	




64755 Marble

**Coordinating Products**  
Catalyst Tile, Hybrid Tile, Meld



**Product Specifications**

<b>Style Number</b>	5A272	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	48 oz.	1627.5 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	5468 ozs./yd <sup>3</sup>	11.16 kilotex
<b>Pattern Repeat</b>	48 in x 48 in	1.22 m x 1.22 m
<b>Secondary Backing</b>	Ultraloc®	



72325 Lush

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	5A228	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	46% Solution Dyed / 54% Yarn Dyed	
<b>Tufted Weight</b>	34 oz.	1,152.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6838 ozs./yd <sup>3</sup>	19.41 kilotex
<b>Pattern Repeat</b>	72 in x 48 in	182.88 cm x 121.92 cm
<b>Secondary Backing</b>	Ultraloc®	



64595 Vintage Grey

**Coordinating Products**  
Inherit, Intricate LVT, Ornate Tile, Rethread Tile




Effect | Openwork

Broadloom



Product Specifications

<b>Style Number</b>	5A192	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	59% Solution Dyed / 41% Yarn Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5739 ozs./yd <sup>3</sup>	11.95 kilotex
<b>Pattern Repeat</b>	14.4 in x 24 in	36.58 cm x 60.96 cm
<b>Secondary Backing</b>	Ultraloc®	



92761 Alloy

**Coordinating Products**  
Bias Tile, Inlay, Kasuri Tile, Mesh Tile


Erase | Hand Drawn

Broadloom



Product Specifications

<b>Style Number</b>	5A214	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5106 ozs./yd <sup>3</sup>	10.40 kilotex
<b>Pattern Repeat</b>	36 in x 48 in	91.44 cm x 121.92 cm
<b>Secondary Backing</b>	Ultraloc®	



13761 Gouche

**Coordinating Products**  
Brush LVT (8 mil, 12 mil, 20 mil), Conté, Erase, Fine Point Tile, Lineweight Tile, Line LVT (12 mil, 20 mil), Plaster LVT (12 mil, 20 mil), Scribe, Stipple Tile, Stylus

Embrace | Community

Broadloom



Product Specifications

<b>Style Number</b>	5A259	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	32 oz.	1085 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5075 ozs./yd <sup>3</sup>	8.48 kilotex
<b>Pattern Repeat</b>	72 in x 78 in	182.9 cm x 198.1 cm
<b>Secondary Backing</b>	Ultraloc®	



01100 High Atlas

**Coordinating Products**  
Back Weave Tile, Exchange Tile, Knotted Tile, Heddle Tile, Flat Weave Tile, Process Tile, Share


Escape | Off The Grid

Broadloom



Product Specifications

<b>Style Number</b>	5A242	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.55 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5538 ozs./yd <sup>3</sup>	13.48 kilotex
<b>Pattern Repeat</b>	72 in x 72 in	182.88 cm x 182.88 cm
<b>Secondary Backing</b>	Ultraloc®	



15580 Ridge

**Coordinating Products**  
Beyond, Beyond Tile, Discover Tile, Expanse Tile, Seek Tile






88761 True Taupe

**Product Specifications**

<b>Style Number</b>	5A188	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5255 ozs./yd <sup>3</sup>	10.61 kilotex
<b>Pattern Repeat</b>	1.2 in x .5 in	3.05 cm x 1.27 cm
<b>Secondary Backing</b>	ClassicBac®	




**Coordinating Products**  
Prime



20111 Alabaster Gold

**Product Specifications**

<b>Style Number</b>	5A221	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	40 oz.	1,356.3 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43.3/10 cm
<b>Average Density</b>	6261 ozs./yd <sup>3</sup>	11.13 kilotex
<b>Pattern Repeat</b>	72 in x 72 in	182.88 cm x 182.88 cm
<b>Secondary Backing</b>	Ultraloc®	



**Coordinating Products**  
Alchemy, Alchemy Tile, Base Metal, Emerge LVT, Form Tile, Honed Tile, Monolith Woven, Slab Tile, Strata



97415 Smithsonian

**Product Specifications**

<b>Style Number</b>	60497	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	83% Solution Dyed / 17% Yarn Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	9421 ozs./yd <sup>3</sup>	13.03 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing *</b>	Ultraloc®	



56675 Expression

**Product Specifications**

<b>Style Number</b>	5A356	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	45 ozs./yd <sup>2</sup>	1525.8 g/m <sup>2</sup>
<b>Gauge</b>	1/11 in	43.3/10 cm
<b>Average Density</b>	5891 ozs./yd <sup>3</sup>	0.218 g/cm <sup>3</sup>
<b>Pattern Repeat</b>	72 in x 90 in	1.83 m x 2.23 m
<b>Secondary Backing</b>	Ultraloc®	



\*Also available in standard rug sizes






38150 Burl

**Product Specifications**

<b>Style Number</b>	5A038	
<b>Fibre</b>	Solution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	6042 ozs./yd <sup>3</sup>	10.60 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**  
Terra



13755 Natural Tonic

**Product Specifications**

<b>Style Number</b>	5A020	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	34 oz.	1,152.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6652 ozs./yd <sup>3</sup>	10.10 kilotex
<b>Pattern Repeat</b>	12 in x 24 in	30.5 cm x 61 cm
<b>Secondary Backing</b>	Ultraloc®	



**Coordinating Products**  
Glitz Tile, Luminosity Tile, Radiance Tile




34595 Cobble Grey

**Coordinating Products**  
Brilliance Tile, Gradient Tile, Tint, Tone

**Product Specifications**

<b>Style Number</b>	5A153	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	11020 ozs./yd <sup>3</sup>	13.58 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	ClassicBac®	








90761 Branch

**Product Specifications**

<b>Style Number</b>	5A289	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5425 ozs./yd <sup>3</sup>	9.92 kilotex
<b>Pattern Repeat</b>	7.2 in x 24 in	18.29 cm x 60.96 cm
<b>Secondary Backing</b>	Ultraloc®	





**Coordinating Products**  
Above Tile, Habitat Tile, Suspend Tile,  
Below Broadloom



72760 Village

**Product Specifications**

<b>Style Number</b>	5A234	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6828 ozs./yd <sup>3</sup>	12.25 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	60.96 cm x 60.96 cm
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**  
Birch, Central Line Tile, City Central Tile, Sea Tile,  
Sea Edge Tile, Sky Tile, Summit



38103 Balsa

**Product Specifications**

<b>Style Number</b>	5A190	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	51% Solution Dyed / 49% Yarn Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	8000 ozs./yd <sup>3</sup>	21.36 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	Ultraloc®	




**Coordinating Products**  
Core, Earth Tone Tile, Entwine Tile, Ingrain Tile,  
Natural Selection, Timber



36300 Pond

**Product Specifications**

<b>Style Number</b>	5A237	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7429 ozs./yd <sup>3</sup>	13.14 kilotex
<b>Pattern Repeat</b>	72 in x 68 in	182.88 cm x 172.72 cm
<b>Secondary Backing</b>	Ultraloc®	



**Coordinating Products**  
Botan, Botan Tile, Hana Tile, Kusa, Kusa Tile, Roji  
Sheet, Reed Sheet, Tatami Sheet





**Product Specifications**

<b>Style Number</b>	5A278	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	48 oz.	1627.5 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	5521 ozs./yd <sup>3</sup>	11.28 kilotex
<b>Pattern Repeat</b>	144 in x 96 in	3.66 m x 2.44 m
<b>Secondary Backing</b>	Ultraloc®	



Estate 78850    Legacy 78323    Origin 78156



78850 Estate

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	60786	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	10957 ozs./yd <sup>3</sup>	9.04 kilotex
<b>Pattern Repeat</b>	144 in x 223 in	365.76 m x 566.42 m
<b>Secondary Backing</b>	Ultraloc®	



Recollect 85215    Novelty 85327    Timeless 85402    Classic 85496    Heritage 85530    Nostalgic 85665

63521 Partner

**Coordinating Products**  
Batik ULT, Linen ULT, Tapestry ULT



**Product Specifications**

<b>Style Number</b>	60774	
<b>Fibre</b>	Nylon	
<b>Dye Method</b>	100% Continuous Dyed	
<b>Tufted Weight</b>	29 oz.	990.1 g/m <sup>2</sup>
<b>Gauge</b>	5/32	25.2/10 cm
<b>Average Density</b>	2145 ozs./yd <sup>3</sup>	5.01 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	ClassicBac®	



Fancy 00104    Recollection 00105    Sense 00111    Clam Gray 00112    Tranquil 00510    Serenity 00511



Inspiration 00512    Vintage 00513    Symbolism 00703    Artistry 00710    Embers 00712


00104 Fancy

**Coordinating Products**  
Artisan, Sentiment, Villa




**Product Specifications**

<b>Style Number</b>	5A229	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	47% Solution Dyed / 53% Yarn Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6583 ozs./yd <sup>3</sup>	18.87 kilotex
<b>Pattern Repeat</b>	72 in x 72 in	182.88 cm x 182.88 cm
<b>Secondary Backing</b>	Ultraloc®	



Ivory 64144    Ochre 64155    Heritage Blue 64481    Idigo 64496    Antique 64504    Eternal 64505



Glass 64515    Grey Slate 64535    Vintage Grey 64595    Hearth 64760    Umber 64855    Brocade 64911

64595 Vintage Grey

**Coordinating Products**  
Edition, Intricate LVT, Ornate Tile, Rethread Tile







93111 Gild

**Coordinating Products**  
Bias Tile, Effect, Kasuri Tile, Mesh Tile

**Product Specifications**


<b>Style Number</b>	5A193	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	57% Solution Dyed / 43% Yarn Dyed	
<b>Tufted Weight</b>	22 oz.                      746 g/m <sup>2</sup>	
<b>Gauge</b>	1/10                            39.4/10 cm	
<b>Average Density</b>	5781 ozs./yd <sup>3</sup> 12.05 kilotex	
<b>Pattern Repeat</b>	14.4 in x 36 in            36.58 cm x 91.44 cm	
<b>Secondary Backing</b>	Ultraloc®	




77515 Major Milestone

**Coordinating Products**  
Guest, Sophistication


**Product Specifications**


<b>Style Number</b>	60777	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.                      881.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/12                            47.2/10 cm	
<b>Average Density</b>	6158 ozs./yd <sup>3</sup> 12.66 kilotex	
<b>Pattern Repeat</b>	36 in x 40 in            91.44 cm x 101.6 cm	
<b>Secondary Backing</b>	Ultraloc® MB	



89210 Mesh

**Product Specifications**


<b>Style Number</b>	60589	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.                      881.6 g/m <sup>2</sup>	
<b>Gauge</b>	1/10                            39.4/10 cm	
<b>Average Density</b>	8069 ozs./yd <sup>3</sup> 14.62 kilotex	
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	Ultraloc®	



68500 Smoke

\*Also available in standard rug sizes

**Product Specifications**

<b>Style Number</b>	5A268	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	42 oz.                      1424 g/m <sup>2</sup>	
<b>Gauge</b>	1/11                            43/10 cm	
<b>Average Density</b>	6434 ozs./yd <sup>3</sup> 11.08 kilotex	
<b>Pattern Repeat</b>	144 in x 144 in            3.66 m x 3.66 m	
<b>Secondary Backing</b>	Ultraloc®	







**Product Specifications**

<b>Style Number</b>	5B092	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Dye Injection Print	
<b>Tufted Weight</b>	36 oz.	1,220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5043 ozs./yd <sup>3</sup>	11.75 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	ClassicBac®	





92761 Panache

**Coordinating Products**  
Bellcourt, Cranford, Moritz, Wisdom



**Product Specifications**

<b>Style Number</b>	5A238	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6750 ozs./yd <sup>3</sup>	13.14 kilotex
<b>Pattern Repeat</b>	72 in x 36 in	182.88 cm x 91.44 cm
<b>Secondary Backing</b>	Ultraloc®	




36300 Pond

**Coordinating Products**  
Botan, Botan Tile, Hana, Hana Tile, Kusa Tile, Roji Sheet, Reed Sheet, Tatami Sheet



**Product Specifications**

<b>Style Number</b>	5A354	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	33 ozs./yd <sup>2</sup>	1118.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in	39.4/10 cm
<b>Average Density</b>	4623 ozs./yd <sup>3</sup>	0.171 g/cm <sup>3</sup>
<b>Pattern Repeat</b>	144 in x 161.4 in	3.66 m x 4.10 m
<b>Secondary Backing</b>	Ultraloc®	




54485 Graphic

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	5A183	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6712 ozs./yd <sup>3</sup>	11.39 kilotex
<b>Pattern Repeat</b>	14.4 in X 36 in	36.6 cm X 91.44 cm
<b>Secondary Backing</b>	Ultraloc®	



83111 Bisque

**Coordinating Products**  
Align Tile, Contour, Dimension, Outline, Sculpt Tile, Sculpt Loop, Trace Tile





**Product Specifications**

<b>Style Number</b>	5A282	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	48 oz.	1627.5 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	7111 ozs./yd <sup>3</sup>	10.95 kilotex
<b>Pattern Repeat</b>	72 in x 72 in	1.83 m x 1.83 m
<b>Secondary Backing</b>	Ultraloc®	



Calm 82100      Balanced 82485

82100 Calm

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	60787	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	10286 ozs./yd <sup>3</sup>	9.02 kilotex
<b>Pattern Repeat</b>	144 in x 140.8 in	3.66 m x 3.58 m
<b>Secondary Backing</b>	Ultraloc®	



Recollect 85215      Novelty 85327      Timeless 85402      Classic 85496      Heritage 85530      Nostalgic 85665


85402 Timeless

**Coordinating Products**  
Batik ULT, Ikat ULT, Tapestry ULT




**Product Specifications**

<b>Style Number</b>	5A165	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6171 ozs./yd <sup>3</sup>	12.07 kilotex
<b>Pattern Repeat</b>	1.59 in x .46 in	4.04 cm x 1.17 cm
<b>Secondary Backing</b>	ClassicBac®	




64755 Marble

**Coordinating Products**  
Catalyst Tile, Eclectic, Hybrid Tile



**Product Specifications**

<b>Style Number</b>	5A277	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	36 oz.	1220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5290 ozs./yd <sup>3</sup>	10.12 kilotex
<b>Pattern Repeat</b>	144 in x 144 in	3.66 m x 3.66 m
<b>Secondary Backing</b>	Ultraloc®	



Slate 77100      Metalwork 77555

77100 Slate

\*Also available in standard rug sizes






03597 Distance

**Product Specifications**

<b>Style Number</b>	5A204	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5180 ozs./yd³	11.35 kilotex
<b>Pattern Repeat</b>	0.8 in x 1.25 in	2.03 cm x 3.18 cm
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**

Direction Tile, Field Tile, Realm Tile, Reverse Tile, Transfer, Scape Tile, Shape Tile, Switch


Monolith | Noble Materials



18100 Carrara

**Product Specifications**


<b>Style Number</b>	5A218	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Woven Pile Height</b>	42 oz.	1,424.04 g/m²
<b>Pitch</b>	216	27.56/10 cm
<b>Average Density</b>	8173 ozs./yd³	13.57 kilotex
<b>Pattern Repeat</b>	.75 in	1.91 cm
<b>Secondary Backing</b>	Woven Unitary	



**Coordinating Products**

Alchemy Tile, Base Metal, Emerge LVT, Fault, Form Tile, Honed Tile, Monolith Woven, Slab Tile, Strata


Moral Ultraloc® MB | Cultivate Soul



27429 Gracious

**Product Specifications**

<b>Style Number</b>	5A301	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m²
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6968 ozs./yd³	11.14 kilotex
<b>Pattern Repeat</b>	36 in x 39 in	91.44 cm x 99.06 cm
<b>Secondary Backing</b>	Ultraloc® MB	



**Coordinating Products**

Adage Ultraloc® MB, Truism Ultraloc® MB, Belief Ultraloc® MB, Notion Ultraloc® MB, Adage EcoWorx® Tile, Truism EcoWorx® Tile, Belief EcoWorx® Tile


Moritz | Lush Life



91761 Panache

**Product Specifications**


<b>Style Number</b>	5B091	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Dye Injection Print	
<b>Tufted Weight</b>	36 oz.	1,220.6 g/m²
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5043 ozs./yd³	11.75 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**

Bellcourt, Cranford, Kennebunk, Wisdom





**Product Specifications**

<b>Style Number</b>	5A265	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	36 oz.	1220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7807 ozs./yd <sup>3</sup>	9.15 kilotex
<b>Pattern Repeat</b>	144 in x 111.6 in	3.65 m x 2.83 m
<b>Secondary Backing</b>	Ultraloc®	



Painted  
65375


65375 Painted

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	50875	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	90% Solution Dyed / 10% Yarn Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6109 ozs./yd <sup>3</sup>	12.49 kilotex
<b>Pattern Repeat</b>	.4 in x .6 in	1.02 cm x 1.52 cm
<b>Secondary Backing</b>	Ultraloc®	




75761 Sulu



**Product Specifications**

<b>Style Number</b>	5A279	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	36 oz.	1220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	4966 ozs./yd <sup>3</sup>	10.24 kilotex
<b>Pattern Repeat</b>	18 in x 18 in	45.72 cm x 45.72 cm
<b>Secondary Backing</b>	Ultraloc®	



Ritual  
79530



Attitude  
79409



Belief  
79535


79530 Ritual

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	5A179	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	98% Solution Dyed / 2% Yarn Dyed	
<b>Tufted Weight</b>	42 oz.	1,424.1 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43.3/10 cm
<b>Average Density</b>	8494 ozs./yd <sup>3</sup>	11.19 kilotex
<b>Pattern Repeat</b>	72 in x 96 in	182.88 cm x 243.84 cm
<b>Secondary Backing</b>	Ultraloc®	



79505 Koa

**Coordinating Products**  
Core, Earth Tone Tile, Entwine Tile, Grounded, Ingrain Tile, Timber







27429 Gracious

**Product Specifications**

<b>Style Number</b>	5A300	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6595 ozs./yd <sup>3</sup>	11.33 kilotex
<b>Pattern Repeat</b>	36 in x 36 in	91.44 cm x 91.44 cm
<b>Secondary Backing</b>	Ultraloc® MB	





**Coordinating Products**  
Adage Ultraloc® MB, Truism Ultraloc® MB, Belief Ultraloc® MB, Moral Ultraloc® MB, Adage EcoWorx® Tile, Truism EcoWorx® Tile, Belief EcoWorx® Tile



70406 Mural

**Product Specifications**

<b>Style Number</b>	5A271	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	51 oz.	1729.2 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	7286 ozs./yd <sup>3</sup>	11.19 kilotex
<b>Pattern Repeat</b>	144 in x 104.09 in	1.84 m x 2.66 m
<b>Secondary Backing</b>	Ultraloc®	




\*Also available in standard rug sizes



87515 Zinc

**Product Specifications**

<b>Style Number</b>	5A187	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6042 ozs./yd <sup>3</sup>	12.14 kilotex
<b>Pattern Repeat</b>	3.2 in x .8 in	8.13 cm x 2.03 cm
<b>Secondary Backing</b>	ClassicBac®	




**Coordinating Products**  
Align Tile, Contour, Dimension, Layer, Sculpt Loop Tile, Sculpt Tile, Trace Tile



71761 Coffee Break

**Product Specifications**

<b>Style Number</b>	5A025	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6324 ozs./yd <sup>3</sup>	12.56 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	ClassicBac®	





Peto II

Broadloom




Pleat | Style Basics

Broadloom



Product Specifications		
<b>Style Number</b>	5B110	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8662 ozs./yd <sup>3</sup>	11.19 kilotex
<b>Pattern Repeat</b>	12 in x 18 in	30.48 cm x 45.72 cm
<b>Secondary Backing</b>	ClassicBac®	



11580 Steel

Rust 11855

**Coordinating Products**  
Taper


Prime | Turn-Key

Broadloom



88761 True Taupe

Product Specifications		
<b>Style Number</b>	5A189	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5255 ozs./yd <sup>3</sup>	11.81 kilotex
<b>Pattern Repeat</b>	1.6 in x 2.5 in	4.06 cm x 6.35 cm
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**  
Essential


Quest | Building Character

Broadloom



77515 Major Milestone

Product Specifications		
<b>Style Number</b>	60784	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7091 ozs./yd <sup>3</sup>	13.91 kilotex
<b>Pattern Repeat</b>	36 in x 36 in	91.44 cm x 91.44 cm
<b>Secondary Backing</b>	Ultraloc® MB	



**Coordinating Products**  
Intuition, Sophistication





**Product Specifications**

<b>Style Number</b>	5B118	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6400 ozs./yd <sup>3</sup>	13.27 kilotex
<b>Pattern Repeat</b>	14.4 in x 14.4 in	36.58 cm x 36.58 cm
<b>Secondary Backing</b>	Ultraloc®	



19720 Mountaintop

**Coordinating Products**  
Chalet Tile, Retreat



**Product Specifications**

<b>Style Number</b>	5B119	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6857 ozs./yd <sup>3</sup>	13.25 kilotex
<b>Pattern Repeat</b>	14.4 in x 20 in	36.88 cm x 50.88 cm
<b>Secondary Backing</b>	Ultraloc®	




19510 Hot Springs

**Coordinating Products**  
Chalet Tile, Refuge



**Product Specifications**

<b>Style Number</b>	5A248	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	5205 ozs./yd <sup>3</sup>	10.42 kilotex
<b>Pattern Repeat</b>	4 in x 6 in	10.16 cm x 15.24 cm
<b>Secondary Backing</b>	Ultraloc®	



48515 Hearten

**Coordinating Products**  
Stay, Belong Tile, Dream Tile, Memory Tile



**Product Specifications**

<b>Style Number</b>	5A266	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	44 oz.	1491.9 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	5977 ozs./yd <sup>3</sup>	11.02 kilotex
<b>Pattern Repeat</b>	72 in x 84 in	1.82 cm x 2.13 cm
<b>Secondary Backing</b>	Ultraloc®	



66155 Shine

Shine  
66155

\*Also available in standard rug sizes





**Product Specifications**

<b>Style Number</b>	5A274
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	32 oz.                      1085 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	6508 ozs./yd <sup>3</sup> 10.72 kilotex
<b>Pattern Repeat</b>	72 in x 72 in                1.83 cm x 1.83 cm
<b>Secondary Backing</b>	Ultraloc®



Divine  
74144



Revere  
74760

74144 Divine

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	50521
<b>Fibre</b>	Nylon
<b>Dye Method</b>	100% Piece Dyed
<b>Tufted Weight</b>	42 oz.                      1,424.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	6222 ozs./yd <sup>3</sup> 10.97 kilotex
<b>Pattern Repeat</b>	None
<b>Secondary Backing</b>	ClassicBac®



Ivory 43101    Canvas 43106    Hazelnut 43111    Buttercream 43115    Water Chestnut 43120    Sorbet 43135




Mushroom 43150    Pebble Beach 43155    Puma 43193    Lemon 43201    Sunshine 43202    Gold Run 43220




Wheat Field 43230    Midas 43235    Lime 43301    Retro 43302    Seacrest 43306    Denver Pine 43308

43155 Pebble Beach


**Coordinating Products**  
Utopian




Elephant 43309    Grenada 43314    Tundra 43315    Boxwood 43316    Basil 43319    Longhorn 43321    Sprout 43326    Cactus 43330    Mikado 43331




Sagebrush 43332    Shade 43340    Fern 43365    Avocado 43370    Moss 43371    Junglewood 43372    Black Forest 43375    Grass 43399    Delft 43401



Nautical 43409    Stonewashed 43416    Blue Pearl 43425    Gulf Stream 43445    Tonic 43462    Cobalt 43470    Indigo 43480    Sea 43484    Royal 43485



Blue Blazer 43490    Vivid 43491    Night Tide 43496    Coal 43500    Moonlight 43501    Silver Lining 43502    Nimbus 43504    Raven 43505    Dover 43506



Blizzard 43518    Cloud 43530    Khaki 43545    Cannon 43555    Winter Cloud 43575    Denim 43580    Gunmetal 43585    Charcoal 43597    Orange 43601

more colors →






15761 Gouche

**Product Specifications**

<b>Style Number</b>	5A215	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5106 ozs./yd <sup>3</sup>	11.01 kilotex
<b>Pattern Repeat</b>	14.4 in x 18 in	36.58 cm x 45.72 cm
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**

Brush LVT (8 mil, 12 mil, 20 mil), Conté, Erase, Erase, Fine Point Tile, Line Weight Tile, Line LVT (12 mil, 20 mil), Plaster LVT (12 mil, 20 mil), Stipple Tile, Stylus



00102 Peaceful

**Product Specifications**

<b>Style Number</b>	60775	
<b>Fibre</b>	Nylon	
<b>Dye Method</b>	100% Continuous Dyed	
<b>Tufted Weight</b>	25 oz.	847.7 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	2647 ozs./yd <sup>3</sup>	6.74 kilotex
<b>Pattern Repeat</b>	1 in x 1 in	2.54 cm x 2.54 cm
<b>Secondary Backing</b>	ClassicBac®	



**Coordinating Products**


Imagery





**Product Specifications**

<b>Style Number</b>	5A357	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	43 ozs./yd <sup>2</sup>	1457.9 g/m <sup>2</sup>
<b>Gauge</b>	1/11 in	43.3/10 cm
<b>Average Density</b>	6217 ozs./yd <sup>3</sup>	0.23 g/cm <sup>3</sup>
<b>Pattern Repeat</b>	48 in x 48 in	1.22 m x 1.22 m
<b>Secondary Backing</b>	Ultraloc®	



Sandstone 57111 Mineral 57535

57535 Mineral

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	5A260	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	42 oz.	1,424.1 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43.3/10 cm
<b>Average Density</b>	7065 ozs./yd <sup>3</sup>	11.24 kilotex
<b>Pattern Repeat</b>	72 in x 70.25 in	182.9 cm x 178.4 cm
<b>Secondary Backing</b>	Ultraloc®	



Empathy 01100 Engage 01105 Harmony 01500 Identity 01555 Inclusive 01580

01100 Empathy

**Coordinating Products**  
Reimagine, Scenery, Statement LVT, Solitude LVT, Stratum 500, Stratum 700, Terrain II LVT

\*Some colors are also available in standard rug sizes.




**Product Specifications**

<b>Style Number</b>	5A137	
<b>Fibre</b>	Nylon	
<b>Dye Method</b>	100% Piece Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	6330 ozs./yd <sup>3</sup>	10.45 kilotex
<b>Pattern Repeat</b>	.5 in x .5 in	1.27 cm x 1.27 cm
<b>Secondary Backing</b>	ClassicBac®	




Angora 37101 Almond 37103 Canvas 37104 Bare 37111 Malt 37121 Karat 37170



Luna 37274 Aerial View 37280 Autumn Fern 37334 Island 37436 Sirocco 37448 Tea 37480

37121 Malt



Shadow 37496 Fathom 37498 Axis 37500 Bedrock 37504 Artifact 37511 Armor 37514




Gladiator 37522 Urban 37525 Sprout 37538 Verde 37543 Oxygen 37555 Polar 37575



Liquid 37590 Crocodile 37701 Pottery 37729 Lasso 37750 Balsamic 37758 Butte 37760



Morel 37761 Plum Brulee' 37777 Shiraz 37811 Koa 37823 Lava 37859 Social 37862



Mood 37911





77515 Major Milestone

**Coordinating Products**  
Intuition, Quest

**Product Specifications**

<b>Style Number</b>	60783	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6985 ozs./yd <sup>3</sup>	12.42 kilotex
<b>Pattern Repeat</b>	36 in x 48 in	91.44 cm x 121.92 cm
<b>Secondary Backing</b>	Ultraloc® Mb	




47515 Hearthen

**Coordinating Products**  
Reminisce, Belong Tile, Dream Tile, Memory Tile

**Product Specifications**



<b>Style Number</b>	5A247	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	5333 ozs./yd <sup>3</sup>	11.84 kilotex
<b>Pattern Repeat</b>	.5 in x .625 in	1.27 cm x 1.59 cm
<b>Secondary Backing</b>	Ultraloc®	



11150 Bare Necessities

**Product Specifications**

<b>Style Number</b>	50911	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	26 oz.	881.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6545 ozs./yd <sup>3</sup>	11.31 kilotex
<b>Pattern Repeat</b>	.3 in x 1.5 in	.76 cm x 3.81 cm
<b>Secondary Backing</b>	ClassicBac®	




55111 Pebble

\*Also available in standard rug sizes

**Product Specifications**

<b>Style Number</b>	5A355	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	31 ozs./yd <sup>2</sup>	1051.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in	39.4/10 cm
<b>Average Density</b>	4555 ozs./yd <sup>3</sup>	0.169 g/cm <sup>3</sup>
<b>Pattern Repeat</b>	144 in x 180 in	3.66 m x 4.57 m
<b>Secondary Backing</b>	Ultraloc®	








**Product Specifications**

<b>Style Number</b>	5A220	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	40 oz.	1,356.3 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43.3/10 cm
<b>Average Density</b>	6000 ozs./yd <sup>3</sup>	10.95 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	Ultraloc®	




20111 Alabaster

**Coordinating Products**  
 Alchemy Tile, Base Metal, Emerge LVT, Fault, Form Tile, Honed Tile, Monolith Woven, Slab Tile


\*Some colors are also available in standard rug sizes.

Striation | Rugs



**Product Specifications**

<b>Style Number</b>	5A273	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	36 oz.	1220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5891 ozs./yd <sup>3</sup>	10.09 kilotex
<b>Pattern Repeat</b>	72 in x 83.2 in	1.83 m x 2.11 m
<b>Secondary Backing</b>	Ultraloc®	




73675 Sierra

\*Also available in standard rug sizes



**Product Specifications**

<b>Style Number</b>	5A216	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5106 ozs./yd <sup>3</sup>	11.36 kilotex
<b>Pattern Repeat</b>	14.4 in x 24 in	36.58 cm x 61 cm
<b>Secondary Backing</b>	ClassicBac®	




15761 Gouache

**Coordinating Products**  
 Brush LVT (8 mil, 12 mil, 20 mil), Conté, Erase, Fine Point Tile, Line Weight Tile, Line LVT (12 mil, 20 mil), Plaster LVT (12 mil, 20 mil), Scribe, Stipple Tile



**Product Specifications**

<b>Style Number</b>	5A233	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	6712 ozs./yd <sup>3</sup>	12.24 kilotex
<b>Pattern Repeat</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	ClassicBac®	



72760 Village

**Coordinating Products**  
 Birch, Central Line Tile, City Central Tile, Grove, Sea Tile, Sea Edge Tile, Sky Tile





75500 High

**Product Specifications**

<b>Style Number</b>	5A275
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	36 oz.                      1220.6 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	5786 ozs./yd <sup>3</sup> 9.06 kilotex
<b>Pattern Repeat</b>	144 in x 144 in            3.66 m x 3.66 m
<b>Secondary Backing</b>	Ultraloc®



High 75500      Low 75508

\*Also available in standard rug sizes




03597 Distance

**Product Specifications**

<b>Style Number</b>	5A205
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	20 oz.                      678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	5035 ozs./yd <sup>3</sup> 11.64 kilotex
<b>Pattern Repeat</b>	14.4 in x 20 in            36.58 cm x 50.8 cm
<b>Secondary Backing</b>	ClassicBac®



→ Sight 03111      → Drift 03170      → Flip 03335      → Vista 03481      → Horizon 03496      → Space 03500



→ Zone 03505      → Gaze 03530      → Outlook 03557      → Distance 03597      → Range 03755      → Area 03761


**Coordinating Products**  
Direction Tile, Field Tile, Modify, Realm Tile, Reverse Tile, Scape Tile, Shape Tile, Transfer




11580 Steel

**Product Specifications**

<b>Style Number</b>	5B111
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	32 oz.                      1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	10667 ozs./yd <sup>3</sup> 19.86 kilotex
<b>Pattern Repeat</b>	12 in x 18 in              30.48 cm x 45.72 cm
<b>Secondary Backing</b>	ClassicBac®



Ore 11230      Cerulean 11427      Chambray 11510      Steel 11580      Wheat 11755      Driftwood 11760



Rust 11855

**Coordinating Products**  
Pleat



85402 Timeless

**Product Specifications**


<b>Style Number</b>	60788
<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	30 oz.                      1017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10                            39.4/10 cm
<b>Average Density</b>	10800 ozs./yd <sup>3</sup> 9.05 kilotex
<b>Pattern Repeat</b>	144 in x 109 in            3.66 m x 2.76 m
<b>Secondary Backing</b>	Ultraloc®



Recollect 85215      Novelty 85327      Timeless 85402      Classic 85496      Heritage 85530      Nostalgic 85665

**Coordinating Products**  
Batik ULT, Ikat ULT, Linen ULT






37500 Black Gum

**Coordinating Products**  
Fossil

**Product Specifications**

<b>Style Number</b>	5A037	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	8727 ozs./yd <sup>3</sup>	12.55 kilotex
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	ClassicBac®	




78713 Burl

**Coordinating Products**  
Core, Earth Tone Tile, Entwine Tile, Grounded, Ingrain Tile, Natural Selection

**Product Specifications**

<b>Style Number</b>	5A180	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	44% Solution Dyed / 56% Yarn Dyed	
<b>Tufted Weight</b>	32 oz.	1,085 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	8662 ozs./yd <sup>3</sup>	21.04 kilotex
<b>Pattern Repeat</b>	72 in x 48 in	182.88 cm x 121.92 cm
<b>Secondary Backing</b>	Ultraloc®	




79500 Merino

**Coordinating Products**  
Check Tile, Houndstooth Tile, Jacquard Tile, Textile Tile

**Product Specifications**

<b>Style Number</b>	5A249	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	30 oz.	1017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	10286 ozs./yd <sup>3</sup>	9.02 kilotex
<b>Pattern Repeat</b>	48 in x 35.2 in	121.92 cm x 89.41 cm
<b>Secondary Backing</b>	Ultraloc®	




51585 Metal Grey

**Coordinating Products**  
Brilliance Tile, Gradient, Gradient Tile, Tone

**Product Specifications**

<b>Style Number</b>	5A151	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	8640 ozs./yd <sup>3</sup>	11.71 kilotex
<b>Pattern Repeat</b>	.5 in x .625 in	1.27 cm x 1.59 cm
<b>Secondary Backing</b>	ClassicBac®	








51585 Metal Grey

**Product Specifications**

<b>Style Number</b>	5A152	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.8 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	6968 ozs./yd <sup>3</sup>	10.26 kilotex
<b>Pattern Repeat</b>	4 in x 6 in	10.16 cm x 15.24 cm
<b>Secondary Backing</b>	ClassicBac®	




**Coordinating Products**  
Brilliance Tile, Gradient, Gradient Tile, Tint



03597 Distance

**Product Specifications**

<b>Style Number</b>	5A203	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution	
<b>Tufted Weight</b>	20 oz.	678.1 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	5035 ozs./yd <sup>3</sup>	10.90 kilotex
<b>Pattern Repeat</b>	14.4 in x 14.4 in	36.58 cm x 36.58 cm
<b>Secondary Backing</b>	ClassicBac®	




**Coordinating Products**  
Direction Tile, Field Tile, Modify, Realm Tile, Reverse Tile, Scape Tile, Shape Tile, Switch



27429 Gracious

**Product Specifications**

<b>Style Number</b>	5A298	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	28 oz.	949.4 g/m <sup>2</sup>
<b>Gauge</b>	1/10	34.4/10 cm
<b>Average Density</b>	8920 ozs./yd <sup>3</sup>	8.87 kilotex
<b>Pattern Repeat</b>	72 in x 59 in	200.66 cm x 149.86 cm
<b>Secondary Backing</b>	Ultraloc® MB	




**Coordinating Products**  
Adage Ultraloc® MB, Belief Ultraloc® MB, Notion Ultraloc® MB, Moral Ultraloc® MB, Adage EcoWorx® Tile, Truism EcoWorx® Tile, Belief EcoWorx® Tile



52327 Vibrance

**Product Specifications**

<b>Style Number</b>	5A352	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	48 ozs./yd <sup>2</sup>	1627.5 g/m <sup>2</sup>
<b>Gauge</b>	1/11 in	43.3/10 cm
<b>Average Density</b>	6545 ozs./yd <sup>3</sup>	0.242 g/cm <sup>3</sup>
<b>Pattern Repeat</b>	72 in x 115 in	1.83 m x 2.92 m
<b>Secondary Backing</b>	Ultraloc®	



\*Also available in standard rug sizes





00102 Cloud

**Product Specifications**


<b>Style Number</b>	60185	
<b>Fibre</b>	Nylon	
<b>Dye Method</b>	100% Piece Dyed	
<b>Tufted Weight</b>	39 oz.	1,322.4 g/m <sup>2</sup>
<b>Gauge</b>	1/8	31.5/10 cm
<b>Average Density</b>	2265 ozs./yd <sup>3</sup>	5.90 kilotex
<b>Secondary Backing</b>	ClassicBac®	
<b>Pattern Repeat</b>	None	



31500 Ebony

**Product Specifications**

<b>Style Number</b>	60745	
<b>Fibre</b>	PET Polyester	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	49.5 oz.	1,678.4 g/m <sup>2</sup>
<b>Average Density</b>	6504 ozs./yd <sup>3</sup>	
<b>Pattern Repeat</b>	None	
<b>Secondary Backing</b>	Performance Rubber	



**Coordinating Products**  
Bon Jour II, Bon Jour II Tile, Entree Tile, Welcome II Tile



69170 Luster

**Product Specifications**

<b>Style Number</b>	5A269	
<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	44 oz.	1491.9 g/m <sup>2</sup>
<b>Gauge</b>	1/11	43/10 cm
<b>Average Density</b>	6387 ozs./yd <sup>3</sup>	11.06 kilotex
<b>Pattern Repeat</b>	144 in x 95.36 in	3.66 m x 2.42 m
<b>Secondary Backing</b>	Ultraloc®	



Luster 69170

Shine 69155

\*Also available in standard rug sizes





KISTA RUG + BROADLOOM




RESILIENT




## Colour and Visual Variations

Colour and visual variation is inherent in all modular resilient products. It can vary slightly or significantly from piece to piece within a colour. V1 has little or no variation from piece to piece. V4 will have a large variation in colour and visual. For more information on product variation and to view swatch installations go to [shawcontract.com](http://shawcontract.com).

### V1 Uniform Appearance



### V2 Slight Variation



### V3 Moderate Variation



### V4 Substantial Variation



Variations are listed on product pages under the colour numbers.

## Adventure | Living Environments

Resilient | Sheet





00530 Excursion

**Coordinating Products**  
Rendition LVT, Solitude LVT, Terrain II LVT, Treeline LVT, Stratum 700 COREtec®, Memoirs, Reimagine, Scenery, Statement

### Product Specifications

<b>Style Number</b>	0457V
<b>Construction</b>	Light Commercial Heterogeneous Sheet
<b>Class / ASTM F2772</b>	Type I, Grade 3, Class C (ASTM F1303)
<b>Wear Layer Thickness</b>	12 mil (0.012 in)   33 mm
<b>Overall Thickness</b>	0.055 in   1.4 mm
<b>Actual Dimensions</b>	12 ft x 150 ft   3.66 m x 45.72 m
<b>Finish</b>	Urethane
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi



## Artesian Sheet | Quite Canvas


Resilient | Sheet




00112 Stonework

### Product Specifications

<b>Style Number</b>	0718V
<b>Construction</b>	Light Commercial Heterogeneous Sheet
<b>Class / ASTM F1303</b>	Type I, Grade 3, Class C
<b>Wear Layer Thickness</b>	10 mil or 0.010 in (0.25 mm)
<b>Overall Thickness</b>	0.080 in   2.0 mm
<b>Actual Dimensions</b>	12 ft wide x 108 ft long rolls 3.66 m x 32.92 m
<b>Area Per Roll</b>	144 yd <sup>2</sup>   120.4 m <sup>2</sup>
<b>Finish</b>	Urethane Topcoat
<b>Installation</b>	Direct Glue







00100 Flaxen Vibe

**Product Specifications**

**Style Number** 0301V  
**Construction** Commercial Heterogeneous Sheet  
**Class / ASTM F1303** Type I, Grade 1  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.087 in | 2.2 mm  
**Actual Dimensions** 72 in wide x 75 ft long rolls  
 1.83 m x 22.86 m  
**Area Per Roll** 50 yd<sup>2</sup> | 41.8 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Weld Rod Style** 353VS  
**Static Load Limit/ASTM F970** Passes, 1500 psi



97250 Spry

**Product Specifications**

**Style Number** 0897V  
**Construction** Commercial Bio-Based Polyurethane Heterogeneous Sheet  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 6.59 ft wide x 65.61 ft | 33.50 cm x 67.00 cm  
**Area Per Roll** 48.07 yd<sup>2</sup> | 40.19 m<sup>2</sup>  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Weld Rod Style** 270VS  
**Static Load Limit/ASTM F970** Passes, 1500 psi



**Coordinating Products**


In Tandem Tile, Innate Tile, Innate Sheet



06220 Barley Oak

**Product Specifications**

**Style Number** 4106V  
**Construction** Commercial Heterogeneous Sheet with Fiberglass  
**Class / ASTM F1700** Type I, Grade 1, Class B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.087 in | 2.2 mm  
**Actual Dimensions** 6.56 in wide x 68.58 ft long rolls  
 2 m x 20.9 m  
**Area Per Roll** 50 yd<sup>2</sup> | 41.8 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Weld Rod Style** 353VS  
**Static Load Limit/ASTM F970** Passes, 1500 psi




more colors →

**Coordinating Products**

Abide LVT






66515 Fog

**Coordinating Products**  
Innate, In Tandem, Innate Stria Tile, In Tandem Sheet, Innate Sheet

**Product Specifications**

<b>Style Number</b>	4366V
<b>Construction</b>	Commercial Bio-Based Polyurethane Heterogeneous Sheet With Fiberglass
<b>Overall Thickness</b>	0.098 in   2.5 mm
<b>Actual Dimensions</b>	6.59 ft wide x 65.62 ft   2.01 m wide x 20 m
<b>Area Per Roll</b>	48.08 yd <sup>2</sup>   40.2 m <sup>2</sup>
<b>Finish</b>	ExoGuard+
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	270VS
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi



19110 Natural

**Coordinating Products**  
Innate Linen, Innate Stria, In Tandem Tile, In Tandem Sheet, Innate Tile

**Product Specifications**


<b>Style Number</b>	4219V
<b>Construction</b>	Commercial Bio-Based Polyurethane Heterogeneous Sheet With Fiberglass
<b>Overall Thickness</b>	0.098 in   2.5 mm
<b>Actual Dimensions</b>	6.59 ft wide x 65.61 ft   33.50 cm x 67.00 cm
<b>Area Per Roll</b>	48.07 yd <sup>2</sup>   40.19 m <sup>2</sup>
<b>Finish</b>	ExoGuard™
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	270VS
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi



09573 Natural Walnut

**Product Specifications**

<b>Style Number</b>	0002V
<b>Construction</b>	Commercial Heterogeneous Sheet
<b>Class / ASTM F1303</b>	Type I, Grade 1
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Overall Thickness</b>	0.087 in   2.2 mm
<b>Actual Dimensions</b>	72 in wide x 75 ft long rolls
	1.83 m x 22.86 m
<b>Area Per Roll</b>	50 yd <sup>2</sup>   41.8 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	353VS
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi





Naturelife Wood II

Resilient | Sheet




Reed Sheet | Terasu

Resilient | Sheet



Product Specifications

<b>Style Number</b>	0797V
<b>Construction</b>	Commercial Heterogeneous Sheet
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Class / ASTM F1303</b>	Type 1, Grade 1
<b>Overall Thickness</b>	0.087 in   2.2 mm
<b>Actual Dimensions</b>	78.75 in wide x 68.58 ft long 200 cm x 2090 cm
<b>Area Per Roll</b>	50 yd <sup>2</sup>   41.81 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	353VS
<b>Static Load Limit/ASTM F970</b>	Passes, 2000 psi



96700 Stepping Stone + 96216 Tea Garden

**Coordinating Products**  
Botan, Botan Tile, Hana, Hana Tile, Kusa, Kusa Tile, Roji Sheet, Tatami Sheet


Rendition

Resilient | Sheet



Product Specifications

<b>Style Number</b>	4062V
<b>Construction</b>	Light Commercial Heterogeneous Sheet
<b>Class / ASTM F2772</b>	Type I, Grade 3, Class C (ASTM F1303)
<b>Wear Layer Thickness</b>	20 mil (0.02 in)   .51 mm
<b>Overall Thickness</b>	0.085 in   2.2 mm
<b>Actual Dimensions</b>	12 ft x 98 ft   3.66 m x 29.87 m
<b>Finish</b>	Urethane
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes



00553 Commentary

Coordinating Products

Adventure LVT, Solitude LVT, Terrain II LVT, Treeline LVT, Stratum 700 COREtec®, Memoirs, Reimagine, Scenery, Statement

Rexcourt

Resilient | Sheet



Product Specifications

<b>Style Number</b>	0004V
<b>Construction</b>	Commercial Heterogeneous Sheet
<b>Class / ASTM F2772</b>	Grade 1, Type 1, Class C, Athletic Indoor Sports Flooring
<b>Wear Layer Thickness</b>	37 mil or 0.95 mm (wood) 57 mil or 1.45 mm (solid)
<b>Overall Thickness</b>	0.256 in   6.5 mm
<b>Actual Dimensions</b>	70.86 in wide x 49.20 ft long   180 cm x 15 m
<b>Area Per Roll</b>	32 yd <sup>2</sup>   26.72 m <sup>2</sup>
<b>Finish</b>	Urethane
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	021VS



01451 Golden Cherry + 06901 Orange

more colors →



Rexcourt

Resilient | Sheet



Tatami | Terasu

Resilient | Sheet



96440 Tidal Basin

**Coordinating Products**  
Botan, Botan Tile, Hana, Hana Tile, Kusa, Kusa Tile, Reed Sheet, Roji Sheet, Tatami Sheet

Product Specifications

<b>Style Number</b>	0796V
<b>Construction</b>	Commercial Heterogeneous Sheet
<b>Class / ASTM F1303</b>	Type 1 Grade 1
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Overall Thickness</b>	0.087 in   2.2 mm
<b>Actual Dimensions</b>	78.75 in wide x 68.58 ft long 200 cm x 2090 cm
<b>Area Per Roll</b>	50 yd <sup>2</sup>   41.81 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	353VS
<b>Static Load Limit/ASTM F970</b>	Passes, 2000 psi



Roji Sheet | Terasu

Resilient | Sheet




96114 Pebble

**Coordinating Products**  
Botan, Botan Tile, Hana, Hana Tile, Kusa, Kusa Tile, Reed Sheet, Tatami Sheet

Product Specifications

<b>Style Number</b>	0798V
<b>Construction</b>	Commercial Heterogeneous Sheet
<b>Class / ASTM F1303</b>	Type 1, Grade 1
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Overall Thickness</b>	0.087 in   2.2 mm
<b>Actual Dimensions</b>	78.75 in wide x 68.58 ft long 200 cm x 2090 cm
<b>Area Per Roll</b>	50 yd <sup>2</sup>   41.81 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	353VS
<b>Static Load Limit/ASTM F970</b>	Passes, 2000 psi



Vitality Sheet

Resilient | Sheet



73535 Invigorate + 73104 Inspire

Product Specifications

<b>Style Number</b>	0873V
<b>Construction</b>	Commercial Homogeneous Sheet
<b>Class / ASTM F1913</b>	Type B
<b>Overall Thickness</b>	0.790 in   2 mm
<b>Actual Dimensions</b>	78.94 in wide x 65.94 ft long rolls 200 m x 20.10 m
<b>Area Per Roll</b>	47.84 yd <sup>2</sup>   40 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Weld Rod Style</b>	353VS
<b>Static Load Limit/ASTM F970</b>	Passes, 2000 psi






Vitality Sheet

Resilient | Sheet



Vitality Hues

Resilient | Sheet



Vitality Hues

Resilient | Sheet



Product Specifications

**Style Number** 4376V  
**Construction** Commercial Homogeneous Sheet  
**Overall Thickness** 0.079 in | 2 mm  
**Actual Dimensions** 6.56 ft wide x 65.62 ft long  
 2.01 m wide x 20 m long  
**Area Per Roll** 47.84 yd<sup>2</sup> | 40 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Weld Rod Style** 184CA  
**Static Load Limit/ASTM F970** Passes, 2000 psi



96114 Pebble

**Coordinating Products**  
 Vitality Sheet, Vitality Tones


Vitality Tones

Resilient | Sheet



Product Specifications

**Style Number** 4375V  
**Construction** Commercial Homogeneous Sheet  
**Overall Thickness** 0.079 in | 2 mm  
**Actual Dimensions** 6.56 ft wide x 65.62 ft long  
 2.01 m wide x 20 m long  
**Area Per Roll** 47.84 yd<sup>2</sup> | 40 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Weld Rod Style** 184CA  
**Static Load Limit/ASTM F970** Passes, 2000 psi



73535 Invigorate + 73104 Inspire







07210 Maize Wenge

**Coordinating Products**  
Inhabit LVT

**Product Specifications**

**Style Number** 4107V  
**Construction** Heavy Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 cm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 7.09 in x 47.24 ft | 18.01 cm x 119.99 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi




13555 Onyx

**Coordinating Products**  
Eon LVT

**Product Specifications**

**Style Number** 4113V  
**Construction** Heavy Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 22 mil or 0.022 in (0.56 cm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 19.70 in x 19.70 ft | 50.03 cm x 50.03 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1000 psi




39585 Matrix

**Coordinating Products**  
Origin

**Product Specifications**

**Style Number** 4339V  
**Construction** Rigid Mineral Core with Inline Level Edge™ Profile  
**Overall Thickness** 0.236 in | 6 mm  
**Actual Dimensions** 11.73 in x 23.46 ft | 29.79 cm x 59.59 cm  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2500 psi









56703 Forest Walnut

**Coordinating Products**  
Branching Out 5mm

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**

**Style Number** 4308 (12 mil) | 4309V (20 mil)  
**Construction** Multilayer SPC With Acoustic Backing  
**Class / ASTM F3261** Class III, Type B  
**Wearlayer Thickness** 12 mil or 0.012 in (0.304 mm)  
 20 mil or 0.02 in (0.51 cm)  
**Overall Thickness** 0.173 in | 4.4 mm  
 0.217 in | 5.5 mm  
**Actual Dimensions** 6.92 in x 48.03 ft | 17.58 cm x 122 cm  
**Finish** ExoGuard+®  
**Installation** Floating Or Direct Glue  
**Static Load Limit/ASTM F970** Passes



56120 Rise Oak

**Coordinating Products**  
Branching Out 12 mil COREtec®, Branching Out 20 mil COREtec®

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**

**Style Number** 4256V (5mm)  
**Construction** Heavy Commercial Luxury Vinyl Tile with Acoustic Backing  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.02 in (0.51 cm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 6 in x 48 ft | 15.24 cm x 121.92 cm  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes








**Product Specifications**

**Style Number** 4097V (2.5mm) | 4098V (5.0mm)  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.51 mm)  
 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.098 in | 2.5 mm  
 0.197 in | 5 mm  
**Actual Dimensions** 24 in x 24 in | 60.96 cm x 60.96 cm  
**Area Per Carton** 68 ft<sup>2</sup> | 6.32 m<sup>2</sup> (2.5mm)  
 32 ft<sup>2</sup> | 2.97 m<sup>2</sup> (5.0mm)  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1000 psi



22704 Cacao

**Coordinating Products**  
Compound LVT





**Product Specifications**

**Style Number** 4143V  
**Construction** Heavy Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 cm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 5.96 in x 48 ft | 15.14 cm x 121.92 cm  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



43100 Converse

**Coordinating Products**  
Face to Face Tile, Spoken Tile, Written Tile,  
Translate Tile, Subtext Tile, Type LVT




**Product Specifications**

**Style Number** 4350V  
**Construction** Heavy Commercial Luxury Vinyl Tile with Fiberglass  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 9 in wide x 48 in long  
 23 cm wide x 122 m long  
**Finish** ExoGuard+®  
**Installation** Floating, Perimeter Glue, Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



50105 Concrete

**Coordinating Products**  
Union, Inlet II



**Product Specifications**

**Style Number** 098UV  
**Construction** Multi-Layer XRC with Attached Cork Underlayment  
**Wearlayer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.217 in | 5.5 mm  
**Actual Dimensions** 7.17 in x 48.03 ft | 18.21 cm x 122 cm  
**Area Per Carton** 28.68 ft<sup>2</sup> | 2.66 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Floating, Direct Glue



00506 Grand Teton

**Coordinating Products**  
Concrete COREtec®

See Resilient Accessories section for coordinating transitions and trims, page 525








22704 Cacao

**Product Specifications**

<b>Style Number</b>	4074V (2.5mm)   4077V (5.0mm)
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.51 mm)
<b>Overall Thickness</b>	0.098 in   2.5 mm 0.197 in   5 mm
<b>Actual Dimensions</b>	24 in x 24 in   60.96 cm x 60.96 cm
<b>Area Per Carton</b>	68ft <sup>2</sup>   6.32 m <sup>2</sup> (2.5mm) 32 ft <sup>2</sup>   2.97 m <sup>2</sup> (5.0mm)
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1000 psi





**Coordinating Products**  
Cast LVT



03507 Forged Concrete

**Product Specifications**

<b>Style Number</b>	094UV
<b>Construction</b>	Multi-Layer XRC with Attached Cork Underlayment
<b>Class / ASTM F3261</b>	Class III, Type B
<b>Wearlayer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Overall Thickness</b>	0.216 in   5.5 mm
<b>Actual Dimensions</b>	18.50 in x 24.02 ft   46.99 cm x 61.01 cm
<b>Area Per Carton</b>	30.86 ft <sup>2</sup>   2.87 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Floating, Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes



**Coordinating Products**  
Composed COREtec®

See Resilient Accessories section for coordinating transitions and trims, page 525



27520 Gesso

**Product Specifications**

<b>Style Number</b>	0927V
<b>Construction</b>	Commercial Luxury Vinyl Tile with Fibreglass
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Overall Thickness</b>	0.197 in   5.0 mm
<b>Actual Dimensions</b>	9 in x 48 in   22.86 cm x 121.92 cm
<b>Area Per Carton</b>	24 ft <sup>2</sup>   2.23 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Floating, Perimeter Glue, Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1200 psi



**Coordinating Products**  
Inlet LVT





**Product Specifications**

**Style Number** 4140V  
**Construction** Rigid Core with Inline Level Edge Profile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 cm)  
**Overall Thickness** 0.157 in | 4 mm  
**Actual Dimensions** 7 in x 48 ft | 17.78 cm x 121.92 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2500 psi




07067 Preserve

**Coordinating Products**  
Envelop LVT



**Product Specifications**

**Style Number** 0922V  
**Construction** Commercial Luxury Vinyl Tile with Fibreglass  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 18 in x 18 in | 45.72 cm x 45.72 cm  
**Area Per Carton** 22.50 ft<sup>2</sup> | 2.09 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1200 psi



22704 Cacao

**Coordinating Products**  
Shear LVT



**Product Specifications**

**Style Number** 0203V  
**Construction** Commercial Luxury Vinyl Tile with Fibreglass  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.118 in | 3 mm  
**Actual Dimensions** 17.72 in x 17.72 in | 45 cm x 45 cm  
**Area Per Carton** 34.88 ft<sup>2</sup> | 3.24 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2000 psi



03520 Industrial

**Coordinating Products**  
Jeogori LVT



**Product Specifications**

**Style Number** 058UV  
**Construction** Multilayer WPC with Attached Cork Underlayment  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.321 in | 8.2 mm  
**Actual Dimensions** 7.09 in x 48.03 ft | 18.00 cm x 122 cm  
**Area Per Carton** 23.64 ft<sup>2</sup> | 2.20 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Floating, Direct Glue  
**Static Load Limit/ASTM F970** Passes, 750 psi



03002 Express

See Resilient Accessories section for coordinating transitions and trims, page 525





**Product Specifications**

**Style Number** 053UV  
**Construction** Multilayer WPC with Attached Cork Underlayment  
**Wearlayer Thickness** 30 mil or 0.030 in (0.762 mm)  
**Overall Thickness** 0.335 in | 8.5 mm  
**Actual Dimensions** 7.09 in x 59.06 in | 18.01 cm x 150.01 cm  
**Area Per Carton** 17.43 ft<sup>2</sup> | 1.62 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Floating, Direct Glue  
**Static Load Limit/ASTM F970** Passes




06001 Cinnamon

See Resilient Accessories section for coordinating transitions and trims, page 525



**Product Specifications**

**Style Number** 0618V  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 23.62 in x 23.62 in | 60 cm x 60 cm  
**Area Per Carton** 65.88 ft<sup>2</sup> | 6.12 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1000 psi





18555 Cornerstone Copper

**Coordinating Products**  
 Alchemy Tile, Base Metal, Form Tile, Honed Tile, Slab Tile, Strata, Fault



**Product Specifications**

**Style Number** 4141V  
**Construction** Rigid Core with Inline Level Edge Profile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 cm)  
**Overall Thickness** 0.157 in | 4 mm  
**Actual Dimensions** 7 in x 48 ft | 17.78 cm x 121.92 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2500 psi




00100 Keep

**Coordinating Products**  
 Cover LVT



**Product Specifications**

**Style Number** 4112V  
**Construction** Heavy Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 22 mil or 0.022 in (0.56 cm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 19.70 in x 19.70 ft | 50.03 cm x 50.03 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1000 psi



12518 Epoch

**Coordinating Products**  
 Amalgam LVT






69518 Mineral

**Product Specifications**

**Style Number** 4069V  
**Construction** Multilayer XRC with Attached Cork Underlayment  
**Class / ASTM F1700** Class III, Type B (ASTM F3261)  
**Wear Layer Thickness** 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.217 in | 5.5 mm  
**Actual Dimensions** 7.17 in x 48.03 in | 18.21 cm x 122 cm  
**Finish** ExoGuard®  
**Installation** Floating or Direct Glue  
**Static Load Limit/ASTM F970** Passes



Sand 69115 V3  
 Clay 69504 V3  
 Plaster 69515 V2  
 Mineral 69518 V3  
 Bedrock 69530 V3  
 Ore 69595 V2

**Coordinating Products**  
 Inclusive

Grain | Grain + Pigment

Resilient | LVT



64761 Antler + 64530 Mercury

**Product Specifications**

**Style Number** 0364V | Floating With In\*Step™ Locking System  
 0502V | Direct Glue  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0364V .157 in | 4 mm  
 0502V .098 in | 2.5 mm  
**Actual Dimensions** 0364V 7.28 in x 47.72 in  
 18.50 cm x 121.20 cm  
 0502V 7 in x 48 in | 17.78 cm x 121.92 cm  
**Area Per Carton** 0364V 24.13 ft² | 2.24 m²  
 0502V 34.98 ft² | 3.25 m²  
**Finish** ExoGuard®  
**Installation** 0364V In\*Step™ Locking System  
 0502V Direct Glue  
**Static Load Limit/ASTM F970** Passes, 0364V 1100 psi  
 Passes, 0502V 1000 psi




Cocoa 64103 V2  
 Glow\* 64105 V3  
 Parchment 64111 V2  
 Alabaster 64114 V3  
 Buff 64140 V2  
 Nutshell 64150 V2

**Coordinating Products**  
 Pigment LVT

Grain | Grain + Pigment

Resilient | LVT



Ashen 64155 V2  
 Bare 64200 V2  
 Honey 64240 V2  
 Fog 64327 V3  
 Alloy\* 64515 V3  
 Weathered 64518 V2  
 Mercury\* 64530 V3  
 Char 64549 V2  
 Cinder\* 64557 V2  
 Earthen 64710 V3  
 Bark 64720 V2  
 Clove 64740 V2  
 Chicory 64752 V2  
 Russet 64760 V2  
 Antler 64761 V2  
 Ginger 64820 V2

In Tandem | Innate + In Tandem

Resilient | Bio-Based Polyurethane Tile



96560 Winnow

**Product Specifications**

**Style Number** 0896V  
**Construction** Commercial Bio-Based Polyurethane Heterogeneous Tile  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 9.84 in x 59.05 in | 24.99 cm x 149.99 cm  
**Area Per Carton** 48.44 ft² | 4.5 m²  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



Buff 96105 V2  
 Pane 96130 V1  
 Spry 96250 V2  
 Bough 96510 V2  
 Winnow 96560 V2  
 Link 96580 V1  
 Groove 96590 V2  
 Laurel 96600 V2  
 Twain 96650 V2  
 Raffia 96710 V2  
 Burl 96760 V2  
 Linden 96790 V1

**Coordinating Products**  
 Innate Tile, Innate Sheet, In Tandem Sheet





68720 Caraway

**Coordinating Products**  
Expression

**Product Specifications**

**Style Number** 4068V  
**Construction** Multilayer XRC with Attached Cork Underlayment  
**Class / ASTM F1700** Class III, Type B (ASTM F3261)  
**Wear Layer Thickness** 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.217 in | 5.5 mm  
**Actual Dimensions** 7.17 in x 48.03 in | 18.21 cm x 122 cm  
**Finish** ExoGuard®  
**Installation** Floating or Direct Glue  
**Static Load Limit/ASTM F970** Passes



26140 Spindle

**Coordinating Products**  
Cove LVT

**Product Specifications**

**Style Number** 0926V  
**Construction** Commercial Luxury Vinyl Tile with Fibreglass  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.197 in | 5.0 mm  
**Actual Dimensions** 9 in x 48 in | 22.86 cm x 121.92 cm  
**Area Per Carton** 24 ft² | 2.23 m²  
**Finish** ExoGuard®  
**Installation** Floating, Perimeter Glue, Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1200 psi




72140 Spindle

**Coordinating Products**  
Union, Commingle, Inlet

**Product Specifications**

**Style Number** 4372V  
**Construction** Heavy Commercial Luxury Vinyl Tile With Fibreglass  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 9 in wide x 48 in | 23 cm wide x 122 cm  
**Finish** ExoGuard+®  
**Installation** Floating, Perimeter Glue, Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi




95515 Concrete

**Coordinating Products**  
In Tandem Tile, In Tandem Sheet, Innate Sheet

**Product Specifications**

**Style Number** 0895V  
**Construction** Commercial Bio-Based Polyurethane Heterogeneous Tile  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 13.19 in wide x 26.38 in | 33.48 m x 67.00 m  
**Area Per Carton** 38.64 ft² | 3.59 m²  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi







67105 Dune

**Coordinating Products**  
Innate, In Tandem, Innate Linen Sheet, In Tandem Sheet, Innate Sheet

**Product Specifications**

**Style Number** 4367V  
**Construction** Commercial Bio-Based Polyurethane Heterogeneous Tile  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 16 in wide x 34 in | 40 cm wide x 86 cm  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi




84405 Teal

**Coordinating Products**  
Engage Tile, Impact Tile, Think Tile

**Product Specifications**

**Style Number** 0884V (20 mil) | 4120V (20 mil)  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 12 in x 24 in | 30.48 cm x 60.96 cm  
**Area Per Carton** 36 ft<sup>2</sup> | 3.34 m<sup>2</sup>  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2000 psi




92535 Mirror

**Coordinating Products**  
Edition, Inherit, Ornate Tile, Rethread Tile

**Product Specifications**

**Style Number** 0692V  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 11.80 in x 23.60 in | 30 cm x 61 cm  
**Area Per Carton** 42.63 ft<sup>2</sup> | 3.96 m<sup>2</sup>  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2000 psi



90720 Fiber

**Coordinating Products**  
Crete LVT

**Product Specifications**

**Style Number** 0215V  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.118 in | 3 mm  
**Actual Dimensions** 17.72 in x 17.72 in | 45 cm x 45 cm  
**Area Per Carton** 34.88 ft<sup>2</sup> | 3.24 m<sup>2</sup>  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2000 psi








93560 Bicycle

**Product Specifications**


**Style Number** 0993V  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.02 in (0.51 mm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 24 in x 24 in | 60.96 cm x 60.96 cm  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



23520 Slate

**Product Specifications**

**Style Number** 4123V  
**Construction** Heavy Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 cm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 23.63 in x 23.62 ft | 59.99 cm x 59.99 cm  
**Finish** ExoGuard+®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1000 psi



**Coordinating Products**


Aware Tile, Conscious Tile, Intention Tile, Present Tile, Thoughtful LVT



04004 Ripe Olive

**Product Specifications**

**Style Number** 055UV  
**Construction** Multilayer WPC with Attached Cork Underlayment  
**Wearlayer Thickness** 30 mil or 0.030 in (0.762 mm)  
**Overall Thickness** 0.323 in | 8.2 mm  
**Actual Dimensions** 8.98 in x 24.02 in | 22.81 cm x 61 cm  
**Area Per Carton** 23.95 ft² | 2.23 m²  
**Finish** ExoGuard+®  
**Installation** Floating, Direct Glue  
**Static Load Limit/ASTM F970** Passes



See Resilient Accessories section for coordinating transitions and trims, page 525






24855 Strategy + 24761 Join

**Coordinating Products**  
Discussion Tile, Curiosity Tile, Practice Tile

**Product Specifications**

**Style Number** 4124V  
**Construction** Heavy Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 cm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 12 in x 24 ft | 30.48 cm x 60.96 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2000 psi



00280 Natural Teak

**Product Specifications**

**Style Number** 0116V  
**Construction** Light Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 12 mil or 0.012 in (0.3 mm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 6 in x 48 in | 15.24 cm x 121.92 cm  
**Area Per Carton** 35.95 ft<sup>2</sup> | 3.34 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



38140 Theory


**Coordinating Products**  
Basis

**Product Specifications**

**Style Number** 4338V  
**Construction** Rigid Mineral Core With Inline Level Edge™ Profile  
**Class / ASTM F3261** Class III, Type B  
**Overall Thickness** 0.236 in | 6 mm  
**Actual Dimensions** 5.67 in x 47.56 ft | 14.40 cm x 120.80 cm  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 2500 psi







65515 Bone + 65530 Grey + 65595 Charcoal

**Coordinating Products**  
Grain LVT

*Pigment should only be used as an accent or border with maximum of 4 tiles touching*

**Product Specifications**

<b>Style Number</b>	0365V   Floating With In*Step™ Locking System 0503V   Direct Glue
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Overall Thickness</b>	0365V .157 in   4 mm 0503V .098 in   2.5 mm
<b>Actual Dimensions</b>	0365V 7.28 in x 47.72 in 18.50 cm x 121.20 cm 0503V 7 in x 48 in 17.78 cm x 121.92 cm
<b>Area Per Carton</b>	0365V 24.13 ft <sup>2</sup>   2.24 m <sup>2</sup> 0503V 34.98 ft <sup>2</sup>   3.25 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	0365V In*Step™ Locking System 0503V Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1100 psi (0365V) Passes, 1000 psi (0503V)



00700 Cherokee

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**

<b>Style Number</b>	0186V
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)
<b>Overall Thickness</b>	0.197 in   5 mm
<b>Actual Dimensions</b>	7.28 in x 47.72 in   18.50 cm x 121.20 cm
<b>Area Per Carton</b>	19.27 ft <sup>2</sup>   1.79 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	In*Step™ Locking System
<b>Static Load Limit/ASTM F970</b>	Passes, 1000 psi








04856 Evoke

**Product Specifications**

**Style Number** 4004V  
**Construction** Commercial Woven Luxury Vinyl Tile  
**Class / ASTM F1700** Class II, Type B  
**Overall Thickness** 0.118 in | 3 mm  
**Actual Dimensions** 9 in x 36 in | 22.86 cm x 91.44 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



89516 Adrift

**Product Specifications**

**Style Number** 4089V  
**Construction** Multilayer XRC with Attached Cork Underlayment  
**Wear Layer Thickness** 12 mil or 0.012 in (0.3 mm)  
**Overall Thickness** 0.173 in | 4.4 mm  
**Actual Dimensions** 7.13 in x 48.03 in | 18.11 cm x 122 cm  
**Finish** ExoGuard®  
**Installation** Floating or Direct Glue  
**Static Load Limit/ASTM F970** Passes



94580 Pause


**Coordinating Products**

Respite

In Stock in 20 mil 4381V only

**Product Specifications**

**Style Number** 4099V (8 mil) | 4094V (12 mil) | 4381V (20 mil)  
**Construction** Light Commercial Luxury Vinyl Tile  
 Heavy Commercial Luxury Vinyl Tile (20 mil)  
**Wear Layer Thickness** 8 mil or 0.008 in (0.2 mm)  
 12 mil or 0.012 in (0.3 mm)  
 20 mil or 0.02 in (0.51 mm)  
**Overall Thickness** 0.079 in | 2 mm  
 0.079 in | 2 mm  
 0.098 in | 2.5 mm  
**Actual Dimensions** 5.91 in x 47.24 in | 15.01 cm x 119.99 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi









90250 Path

**Coordinating Products**  
Reside

**Product Specifications**


<b>Style Number</b>	4090V	
<b>Construction</b>	Multilayer XRC with Attached Cork Underlayment	
<b>Class / ASTM F1700</b>	Class III, Type B (ASTM F3261)	
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.51 mm)	
<b>Overall Thickness</b>	0.197 in   5 mm	
<b>Actual Dimensions</b>	7.2 in x 48.03 in   18.29 cm x 122 cm	
<b>Finish</b>	ExoGuard®	
<b>Installation</b>	Floating or Direct Glue	
<b>Static Load Limit/ASTM F970</b>	Passes	




33100 Hybrid

As with all textiles, expect to see directional shade variation.

**Product Specifications**


<b>Style Number</b>	0733V	
<b>Construction</b>	Commercial Woven Luxury Vinyl Tile	
<b>Class / ASTM F1700</b>	Class II Surface Decorated	
<b>Overall Thickness</b>	0.118 in   3.0 mm	
<b>Dimensions</b>	9 in x 36 in   22.86 cm x 91.44 cm	
<b>Area Per Carton</b>	36 ft²   3.35 m²	
<b>Finish</b>	ExoGuard®	
<b>Installation</b>	Direct Glue	
<b>Static Load Limit/ASTM F970</b>	Passes, 2000 psi	




45515 Carrara

**Coordinating Products**  
Cut LVT

**Product Specifications**


<b>Style Number</b>	0945V	
<b>Construction</b>	Commercial Luxury Vinyl Tile with Fibreglass	
<b>Class / ASTM F1303</b>	Class III, Type B	
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)	
<b>Overall Thickness</b>	0.1970 in   0.5 mm	
<b>Actual Dimensions</b>	18 in x 18 in   45.72 cm x 45.72 cm	
<b>Area Per Carton</b>	22.50 ft²   2.09 m²	
<b>Finish</b>	ExoGuard®	
<b>Installation</b>	Direct Glue	
<b>Static Load Limit/ASTM F970</b>	Passes, 1200 psi	



48120 Cottonwood + 48516 Fawn

\*These colours are a stone visual

**Product Specifications**

<b>Style Number</b>	0648V	
<b>Construction</b>	Commercial Luxury Vinyl Tile with Fibreglass	
<b>Class / ASTM F1303</b>	Class III, Type B	
<b>Wear Layer Thickness</b>	20 mil or 0.020 in (0.5 mm)	
<b>Overall Thickness</b>	0.197 in   5.0 mm	
<b>Actual Dimensions</b>	6 in x 48 in   15.24 cm x 122.00 cm	
<b>Area Per Carton</b>	20 ft²   1.86 m²	
<b>Finish</b>	ExoGuard®	
<b>Installation</b>	Direct Glue	
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi	







63250 Sand

**Product Specifications**


**Style Number** 4063V  
**Construction** Commercial Luxury Vinyl Tile with Acoustic Backing  
**Wear Layer Thickness** 20 mil or 0.02 in (0.51 mm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 6 in x 48 in | 15.24 cm x 121.92 cm  
**Finish** ExoGuard®  
**Installation** Direct Glue



16115 Wool

**Product Specifications**

**Style Number** 0516V  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.020 in (0.5 mm)  
**Overall Thickness** 0.098 in | 2.5 mm  
**Actual Dimensions** 18 in x 36 in | 45.72 cm x 91.44 cm  
**Area Per Carton** 45 ft<sup>2</sup> | 4.18 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



**Coordinating Products**  
Surface LVT



00504 Chattahoochee Oak

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**

**Style Number** 023UV  
**Construction** Multilayer WPC with Attached Cork Underlayment  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.315 in | 8 mm  
**Actual Dimensions** 4.96 in x 48.02 in | 12.60 cm x 121.90 cm  
**Area Per Carton** 26.68 ft<sup>2</sup> | 2.48 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Floating, Direct Glue  
**Static Load Limit/ASTM F970** Passes



00707 Willamette Oak

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**

**Style Number** 024UV  
**Construction** Multilayer WPC with Attached Cork Underlayment  
**Wearlayer Thickness** 20 mil or 0.020 in (0.51 mm)  
**Overall Thickness** 0.315 in | 8 mm  
**Actual Dimensions** 7.13 in x 48.02 in | 18.00 cm x 121.90 cm  
**Area Per Carton** 38.24 ft<sup>2</sup> | 3.55 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Floating, Direct Glue  
**Static Load Limit/ASTM F970** Passes







00608 Dorchester Oak

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**


<b>Style Number</b>	034UV
<b>Construction</b>	Multilayer WPC with Attached Cork Underlayment
<b>Wearlayer Thickness</b>	20 mil or 0.020 in (0.51 mm)
<b>Overall Thickness</b>	0.319 in   8.1 mm
<b>Actual Dimensions</b>	8.98 in x 72.05 in   22.81 cm x 183.00 cm
<b>Area Per Carton</b>	26.95 ft <sup>2</sup>   2.50 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Floating, Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes



11202 Interlace + 11530 Baste

**Product Specifications**

<b>Style Number</b>	4111V
<b>Construction</b>	Heavy Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wearlayer Thickness</b>	22 mil or 0.022 in (0.56 cm)
<b>Overall Thickness</b>	0.188 in   3 mm
<b>Actual Dimensions</b>	9 in x 36 ft   22.86 cm x 91.44 cm
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi




15595 Sediment

Coordinating Products  
Strand LVT

**Product Specifications**

<b>Style Number</b>	0515V
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wear Layer Thickness</b>	20 mil or 0.02 in (0.5 mm)
<b>Overall Thickness</b>	0.098 in   2.5 mm
<b>Actual Dimensions</b>	18 in x 36 in   45.72 cm x 91.44 cm
<b>Area Per Carton</b>	45 ft <sup>2</sup>   4.18 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi



08770 Alcove

Coordinating Products  
Kusa Tile, Botan Tile, Hana Tile, Hana Broadloom, Kusa Broadloom, Botan Broadloom, Tatami Sheet, Roji Sheet, Reed Sheet

**Product Specifications**

<b>Style Number</b>	4216V (5 mm)   4108V (2.5 mm)
<b>Construction</b>	Heavy Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wearlayer Thickness</b>	20 mil or 0.020 in (0.51 cm)
<b>Overall Thickness</b>	20 mil or 0.020 in (0.51 cm)
<b>Actual Dimensions</b>	0.197 in   5 mm   0.197 in   5 mm
	11.81 in x 23.62 ft   30 cm x 59.99 cm
	11.81 in x 23.62 ft   30 cm x 59.99 cm
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi   Passes, 2000 psi







00766 Echo

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**

<b>Style Number</b>	0655V (8 mil)
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wear Layer Thickness</b>	8 mil or 0.008 in (.2 mm)
<b>Overall Thickness</b>	0.079 in (2.0 mm)
<b>Actual Dimensions</b>	5.96 in x 48.00 in   15.10 cm x 121.90 cm
<b>Area Per Carton</b>	53.63 ft <sup>2</sup>   4.98 m <sup>2</sup> (8 mil)
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi



00568 Root

**Coordinating Products**  
Terrain II 12 mil, Terrain II 20 mil, Terrain II 30 mil,  
Terrain II 20 mil 5 mm

**Product Specifications**

<b>Style Number</b>	4125V
<b>Construction</b>	Rigid Core With Inline Level Edge™ Profile
<b>Class / ASTM F3261</b>	Class III, Type B
<b>Wear Layer Thickness</b>	20 mil or 0.02 in (0.51 cm)
<b>Overall Thickness</b>	0.157 in   4 mm
<b>Actual Dimensions</b>	7 in x 48 in   17.78 cm x 121.92 cm
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 2500 psi







00568 Root

See Resilient Accessories section for coordinating transitions and trims, page 525

**Product Specifications**

<b>Style Number</b>	0453V (12 mil)   0454V (20 mil) 0892V (30 mil)   4110V (20 mil)
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Printed Type B
<b>Wear Layer Thickness</b>	12 mil or 0.012 in (0.304 mm) 20 mil or 0.02 in (0.508 mm) 30 mil or 0.03 in (0.762 mm) 20 mil or 0.02 in (0.508 mm)
<b>Overall Thickness</b>	0.098 in (2.5 mm) 0.098 in (2.5 mm) 0.12 in (3.0 mm) 0.197 in (5.0 mm)
<b>Actual Dimensions</b>	5.96 in x 48.0 in   15.13 cm x 121.92 cm
<b>Area Per Carton</b>	41.72 ft <sup>2</sup>   3.88 m <sup>2</sup> (12 mil, 20 mil) 35.76 ft <sup>2</sup>   3.32 m <sup>2</sup> (30 mil)
<b>Finish</b>	ExoGuard+®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi



Willow 00170 V3	Thatch 00173 V2	Ash 00174 V3	Saffron 00230 V2		
Trail 00256 V2	Olive 00350 V2	Spruce 00360 V2	Aqua 00370 V3	Azure 00400 V2	
Ink 00450 V2	Slate 00540 V3	Shade 00564 V2	Root 00568 V3	Timber 00572 V2	Graphite 00580 V2
Terra 00600 V3	Redwood 00650 V3	Pirch 00684 V2	Natural 00710 V2	Lodge 00740 V2	Grove 00769 V3
Nest 00774 V2	Echo 00775 V2	Cherry 00850 V2	Violet 00965 V3	Summit 05012 V3	Orchard 05013 V2
Lark 05016 V3	Aspen 05019 V3	Sequoia 07003 V2	Sumac 07004 V3	Alder 07005 V2	Thicket 07008 V3



22405 Jade

**Coordinating Products**  
Aware Tile, Conscious Tile, Intention Tile, Present Tile, Kind LVT

**Product Specifications**

<b>Style Number</b>	4122V
<b>Construction</b>	Heavy Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wearlayer Thickness</b>	20 mil or 0.020 in (0.51 cm)
<b>Overall Thickness</b>	0.197 in   5 mm
<b>Actual Dimensions</b>	23.63 in x 23.62 ft   59.99 cm x 59.99 cm
<b>Finish</b>	ExoGuard+®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1000 psi



Gesture 22100 V2	Vellum 22103 V2	Chalk 22111 V2	Jade 22405 V2	Indigo 22429 V2	Crisp 22518 V2
Warmth 22530 V2	Charcoal 22585 V2				




42100 Converse

**Coordinating Products**  
Face to Face Tile, Spoken Tile, Written Tile, Translate Tile, Subtext Tile, Coded LVT

**Product Specifications**

<b>Style Number</b>	4142V
<b>Construction</b>	Heavy Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wearlayer Thickness</b>	20 mil or 0.020 in (0.51 cm)
<b>Overall Thickness</b>	0.197 in   5 mm
<b>Actual Dimensions</b>	24 in x 24 ft   60.96 cm x 60.96 cm
<b>Finish</b>	ExoGuard+®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 1500 psi



Convey 42515 V2	Converse 42100 V2	Declare 42504 V2	Describe 42530 V2	Imply 42518 V2	Interpret 42761 V2
Engage 42595 V2	Share 42585 V2				





**Product Specifications**

**Style Number** 0187V (4 in) | 0188V (6 in)  
**Construction** Commercial Luxury Vinyl Tile  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.02 in (0.5 mm)  
**Overall Thickness** 0.118 in | 3 mm  
**Actual Dimensions** 0187V 3.94 in x 36.22 in | 10 cm x 92 cm  
 0188V 5.91 in x 36.22 in | 15 cm x 92 cm  
**Area Per Carton** 35.65 ft<sup>2</sup> | 3.12 m<sup>2</sup>  
**Finish** ExoGuard®  
**Installation** Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



02500 French Grey



**Product Specifications**

**Style Number** 4349V  
**Construction** Heavy Commercial Luxury Vinyl Tile with Fibreglass  
**Class / ASTM F1700** Class III, Type B  
**Wear Layer Thickness** 20 mil or 0.02 (0.51 mm)  
**Overall Thickness** 0.197 in | 5 mm  
**Actual Dimensions** 9 in x 48 in | 23 cm x 122 cm  
**Finish** ExoGuard®  
**Installation** Floating, Perimeter Glue, Direct Glue  
**Static Load Limit/ASTM F970** Passes, 1500 psi



49140 Concrete Spindle

**Coordinating Products**  
 Commingle, Inlet II








01518 Alter

**Coordinating Products**  
Expose Tile, Relief Tile, Tinge Tile, Uncover Tile, Undertone Tile

**Product Specifications**

<b>Style Number</b>	0601V
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Class / ASTM F1700</b>	Class III, Type B
<b>Wear Layer Thickness</b>	30 mil or 0.03 (0.762 mm)
<b>Overall Thickness</b>	0.118 in   3.0 mm
<b>Actual Dimensions</b>	9 in x 36 in   22.86 cm x 91.44 cm
<b>Area Per Carton</b>	36 ft <sup>2</sup>   3.35 m <sup>2</sup>
<b>Finish</b>	ExoGuard®
<b>Installation</b>	Direct Glue
<b>Static Load Limit/ASTM F970</b>	Passes, 2000 psi



ENGINEERED  
HARDWOOD



## Colour and Visual Variations

Colour and visual variation is inherent in all engineered hardwood products. It can vary slightly or significantly from piece to piece within a colour. V1 has little or no variation from piece to piece. V4 will have a large variation in colour and visual. For more information on product variation and to view swatch installations go to [shawcontract.com](http://shawcontract.com).


### V1 Uniform Appearance




### V2 Slight Variation



### V3 Moderate Variation



### V4 Substantial Variation



Variations are listed on product pages under the colour numbers.

## Authenticity

## Engineered Hardwood



05045 Honesty Ash

See Engineered Hardwood Accessories section for coordinating transitions and trims, page 525


\*This product not available for sale in Canada.

### Product Specifications

<b>Style Number</b>	CA362
<b>Construction</b>	Engineered High-Density Core Hardwood with Tongue and Groove
<b>Species</b>	Ash, Oak, Maple
<b>Overall Thickness</b>	0.5 in (1/2 in)   1.27 cm
<b>Actual Dimensions</b>	7.00 in x 82.50 in   17.80 cm x 209.60 cm <i>Boxes may contain random lengths</i>
<b>Area Per Carton</b>	23.58 ft <sup>2</sup>   2.19 m <sup>2</sup>
<b>Finish</b>	UV Cured Urethane with Aluminum Oxide
<b>Edge Profile</b>	Micro-Bevel
<b>Installation</b>	Nail, Staple, Direct Glue, Float



Swatches represent multiple planks:



Expression Ash  
01026  
V3




Persona Oak  
01027  
V3



Honesty Ash  
05045  
V3




Sincerity Oak  
05048  
V3



Genuine Ash  
07028  
V3



Attribute Oak  
07029  
V3



Absolute Maple  
09019  
V2





**Product Specifications**


<b>Style Number</b>	CA350
<b>Construction</b>	Engineered Ply-Core Hardwood with Tongue and Groove
<b>Species</b>	Oak
<b>Overall Thickness</b>	0.5 in (1/2 in)   1.27 cm
<b>Actual Dimensions</b>	4.72 in x 23.63 in   11.99 cm x 60.00 cm <i>Boxes may contain random lengths</i>
<b>Area Per Carton</b>	27.90 ft <sup>2</sup>   2.59 m <sup>2</sup>
<b>Finish</b>	UV Cured Urethane with Aluminum Oxide
<b>Edge Profile</b>	Micro-Bevel
<b>Installation</b>	Direct Glue Only



Swatches represent multiple planks:



Reserve Oak  
01007  
V2



Gallery Oak  
01028  
V3





Exhibit Oak  
05014  
V2



Curated Oak  
07024  
V3



Archival Oak  
09016  
V2

09016 Archival Oak

See Engineered Hardwood Accessories section for coordinating transitions and trims, page 525




**Product Specifications**


<b>Style Number</b>	CA334
<b>Construction</b>	Engineered High-Density Core Hardwood with Tongue and Groove
<b>Species</b>	Hickory
<b>Overall Thickness</b>	0.375 in (3/8 in)   0.95 cm
<b>Actual Dimensions</b>	5.00 in x 58.50 in   12.70 cm x 148.60 cm <i>Boxes may contain random lengths</i>
<b>Area Per Carton</b>	23.66 ft <sup>2</sup>   2.20 m <sup>2</sup>
<b>Finish</b>	UV Cured Urethane with Aluminum Oxide
<b>Edge Profile</b>	Pillowed
<b>Installation</b>	Nail, Staple, Direct Glue, Float




Swatches represent multiple planks:



Singular Hickory  
05003  
V2



Defined Hickory  
00510  
V3



Preferential Hickory  
00879  
V3


02000 Superlative Hickory

See Engineered Hardwood Accessories section for coordinating transitions and trims, page 525

\*This product not available for sale in Canada



Tactility Hickory  
00941  
V3



Superlative Hickory  
02000  
V3





**Product Specifications**

<b>Style Number</b>	CA364
<b>Construction</b>	Engineered Ply-Core Hardwood with Tongue and Groove
<b>Species</b>	White Oak
<b>Overall Thickness</b>	0.625 in (5/8 in)   1.60 cm
<b>Actual Dimensions</b>	8.00 in x 82.50 in   20.32 cm x 209.60 cm <i>Boxes may contain random lengths</i>
<b>Area Per Carton</b>	22.45 ft <sup>2</sup>   2.09 m <sup>2</sup>
<b>Finish</b>	UV Cured Urethane with Aluminum Oxide
<b>Edge Profile</b>	Bevel
<b>Installation</b>	Nail, Staple, Direct Glue, Float




Swatches represent multiple planks:



Artisan Oak  
11024  
V4



Tonal Oak  
15019  
V4



Impasto Oak  
16001  
V4



Patina Oak  
17020  
V4

15019 Tonal Oak

See Engineered Hardwood Accessories section for coordinating transitions and trims, page 525

\*This product not available for sale in Canada



**Product Specifications**


<b>Style Number</b>	CA361
<b>Construction</b>	Engineered High-Density Core Hardwood with Tongue and Groove
<b>Species</b>	Maple, Hickory, Walnut
<b>Overall Thickness</b>	0.50 in (1/2 in)   1.27 cm
<b>Actual Dimensions</b>	9.25 in x 82.50 in   23.50 cm x 209.60 cm <i>Boxes may contain random lengths</i>
<b>Area Per Carton</b>	25.97 ft <sup>2</sup>   2.41 m <sup>2</sup>
<b>Finish</b>	UV Cured Urethane with Aluminum Oxide
<b>Edge Profile</b>	Handscraped
<b>Installation</b>	Nail, Staple, Direct Glue, Float



Swatches represent multiple planks:



Familiar Walnut  
01013  
V3



Rooted Maple  
07019  
V3



Dynasty Walnut  
07021  
V2

07021 Dynasty Walnut

See Engineered Hardwood Accessories section for coordinating transitions and trims, page 525

\*This product not available for sale in Canada



Lineage Hickory  
11022  
V3





**Product Specifications**


<b>Style Number</b>	CA308
<b>Construction</b>	Engineered Ply-Core Hardwood with Tongue and Groove
<b>Species</b>	Oak
<b>Overall Thickness</b>	0.50 in (1/2 in)   1.27 cm
<b>Actual Dimensions</b>	5.00 in x 70.88 in   17.80 cm x 180.00 cm <i>Boxes may contain random lengths</i>
<b>Area Per Carton</b>	29.53 ft <sup>2</sup>   2.74 m <sup>2</sup>
<b>Finish</b>	UV Cured Urethane with Aluminum Oxide
<b>Edge Profile</b>	Micro-Bevel
<b>Installation</b>	Nail, Staple, Direct Glue, Float




Swatches represent multiple planks:



Gallant Oak  
01007  
V2



Exquisite Oak  
01015  
V2



Sophisticated Oak  
02012  
V3



Cultivated Oak  
05014  
V3



Precise Oak  
09008  
V3

01007 Gallant Oak

See Engineered Hardwood Accessories section for coordinating transitions and trims, page 525



**Product Specifications**

<b>Style Number</b>	CA286
<b>Construction</b>	Engineered Ply-Core Hardwood with Tongue and Groove
<b>Species</b>	Oak
<b>Overall Thickness</b>	0.562 in (9/16 in)   1.43 cm
<b>Actual Dimensions</b>	7.50 in x 74.88 in   19.90 cm x 190.20 cm <i>Boxes may contain random lengths</i>
<b>Area Per Carton</b>	31.09 ft <sup>2</sup>   2.89 m <sup>2</sup>
<b>Finish</b>	UV Cured Urethane with Aluminum Oxide
<b>Edge Profile</b>	Micro-Bevel
<b>Installation</b>	Nail, Staple, Direct Glue, Float




Swatches represent multiple planks:



Invigorate Oak  
00146  
V3




Renewal Oak  
00508  
V3



Motif Oak  
00533  
V3



Restoration Oak  
00986  
V3



Reminisce Oak  
01010  
V3

00146 Invigorate Oak

See Engineered Hardwood Accessories section for coordinating transitions and trims, page 525





ACCESSORIES +  
RESOURCES



Adhesives + Epoxy + Moisture Solutions | Broadloom Accessories

Adhesives + Epoxy

Name / Description	Approved Products	Moisture Limit	Spread Rate
<b>LokWorx+ Broadloom Adhesive</b> H1000	ClassicBac® Ultraloc® Ultraloc® MB Ultraloc® MP Ultraloc® MPC	Up to 95% RH	8-10 sq yds per gallon using 1/8 in U-notch
<b>LokWorx™ EcoWorx Broadloom Adhesive</b> H3600	EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	Up to 85% RH	<b>Pattern Carpet</b> 5-7 sq yds per gallon using 1/8 in U-notch <b>Non-Pattern Carpet</b> 8-9 sq yds per gallon using 3/32 in U-notch
<b>Indoor/Outdoor Carpet Adhesive</b> H3800	ClassicBac® Ultraloc® Ultraloc® MB Ultraloc® MP Ultraloc® MPC EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	Up to 90% RH	8-10 sq yds per gallon using 1/8 in U-notch
<b>4000</b> Seam Sealer H4000	ClassicBac® Ultraloc® Ultraloc® MB Ultraloc® MP Ultraloc® MPC	No moisture testing required	550-600 Linear ft per quart
<b>Shaw 4151</b> High moisture, pressure sensitive adhesive (non-patterned broadloom) F9150	EcoWorx® Performance Broadloom (EPBL)	Up to 99% RH	<b>Non-Patterned Broadloom</b> 13-18 sq yds per gallon using 1/8 in x 1/8 in x 1/8 in U-notch
<b>8300</b> Seam sealer with moisture impervious seams H8300	ClassicBac® Ultraloc® Ultraloc® MB Ultraloc® MP Ultraloc® MPC EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	No moisture testing required	138-150 Linear ft per 8 oz bottle
<b>LokSeam</b> Two-part clear polyester polyurethane LOKSE	Product to Product: All	No moisture testing required	Up to 100 linear feet per cartridge for 2.5mm LVT / Up to 50 linear feet per cartridge for 5mm LVT

Moisture Solutions

Name / Description	Approved Products	Moisture Limit	Spread Rate	Features
<b>Surface Prep EXT™</b> Concrete prep that creates a pristine concrete surface 255VS	All	Perform moisture testing to determine appropriate product solution	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Concrete cleaner and heavy duty etching agent that neutralizes pH</li> <li>Spray-on solution that provides a less expensive alternative to grinding and/or bead blasting</li> <li>Required for both MoistureShield™ and MoistureTek™</li> <li>Does not generate dust or other contaminants into the atmosphere</li> </ul>
<b>MoistureShield™</b> Applied moisture barrier 256VS	All	up to 99% RH or greater, ≤12 MVER, ≤12 pH	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Spray-on solution that provides a permanent breathable membrane just below the surface of the concrete</li> <li>Dries in 2-3 hours</li> </ul>
<b>MoistureTek™</b> Applied moisture barrier 231DE	All	up to 100% RH, >12 MVER, >12pH	300-350 sq ft / 4-gal kit using a 1/8" x 1/8" x 1/8" V-notch squeegee	<ul style="list-style-type: none"> <li>2-part Epoxy</li> <li>Can be applied to concrete as early as 24 hours after a concrete pour</li> <li>Cures in 6-8 hours depending on ambient temperature and humidity</li> </ul>
<b>MRP™</b> Barrier primer that isolates contaminants 235DE	All	up to 99% RH, 14 MVER, 14 pH	600 sq ft / 4-gal using a 9" or 18" nap roller (1/4" - 3/8")	<ul style="list-style-type: none"> <li>Permanent 2-part, water-based epoxy primer</li> <li>Can be installed over chemically abated floors</li> <li>Apply to concrete, metal, wood, fibreglass or terrazzo</li> <li>Only one coat needed in most installations</li> </ul>



Cushions

Name / Description	Approved Products	Installation	Benefits	Features
<b>DuraWorx</b> A breathable polyurethane carpet cushion that provides enhanced support and comfort to carpet in any commercial space. DW204	ClassicBac®	Stretch-In* Double Glue	Comfort and Moisture Barrier	<ul style="list-style-type: none"> <li>Enhanced comfort</li> <li>Breathable moisture barrier keeps spills from penetrating the cushion for 24 hours</li> <li>Commercial limited warranty</li> <li>Green label plus certified</li> <li>Contributes to LEED</li> <li>Made in the USA</li> </ul>
	Ultraloc®	Stretch-In* Double Glue		
	Ultraloc® MB	Stretch-In* Double Glue		
	Ultraloc® MP (custom backing)	Stretch-In* Double Glue		
	EcoWorx® Broadloom (EBL)	Stretch-In* Double Glue		
<b>Eco Fibre Touch</b> A premium recycled synthetic fibre cushion that provides underfoot comfort and exceptional stability to broadloom carpet.	ClassicBac®	Stretch-In*	Comfort	<ul style="list-style-type: none"> <li>Premium blend of fibre provides long-lasting support in high-traffic areas</li> <li>Cradle to Cradle™ certified bronze</li> <li>Contributes to LEED</li> <li>Commercial limited 10 year warranty</li> </ul>
	Ultraloc®	Stretch-In*		
	Ultraloc® MB	Stretch-In*		
	Ultraloc® MP	Stretch-In*		
	EcoWorx® Broadloom (EBL)	Stretch-In*		
<b>Fibre Select</b> Value recycled synthetic fibre cushion that performs in high-traffic stretch-in broadloom carpet applications.	ClassicBac®	Stretch-In*	Comfort in high-traffic areas	<ul style="list-style-type: none"> <li>Constructed with 100% recycled content, saving fibre from landfills</li> <li>Cradle to Cradle™ certified bronze</li> <li>Contributes to LEED</li> <li>Commercial limited 10 year warranty</li> </ul>
	Ultraloc®	Stretch-In*		
	Ultraloc® MB	Stretch-In*		
	Ultraloc® MP	Stretch-In*		
	EcoWorx® Broadloom (EBL)	Stretch-In*		
<b>DoubleStick Cushion</b> Synthetic fibre cushion is constructed of dense fibre and a smooth surface finish making it ideal for double stick broadloom carpet installations in high-traffic areas. 134FS	ClassicBac®	Stretch-In* Double Glue	Comfort in high-traffic areas	<ul style="list-style-type: none"> <li>Dense and resilient for lasting, comfortable support in high-traffic areas</li> <li>Unique surface finish for easy installation</li> <li>Contains 85% recycled content</li> <li>Green label plus certified</li> <li>Contributes to LEED</li> <li>Made in the USA</li> <li>Commercial limited warranty</li> </ul>
	Ultraloc®	Stretch-In* Double Glue		
	Ultraloc® MB	Stretch-In* Double Glue		
	Ultraloc® MP	Stretch-In* Double Glue		

\*Stretch-in installations should not exceed 30 ft x 30 ft area.

Adhesives + Epoxy

Name / Description	Approved Products	Moisture Limit	Spread Rate	
<b>LokWorx™ Carpet Tile Adhesive</b> Standard 183CA 1 gal 182CA 4 gal	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	Up to 95% RH	28-39 yd2/gal (250-350 ft2/gal)	
	<b>LokWorx+™ Carpet Tile Adhesive</b> Premium H5001 1 gal N5000 4 gal	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	Up to 97% RH	28-39 yd2/gal (250-350 ft2/gal)
		<b>LokWorx™ Indoor/Outdoor Carpet Adhesive</b> Indoor/Outdoor	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	Up to 90% RH
<b>Shaw 4151</b> High moisture, pressure sensitive adhesive F9150	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	Up to 99% RH	<b>Carpet Tile</b> 28-33 sq yds per gallon using 1/16 in x 1/32 in x 5/64 in U-notch or 35-40 sq yds per gallon using 3/8 in foam or medium nap roller <b>Non-Patterned Broadloom</b> 13-18 sq yds per gallon using 1/8 in x 1/8 in x 1/8 in U-notch	
	<b>es</b> Custom option mill applied adhesive	EcoWorx® Tile EcoLogix® Tile		100% (no visible moisture)
<b>LokDots</b> Field applied adhesive alternative OOLDR	EcoWorx® Tile StrataWorx®	No moisture testing required	One sleeve = 8 rolls = approx. 250 yds One case = 96 rolls = approx. 3000 yds Half sleeve = 4 rolls = approx. 125 yds	
<b>LokWorx Adhesive Tabs</b> Field applied adhesive alternative LWRXO	EcoWorx® Tile StrataWorx®	Up to 85% RH	Generally 222 sq yds per box, but dependent on cuts and layouts.	
<b>LokSeam</b> Two-part clear polyester polyurethane LOKSE	Product to Product: All	No moisture testing required	Up to 100 linear feet per cartridge for 2.5mm LVT / Up to 50 linear feet per cartridge for 5mm LVT	



Cushions

Name / Description	Approved Products	Installation	Benefits	Features
<b>CushionWorx™</b> Premium polyethylene foam cushion underlayment, performs with EcoWorx® carpet tile for comfort underfoot and sound reduction in high-traffic environments CU034	EcoWorx® Tile	Double Glue	Comfort and Sound Reduction	<ul style="list-style-type: none"> <li>Provides more noticeable comfort underfoot than with EcoWorx® carpet tile alone</li> <li>Reduced sound transfer when installed with EcoWorx® carpet tile in commercial public spaces</li> <li>Adheres to concrete and wood subfloors with Shaw 3800 adhesive. Provide added stability by using Shaw 5100 adhesive to adhere EcoWorx® carpet tile to CushionWorx™</li> </ul>
<b>CushionWorx™ Lite</b> Premium polyethylene foam cushion underlayment, performs with EcoWorx® carpet tile for comfort underfoot CU024	EcoWorx® Tile	Double Glue	Comfort	<ul style="list-style-type: none"> <li>Provides comfort and sound reduction</li> <li>Adheres to concrete and wood subfloors with Shaw 3800 adhesive to adhere EcoWorx® carpet tile to CushionWorx™</li> </ul>
<b>DuraWorx</b> Breathable polyurethane carpet cushion that provides enhanced support and comfort to carpet in virtually any commercial space DW205	EcoWorx® Tile	Reverse Double Glue	Comfort and Moisture Barrier	<ul style="list-style-type: none"> <li>High performance polyurethane provides enhanced support</li> <li>Breathable moisture barrier keeps spills from penetrating cushion for 24 hours</li> <li>Commercial limited warranty</li> <li>Green Label Plus Certified, contributes to LEED</li> </ul>

Moisture Solutions

Name / Description	Approved Products	Moisture Limit	Spread Rate	Features
<b>Surface Prep EXT™</b> Concrete prep that creates a pristine concrete surface 255VS	All	Perform moisture testing to determine appropriate product solution	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Concrete cleaner and heavy duty etching agent that neutralizes pH</li> <li>Spray-on solution that provides a less expensive alternative to grinding and/or bead blasting</li> <li>Required for both MoistureShield™ and MoistureTek™</li> <li>Does not generate dust or other contaminants into the atmosphere</li> </ul>
<b>MoistureShield™</b> Applied moisture barrier 256VS	All	up to 99% RH or greater, ≤12 MVER, ≤12 pH	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Spray-on solution that provides a permanent breathable membrane just below the surface of the concrete</li> <li>Dries in 2-3 hours</li> </ul>
<b>MoistureTek™</b> Applied moisture barrier 231DE	All	up to 100% RH, >12 MVER, >12pH	300-350 sq ft / 4-gal kit using a 1/8" x 1/8" x 1/8" V-notch squeegee	<ul style="list-style-type: none"> <li>2-part Epoxy</li> <li>Can be applied to concrete as early as 24 hours after a concrete pour</li> <li>Cures in 6-8 hours depending on ambient temperature and humidity</li> </ul>
<b>MRP™</b> Barrier primer that isolates contaminants 235DE	All	up to 99% RH, 14 MVER, 14 pH	600 sq ft / 4-gal using a 9" or 18" nap roller (1/4" - 3/8")	<ul style="list-style-type: none"> <li>Permanent 2-part, water-based epoxy primer</li> <li>Can be installed over chemically abated floors</li> <li>Apply to concrete, metal, wood, fibreglass or terrazzo</li> <li>Only one coat needed in most installations</li> </ul>

Adhesives + Epoxy








Name / Description	Approved Products	Moisture Limit	Spread Rate
<b>35 MC</b> Moisture Curing Urethane CA884	Engineered Hardwood	Up to 95% RH	Hardwood thickness of greater than 3/8 in Up to 30 sq ft per U.S. gal Thickness of or less than 3/8 in Up to 36 sq ft per U.S gal
<b>Tongue and Groove</b> Tongue and Groove for floating installations	Engineered Hardwood	n/a	1/8 in bead, 100-150 linear feet

Moisture Solutions

Name / Description	Approved Products	Moisture Limit	Spread Rate	Features
<b>Surface Prep EXT™</b> Concrete prep that creates a pristine concrete surface 255VS	All	Perform moisture testing to determine appropriate product solution	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Concrete cleaner and heavy duty etching agent that neutralizes pH</li> <li>Spray-on solution that provides a less expensive alternative to grinding and/or bead blasting</li> <li>Required for both MoistureShield™ and MoistureTek™</li> <li>Does not generate dust or other contaminants into the atmosphere</li> </ul>
<b>MoistureShield™</b> Applied moisture barrier 256VS	All	up to 99% RH or greater, ≤12 MVER, ≤12 pH	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Spray-on solution that provides a permanent breathable membrane just below the surface of the concrete</li> <li>Dries in 2-3 hours</li> </ul>
<b>MoistureTek™</b> Applied moisture barrier 231DE	All	up to 100% RH, >12 MVER, >12pH	300-350 sq ft / 4-gal kit using a 1/8" x 1/8" x 1/8" V-notch squeegee	<ul style="list-style-type: none"> <li>2-part Epoxy</li> <li>Can be applied to concrete as early as 24 hours after a concrete pour</li> <li>Cures in 6-8 hours depending on ambient temperature and humidity</li> </ul>
<b>MRP™</b> Barrier primer that isolates contaminants 235DE	All	up to 99% RH, 14 MVER, 14 pH	600 sq ft / 4-gal using a 9" or 18" nap roller (1/4" - 3/8")	<ul style="list-style-type: none"> <li>Permanent 2-part, water-based epoxy primer</li> <li>Can be installed over chemically abated floors</li> <li>Apply to concrete, metal, wood, fibreglass or terrazzo</li> <li>Only one coat needed in most installations</li> </ul>



Transitions & Trims

	 Flush Reducer	 Flush Stairnose	 Overlap Reducer	 Overlap Stairnose	 Quarter Round	 T-Mold	 Threshold
<b>Authenticity CA326</b>	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12
<b>Bespoke CA350</b>	CRH12	CSH12	n/a	n/a	CAQTR	CATMH	CCH12
<b>Camaret 203UV</b>	O3W38	n/a	n/a	O3W73	O3W07	O4W19	O2W74
<b>Distinctive CA334</b>	CRW38	CSW38	CORW8	COS28	CAQTR	CATMW	CCW38
<b>Handcrafted CA364</b>	CRD58	CSD58	CORD5	COSD5	CAQTR	CTM58	CTDH5
<b>Kinship CA361</b>	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12
<b>Refined CA308</b>	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12
<b>Resurgence CA286</b>	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12

Underlayment

Name / Description	Approved Products	Installation	Benefits	Features
<p><b>Silent Step™ Ultra</b> Silent Step™ Ultra is a superior performance acoustical flooring underlayment with unsurpassed sound absorption properties for use with laminate and hardwood floating flooring LCSSU</p>	Engineered Hardwood	Float with T&G adhesive	Sound Absorption and Moisture Resistance	<ul style="list-style-type: none"> <li>High density 100% closed cell polyolefin foam core</li> <li>Attached 4 mil polyethylene moisture barrier for superior subfloor moisture resistance</li> <li>Seam overlap protection with peel and stick adhesive strip eliminating the need to tape seams when installing over concrete</li> <li>Excellent resilience and resistance to tears and punctures</li> <li>Does not absorb or trap and hold subfloor moisture</li> <li>Mold and mildew resistant</li> </ul>
<p><b>Natural Cork</b> Some of the most effective sound control and crack suppression underlayment used under hard surface floors 213DE</p>	Engineered Hardwood	Direct Glue	Sound Suppression	<ul style="list-style-type: none"> <li>Excellent sound suppression</li> <li>Resists mold and mildew</li> <li>Decreases step sound in rooms</li> </ul>

Adhesives + Epoxy








Name / Description	Approved Products	Moisture Limit	Spread Rate
<p><b>2000 S</b> Standard 147CA *only applies to products Innate Stria, Innate Tile and In Tandem Tile</p>	Bio-Based Polyurethane Tile	Up to 85% RH	approx. 75 – 210 sq. ft./pail (1 gal.) 7– 9 m <sup>2</sup> /pail (1 gal.) approx. 225 – 630 sq. ft./pail (3 gal.) 20 – 58 m <sup>2</sup> /pail (3 gal.)
<p><b>LokWorx Resilient Adhesive</b> Standard 180CA 1 gal 179CA 4 gal</p>	LVT, Sheet, Bio-Based Polyurethane Sheet	Up to 95% RH	175-225 ft <sup>2</sup> /gal
<p><b>LokWorx+ Resilient Adhesive</b> Premium 163CA 1 gal 164CA 4 gal</p>	LVT, Sheet, Bio-Based Polyurethane Sheet	Up to 99% RH	175-225 ft <sup>2</sup> /gal
<p><b>S150</b> Spray Adhesive 067VS</p>	LVT, Sheet, Bio-Based Polyurethane Sheet	Up to 95% RH	1/16 V-notch trowel application will yield 18-20 yds per gallon
<p><b>Shaw 4151</b> High moisture, pressure sensitive adhesive 340VS</p>	LVT, Sheet Bio-Based Polyurethane Sheet, Blown Foam LVT	Up to 99% RH Up to 90% RH	<b>Resilient</b> 19-22 sq yds per gallon using 1/16 in x 1/32 in x 1/32 in U-notch
<p><b>LokSeam</b> Two-part clear polyester polyurethane LOKSE</p>	Product to Product: All	No moisture testing required	Up to 100 linear feet per cartridge for 2.5mm LVT / Up to 50 linear feet per cartridge for 5mm LVT
<p><b>3-in-1 Ultra</b> 185CM</p>	Rigid Mineral Core	90% (absent of hydrostatic pressure)	60-70 fe <sup>2</sup> /gal using 1/8" U-notch

Moisture Solutions







Name / Description	Approved Products	Moisture Limit	Spread Rate	Features
<p><b>Surface Prep EXT™</b> Concrete prep that creates a pristine concrete surface 255VS</p>	All	Perform moisture testing to determine appropriate product solution	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Concrete cleaner and heavy duty etching agent that neutralizes pH</li> <li>Spray-on solution that provides a less expensive alternative to grinding and/or bead blasting</li> <li>Required for both MoistureShield™ and MoistureTek™</li> <li>Does not generate dust or other contaminants into the atmosphere</li> </ul>
<p><b>MoistureShield™</b> Applied moisture barrier 256VS</p>	All	up to 99% RH or greater, ≤12 MVER, ≤12 pH	900 sq ft / 4-gal pail	<ul style="list-style-type: none"> <li>Spray-on solution that provides a permanent breathable membrane just below the surface of the concrete</li> <li>Dries in 2-3 hours</li> </ul>
<p><b>MoistureTek™</b> Applied moisture barrier 231DE</p>	All	up to 100% RH, >12 MVER, >12pH	300-350 sq ft / 4-gal kit using a 1/8" x 1/8" x 1/8" V-notch squeegee	<ul style="list-style-type: none"> <li>2-part Epoxy</li> <li>Can be applied to concrete as early as 24 hours after a concrete pour</li> <li>Cures in 6-8 hours depending on ambient temperature and humidity</li> </ul>
<p><b>MRP™</b> Barrier primer that isolates contaminants 235DE</p>	All	up to 99% RH, 14 MVER, 14 pH	600 sq ft / 4-gal using a 9" or 18" nap roller (1/4" - 3/8")	<ul style="list-style-type: none"> <li>Permanent 2-part, water-based epoxy primer</li> <li>Can be installed over chemically abated floors</li> <li>Apply to concrete, metal, wood, fiberglass or terrazzo</li> <li>Only one coat needed in most installations</li> </ul>










Product Specific Transitions\* & Trims

	 Quarter Round	 OmniTrim™	 Overlap Stairnose	 Baby Threshold	 Reducer	 Flush Stairnose	 T-mold
<b>Composed</b>	01X46	n/a	01X95	01X20	01X70	02W17	02X62
<b>Concrete</b>	01X46	n/a	01X95	01X20	01X70	02W17	02X62
<b>Defined</b>	01V45	n/a	01V94	01V18	01V69	02W16	02W61
<b>Stratum 500</b>	01W27	n/a	01W78	01W02	01W54	02W01	02W24
<b>Stratum 700</b>	01W31	n/a	01W80	01W06	01W56	02W06	02W28
<b>Stratum Eiris</b>	01W40	n/a	01W90	01W14	01W65	02W13	02W57
<b>Stratum Linear</b>	01V39	n/a	01V89	01V13	01V64	02W12	02V56
<b>Terrain/Reside</b>	SCQT1	SCUN1	SCSN1	n/a	n/a	n/a	n/a
<b>Terrain II**</b>	SCQT2**	SCUN2**	SCSN2**	n/a	n/a	n/a	n/a
<b>Stratum XL</b>	01W29	n/a	01X78	01W04	01X54	02W04	02W26
<b>Repose</b>	225DE	n/a	229DE	227DE	228DE	230DE	226DE
<b>Respite</b>	257VS	n/a	262VS	260VS	261VS	263VS	258VS


\*\*only available in select colors in the Terrain II collection

	 Quarter Round	 T-Molding	 Multi-Reducer	 Flush Stairnose	 Baby Threshold	 Overlap Stairnose
<b>Quiet Cover</b>	350VS	349VS	348VS	n/a	n/a	347VS
<b>Solitude</b>	350VS	349VS	348VS	n/a	380VS	347VS
<b>Branching Out</b>	375VS	376VS	378VS	379VS	377VS	

Universal Transitions\*

	 Pinless Metal Track*	 Tile-Carpet Reducer 1/8 in	 Carpet Reducer 5/16 in	 Snap-Down T-Molding 1 1/8 in	 Resilient Carpet Reducer	 Snap-Down T-Molding 2 in	 Wedge*
<b>Style Number</b>	142VS	143VS	144VS	145VS	146VS	147VS	266VS

Available colours for universal transitions:




\*Colours not available for Pinless Metal Track or Wedge

\*Adhere resilient transitions with contact cement or transition tape available through flooring supply locations.

Micro Transitions\*


Style Name	Style Number	Usage
<b>Finish 0.22 in</b>	269VS	Transitions any 2.5 mm or 3 mm LVT to carpet between 0.20-0.229 in in height
<b>Finish 0.25 in</b>	268VS	Transitions any 2.5 mm or 3 mm LVT to carpet between 0.23-0.274 in in height
<b>Finish 0.28 in</b>	267VS	Transitions any 2.5 mm or 3 mm LVT to carpet between 0.274-0.349 in in height

Available colours for micro transitions:




TrimMaster™


**Reducer:** ADA compliant - Transitions to lower surface flooring



**Square Cap:** Transitions to carpet or similar height surface



**T-Mold:** Transitions to similar height flooring. Both sides tape down independently



\*Adhere Micro Transitions with Shaw Contract transition tape or other transition tape available through flooring supply locations.



TrimMaster™



Dark Bronze Satin Nickel Satin Silver

Style Name	Colour Name	Style Number
TrimMaster™ LVT Square 8mm	Satin Silver	119CA
TrimMaster™ LVT Square 8mm	Satin Nickel	120CA
TrimMaster™ LVT Square 8mm	Dark Bronze	121CA
TrimMaster™ LVT Reducer 8mm	Satin Silver	122CA
TrimMaster™ LVT Reducer 8mm	Satin Nickel	123CA
TrimMaster™ LVT Reducer 8mm	Dark Bronze	124CA
TrimMaster™ LVT T-Shape 8mm	Satin Silver	125CA
TrimMaster™ LVT T-Shape 8mm	Satin Nickel	126CA
TrimMaster™ LVT T-Shape 8mm	Dark Bronze	127CA
TrimMaster™ LVT Square 5.5mm	Satin Silver	128CA
TrimMaster™ LVT Square 5.5mm	Satin Nickel	129CA
TrimMaster™ LVT Square 5.5mm	Dark Bronze	130CA
TrimMaster™ LVT Reducer 5.5mm	Satin Silver	131CA
TrimMaster™ LVT Reducer 5.5mm	Satin Nickel	132CA
TrimMaster™ LVT Reducer 5.5mm	Dark Bronze	133CA
TrimMaster™ LVT T-Shape 5.5mm	Satin Silver	134CA
TrimMaster™ LVT T-Shape 5.5mm	Satin Nickel	135CA
TrimMaster™ LVT T-Shape 5.5mm	Dark Bronze	136CA
TrimMaster™ LVT Square 3.5mm	Satin Silver	137CA
TrimMaster™ LVT Square 3.5mm	Satin Nickel	138CA
TrimMaster™ LVT Square 3.5mm	Dark Bronze	139CA
TrimMaster™ LVT Reducer 3.5mm	Satin Silver	140CA
TrimMaster™ LVT Reducer 3.5mm	Satin Nickel	141CA
TrimMaster™ LVT Reducer 3.5mm	Dark Bronze	142CA
TrimMaster™ LVT T-Shape 3.5mm	Satin Silver	143CA
TrimMaster™ LVT T-Shape 3.5mm	Satin Nickel	144CA
TrimMaster™ LVT T-Shape 3.5mm	Dark Bronze	145CA

Underlayment

Name / Description	Approved Products	Installation	Benefits	Features
<b>Hush II</b> Sound absorbing, environmentally friendly acoustical flooring underlayment designed for use with luxury vinyl tile/plank. 071VS	LVT, Bio-Based Polyurethane Tile	Double Glue Direct Glue	Sound Reduction	<ul style="list-style-type: none"> <li>Blend of cork and recycled EVA foam granules</li> <li>Excellent sound suppression</li> <li>Resists mold and mildew</li> <li>Decreases step sound in rooms</li> <li>Suitable over concrete, wood, gypsum subfloors and radiant heat flooring</li> <li>Contains 85%+ pre-consumer recycled material by weight</li> </ul>
<b>GroundWorks</b> A noise reduction underlayment that was engineered to reduce sound transmission within multi-level structures. Ideal for use with luxury vinyl plank. 087VS	LVT, Bio-Based Polyurethane Tile	Double Glue Direct Glue	Sound Reduction	<ul style="list-style-type: none"> <li>Excellent sound suppression</li> <li>Resists mold and mildew</li> <li>Decreases step sound in rooms</li> </ul>

Weld Rods

Style Name	Style Number	Construction	Length	Products to be Used with
Weld Rod	353VS	PVC	180'	Basstones™ 0301V Constant 0512V Naturelife™ Wood 0002V Reed 0797V Roji 0798V Tatami 0796V Vitality 0873V
Bio-Based Weld Rod	270VS	PVC-free	197'	In Tandem 0896V Innate Linen Sheet 4366V Innate Sheet 4219V
Rexcourt Weld Rod	021VS	PVC	330'	Rexcourt™ 0004V
Weld Rod	184CA	PVC	320'	Vitality Hues Vitality Tones


For matching colour information please refer to the product page.



## Colour and Visual Variations

Colour and visual variation is inherent in all modular resilient and hardwood products. It can vary slightly or significantly from piece to piece within a colour. V1 has little or no variation from piece to piece. V4 will have a large variation in colour and visual. For more information on product variation and to view swatch installations go to [shawcontract.com](http://shawcontract.com).

### V1 Uniform Appearance




### V2 Slight Variation



### V3 Moderate Variation




### V4 Substantial Variation



Variations are listed on product pages under the colour numbers.

## Raised Round


## Stair Treads



00066 Night


### Product Specifications

<b>Style Number</b>	246VS (4 ft)   247VS (6 ft)
<b>Construction</b>	Thermoplastic Rubber
<b>Gauge</b>	1/8 in (3.175 mm)   1/8 in (3.175 mm)
<b>Size</b>	4 ft   6 ft



## Raised Round Luminous


## Stair Treads



00066 Night

### Product Specifications

<b>Style Number</b>	252VS (4 ft)   253VS (6 ft)
<b>Construction</b>	Thermoplastic Rubber
<b>Gauge</b>	1/8 in (3.175 mm)   1/8 in (3.175 mm)
<b>Size</b>	4 ft   6 ft







00066 White

**Product Specifications**

**Style Number** 167CA (4" Cove Length) | 168CA (4" Cove Roll) | 169CA (4" Straight Length) | 170CA (4" Straight Roll) | 175CA (4.5" Cove Length) | 173CA (6" Cove Length) | 174CA (6" Cove Roll)

**Construction** Thermoplastic Rubber

**Gauge** 1/8 in

**Warranty** 5 years


**Indoor Air Quality** FloorScore® certified

**Recommended Adhesives** Wall Base Adhesive 141VS | Tube 166VS | 1 gallon

**Packaging** 167CA (Length) | 168CA (Roll/Coil) | 169CA (Length) | 170CA (Roll/Coil) | 171CA (Stick) | 175CA (Length) | 172CA (Roll/Coil) | 173CA (Length) | 174CA (Roll/Coil)

\*In Stock Colour Options will ship in 2 business days  
 \*Quick Ship Colour Options will ship in 10 business days

**Quick Ship Colour Options**



**In Stock Colour Options**



**Made to Order Colour Options**









00001 Black



**Product Specifications**

**Style Number** 176CA (Length) | 177CA (Roll)  
**Construction** Thermoplastic Rubber  
**Gauge** 1/8 in  
**Warranty** 5 years  
**Indoor Air Quality** FloorScore® certified  
**Recommended Adhesives** Wall Base Adhesive  
 141VS | Tube  
 166VS | 1 gallon  
**Packaging** 176CA (Roll/Coil) | 177CA (Length)





**Product Specifications**

**Style Number** 150VS  
**Construction** Thermoplastic Rubber  
**Gauge** 1/4 in  
**Size** 4.5 in x 96 in  
**Adhesive** Wall Base Adhesive  
 141VS | Tube  
 166VS | 1 gallon




**Product Specifications**

**Style Number** 149VS  
**Construction** Thermoplastic Rubber  
**Gauge** 1/4 in  
**Size** 4.5 in x 96 in  
**Adhesive** Wall Base Adhesive  
 141VS | Tube  
 166VS | 1 gallon



**Product Specifications**

**Style Number** 151VS  
**Construction** Thermoplastic Rubber  
**Gauge** 3/4 in  
**Size** 0.75 in x 96 in  
**Adhesive** Wall Base Adhesive  
 141VS | Tube  
 166VS | 1 gallon








00403 Ink

**Product Specifications**

<b>Style Number</b>	60751
<b>Construction</b>	Needlebond
<b>Pattern</b>	Single Rib
<b>Fibre</b>	50% Olefin / 50% PET Polyester
<b>Dye Method</b>	100% Solution Dyed
<b>Secondary Backing</b>	SBR Latex
<b>Total Weight</b>	30 oz/ly
<b>Roll Size</b>	72.0 ft x 54.0 in



Designed for high traffic/high use networked environments to minimize nuisance static and to provide additional protection against static damage.

**Level 1- General Office Use**

- kV rating < 2.0kV | not grounded | conductive, 15% coverage
- Waiting rooms, conference rooms, offices, lobbies, common areas
- Uses Fibersmart™ technology



Morning Meeting

**Product Specifications**

<b>Fibre</b>	EcoSolution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Tufted Weight</b>	16 oz. 542.49 g/m <sup>2</sup>
<b>Gauge</b>	1/12 47.2/10 cm
<b>Average Density</b>	5035 ozs./yd <sup>3</sup>
<b>Product Size</b>	24 in x 24 in 61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®
<b>Recommended installation</b>	Monolithic, Quarter Turn, Random, Ashlar, Brick



**Matching Carpet Tile**  
Tangle Tile\*

\*Product does not contain Fibersmart™ Technology






Brainstorm

**Product Specifications**

<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	16 oz.	542.5 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	4923 ozs./yd <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended installation</b>	Monolithic, Quarter Turn, Random, Ashlar, Brick	



Brainstorm    Open Forum    Task Force    Teamwork    Think Tank    Thought Leader

**Matching Carpet Tile**  
Tempt Tile\*


\*Product does not contain Fibersmart™ Technology



On the Road

**Product Specifications**

<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Dye Method</b>	98% Solution Dyed / 2% Yarn Dyed	
<b>Tufted Weight</b>	17 oz.	576.4 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	5829 ozs./yd <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	EcoWorx®	
<b>Recommended installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



High Rise    Home Office    Corner Office    On The Road    Coffee Shop    Downtown

**Matching Carpet Tile**  
Embark Tile\*

\*Product does not contain Fibersmart™ Technology

Designed for use in technology rich environments where interruptions in computer or electronic equipment performance caused by electrostatic discharge cannot be tolerated.

**Level 2 – Technology Rich Environments**


- kV rating < 1.0kV | grounded | conductive, 33% coverage
- Broadcast and media, network operations centers, and computer server/data centers
- Contains continuous conductive staticsmart Fibrelink™ monofilament



Wigglesworth

**Product Specifications**

<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Conductive Fibre Technology</b>	StaticSmart Fibrelink™ Monofilament	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/12	47.2/10 cm
<b>Average Density</b>	7104 ozs./yd <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	Conductive EcoWorx®	
<b>Recommended installation</b>	Monolithic, Quarter Turn, Ashlar, Brick	



Wigglesworth    Wheatley    Hemingway    Smith    Faulkner    O'neil

**Matching Tile**  
Transparent Tile\*

\*Product does not contain conductive properties





**Product Specifications**

<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Conductive Fibre Technology</b>	StaticSmart Fibrelink™ Monofilament	
<b>Dye Method</b>	Solution Dyed	
<b>Tufted Weight</b>	22 oz.	745.9 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6637 ozs./yd <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	Conductive EcoWorx®	
<b>Recommended installation</b>	Monolithic	



Golden Mocha


**Matching Tile**  
Peto II 26 Tile\*

\*Product does not contain conductive properties

Designed with maximum static protection for electronics manufacturing environments and anywhere where 24/7 operational readiness, public safety, and security are at stake.

**Level 3 – Mission Critical Environments**


- kV rating < .4kV | grounded | conductive, 100% coverage
- Public safety/ e-9-1-1/emergency operations, air traffic control, and electronics manufacturing/R&D
- Contains continuous conductive staticsmart Fibrelink™ monofilament in every tuft



Roosevelt

**Product Specifications**


<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Conductive Fibre Technology</b>	Continuous Conductive StaticSmart Fibrelink™ Monofilament in Every Tuft	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	22 oz.	746 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	6754 ozs./yd <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	Conductive EcoWorx®	
<b>Recommended installation</b>	Quarter Turn, Ashlar	



**Matching Tile**  
Reperte Tile\*

\*Product does not contain conductive properties






Houston

**Product Specifications**

<b>Fibre</b>	EcoSolution Q® Nylon	
<b>Conductive Fibre Technology</b>	Continuous Conductive StaticSmart Fibrelink™	
	Monofilament in Every Tuft	
<b>Dye Method</b>	100% Solution Dyed	
<b>Tufted Weight</b>	24 oz.	813.7 g/m <sup>2</sup>
<b>Gauge</b>	1/10	39.4/10 cm
<b>Average Density</b>	7642 ozs./yd <sup>3</sup>	
<b>Product Size</b>	24 in x 24 in	61 cm x 61 cm
<b>Secondary Backing</b>	Conductive EcoWorx®	
<b>Recommended installation</b>	Monolithic	



Houston    Crockett    Columbus Blue    Carson    Livingstone    Shackelton Grey

Galileo    Magellan

**Coordinating Products**  
Peto II 26 Tile\*

\*Product does not contain conductive properties

INDEX



We've got you covered. With more than 300 high-performance and sustainable products on the GSA schedule, we offer solutions to meet all of your requirements for carpet, and resilient installations.



## Carpet Tile

- Absorbed Tile 130, 131, 239
- Achromatic Tile 53, 240
- Advance Tile 22, 23, 241
- Agate Tile 209, 241
- Align Tile 169, 242
- Allure Tile 244
- Analog Tile 27, 244
- Applied Tile 131, 245
- Arrange Tile 182,183, 246
- Array Tile 182,183, 246
- Artisan Tile 79, 247
- Augment Tile 222, 223, 247
- Aware Tile 69, 248
- Aware Tile EcoLogix 248
- Balance Tile 244
- Basic Tile 190, 191, 250
- Belong Tile 129, 252
- Bevel Hexagon Tile 114, 252
- Bias Tile 160, 161, 253
- Blend Tile 250
- Block Print Tile 251
- Blox Tile 251
- Byline Tile 256
- Captivate Tile 257
- Catalyst Tile 143, 257
- Central Line Tile 164, 258
- Centric Tile 191, 259
- Charisma Tile 260
- Check Tile 193, 260
- City Central Tile 165, 262
- Clear Tile 47, 262
- Clearing Tile 181,263
- Cloth Tile 178, 262
- Color Form Tile 26, 54, 55, 267
- Color Frame Tile 54, 55 268
- Color Play Tile 269
- Commons Tile 40, 41, 270
- Companion Tile 122, 123, 270
- Connect Tile 271
- Conscious Tile 271
- Constellation Tile 272
- Construct Tile 77, 272
- Convene Tile 32, 33, 273, 274
- Copy EW24 Tile 271
- Correspond Tile 122, 275
- Current Tile 125, 276
- Curve Tile 119, 277
- Dash Tile 23, 277
- Diagonal Tile 118, 119, 278
- Diffuse Tile 82, 83, 278, 279, 280
- Diffuse Tile EcoLogix 276
- Diffuse Tile EcoLogix ES 276
- Direction Tile 218, 219, 281
- Disperse Tile 83, 282, 283, 284
- Distort Tile 26, 27, 284
- Dream Tile 129, 286
- Drift Tile 162, 286
- Dune Tile 124, 125, 287
- Dwelling Tile 113, 287
- Embark Tile 136, 137, 290
- Emotion Tile 286
- Enclave Tile 181, 291
- Endless Tile 134,135, 291
- Engage Tile 138, 139, 292
- Entrée Tile 293
- Entwine Tile 29, 293
- Establish Tile 32, 33, 294
- Expand Tile 290
- Familiar Tile 112, 297
- Field Tile 226, 227, 294
- Focus Tile 295
- Folded Edge Tile 296
- Folded Tile 296
- Foundation Tile 96,97, 300
- Fringe Tile 136, 137, 301
- Glaze Tile 47, 301
- Glimmer Tile 302
- Glitch Tile 27, 302
- Glitz Tile 99, 300
- Gradient Tile 179, 304
- Haze Tile 137, 307
- Heddle Tile 59, 308
- Honest Tile 113, 128, 210, 309
- Horizontal Edge Tile
- Houndstooth Tile 193, 309
- Hybrid Tile 142, 310
- Hype Tile 222, 223, 311
- Identity Tile 113, 311
- Impression I 120, 313
- Impression II 120, 313
- Impression III 121, 314
- Impression IV 121, 314
- Imprint Tile 311



Infinite Tile 316  
 Intention Tile 68, 317  
 Intention Tile EcoLogix  
 Intrigue Tile 318  
 Jacquard Tile 193, 319  
 Jasper Tile 209, 320  
 Kasuri Tile 160, 161, 321  
 Kinetic Tile 321  
 Kit Tile 318  
 Kusa Tile 203, 322  
 Landing Edge Tile 180, 181, 323  
 Landing Tile 181, 324  
 Linage Tile 322  
 Linear Hexagon Tile 115, 325  
 Linear Shift Tile 115, 325  
 Makerspace Tile 41, 327  
 Manipulate Tile 26, 27, 327  
 Memory Tile 128, 129, 328  
 Merge Tile 159, 328  
 Mesh Tile 161, 329  
 Mica Tile 208, 209, 329  
 Minimal Tile 158, 159, 330  
 Mirror Image Tile 328  
 Momentum IV Tile 330  
 Nest Tile 113, 331  
 Observe Color Tile 132, 133, 134, 135, 331  
 Observe Tile 134, 135, 331  
 Offset Tile 183, 332  
 Partner Tile 123, 334  
 Path Tile 334

Peto II Tile 20oz 334  
 Peto II Tile 26oz 334  
 Plain Weave Tile 78, 337  
 Plains Tile 180, 181, 337  
 Plane Hexagon 63, 114, 115, 338  
 Point Tile 119, 339  
 Portal Tile 339  
 Present Tile 69, 342  
 Present Tile EcoLogix 342  
 Primary Tile 190, 191, 343  
 Quad Tile 40, 41, 345  
 Quartz Tile 208, 209, 345  
 Radiance Tile 99, 346  
 Realm Tile 221, 346  
 Respond Color Tile 349  
 Respond Tile 135, 349  
 Resurface Tile 96, 97, 350  
 Reverse Tile 218, 219, 220, 351  
 Rotate Tile 76, 352  
 Scape Tile 220, 221, 353  
 Sculpt Loop Tile 352  
 Sculpt Tile 168, 353  
 Sea Edge Tile 164, 354  
 Sea Tile 164, 355  
 Shape Tile 219, 356  
 Shelter Tile 113, 128, 356  
 Shine Tile 357  
 Sketch Tile 358

Square Tile 118, 119, 361  
 Structure Tile 182, 183, 364  
 Support Tile 33, 365  
 Surround Tile 191, 366  
 Tangle Tile 368  
 Technique Tile 366  
 Tempt Tile 369  
 Textile Tile 192, 369  
 Think Tile 138, 370  
 Tinge Tile 217, 370  
 Trace Tile 169, 371  
 Track Tile 22, 23, 371  
 Transform Color Tile 132, 133, 134, 135, 372  
 Transform Tile 135, 372  
 Transparent Tile 46, 373  
 Tru Colours Tile 374  
 Turn Tile 23, 375  
 Undertone Tile 217, 376  
 Value Tile 377  
 Vapor Tile 137, 378  
 Vast Tile 378  
 Veil Tile 379  
 Vertical Edge Tile 158, 159, 379  
 Vibrant Tile 130, 131, 380  
 Visible Tile 131, 380  
 Vista Tile 181, 381  
 Wander Tile 136, 137, 381

Reminisce 129, 430  
 Scepter II 433, 434  
 Scribe Classicbac 110, 435  
 Stay 129, 439  
 Stylus 111, 441  
 Switch 219, 442  
 Tint 179, 445  
 Tone 178, 446  
 Transfer 219, 446

## Broadloom

3 Square Ultraloc  
 Accord 183, 388  
 Amend 183, 389  
 Associate Ultraloc 391  
 Constellation Ultraloc 398  
 Conte' 110, 398  
 Design Series V30 401  
 Design Series V 36 401  
 Erase 111, 407

Field Trip Ultraloc 409  
 Glow 98, 410  
 Gradient 411  
 Inlay 161, 416  
 Interplay 416  
 Modify 219, 422  
 Natural Selection 29, 425  
 Peto II 427, 428  
 Profile EPBL 187, 432

## Resilient

Abide LVT 20, 21, 466  
 Adventure Sheet 455  
 Basstones Sheet 456  
 Cast LVT 60, 61, 470  
 Compound LVT 60, 61, 122, 472  
 Cove LVT 211, 473  
 Cover Rigid Core 66, 67, 474  
 Crete LVT 474  
 Emerge LVT 155, 476  
 Envelop Rigid Core 66, 67, 477  
 Grain LVT 106, 107, 478, 479  
 In Tandem Sheet 116, 117, 457  
 In Tandem BPT 116, 117, 479  
 Inhabit Sheet 21, 457, 458  
 Inlet LVT 136, 220, 480  
 Innate BPT 116, 117, 481  
 Innate Sheet 116, 117, 458  
 Inspire LVT 138, 139, 482  
 Joy Squared LVT 126, 127, 484  
 Native Origins LVT 486  
 Naturelife Wood II Sheet 459, 460  
 Quiet Cover LVT 220, 489  
 Reed Sheet 203, 460  
 ReFrame LVT 166, 490

## Adhesive

LokDots 519  
 LokWorx 519

## Moisture Solutions

MoistureShield™ 519, 522-523, 525  
 MoistureTEK™ 519, 522-523, 525  
 Surface Prep EXT™ 519, 522-523, 525

## Accessories

Luminous Stair Tread 4' 529  
 Luminous Stair Tread 6' 529  
 Standard Stair Tread 4' 529  
 Standard Stair Tread 6' 529



# Carpet Tile & Broadloom

Above Tile 45, 239  
Absorbed Tile 130, 131, 239  
Accord 183, 388  
Achromatic Tile 53, 240  
Adage EcoWorx Tile 72, 240  
Adage Ultraloc 74, 388  
Advance Tile 22, 23, 241  
Agate Tile 209, 241  
Alchemy Tile 152, 153, 242  
Align Tile 169, 242  
All Together 50, 243  
Allure Tile 244  
Alongside 50, 243  
Amend 183, 389  
Analog Tile 27, 244  
Applied Tile 131, 245  
Archway 175, 389  
Arrange Tile 182, 183, 246  
Array Tile 182, 183, 246  
Artisan Loom 79, 390  
Artisan Tile 79, 247  
Artist Palette 390  
Atlas 391  
Augment Tile 222, 223, 247  
Aware 69, 248  
Back Weave Tile 57, 248  
Balcony Tile 42, 249  
Basalt II Tile 229, 2495  
Base Metal 154, 391  
Base Tile 62, 63, 250  
Basic Tile 191, 250  
Batik 103, 392  
Batik Tile 103, 251  
Belief Tile 73, 251  
Belief Ultraloc 74, 393  
Bellcourt 392  
Belong Tile 129, 252  
Below 45, 393  
Bevel Hexagon Tile 114, 252  
Beyond 156, 394  
Beyond Tile 156, 253  
Bias Tile 160, 161, 253  
Birch 165, 394  
Bisect Tile 100, 254  
Bon Jour II 395  
Bon Jour II Tile 254  
Botan 203, 395  
Botan Tile 203, 255  
Boundless Tile 133, 255  
Byline Tile 256  
Calm Tile 150, 256  
Captivate Tile 257  
Carrara 396  
Cascade 155, 396  
Catalyst Tile 143, 257  
Centered Tile 151, 258  
Central Line Tile 164, 258  
Centric Tile 191, 259  
Chalet Tile 30, 259  
Charisma Tile 260  
Check Tile 193, 260  
Chisel 232, 261  
Chok Loom 79, 397  
Chromatone Tile 52, 261  
City Central Tile 165, 262  
Clear Tile 47, 262  
Clearing Tile 181, 263  
Colca 234, 397  
Collective I Tile 51, 264  
Collective II Tile 51, 264  
Collective III Tile 51, 265  
Collective IV Tile 51, 265  
Collective V Tile 51, 266  
Color Form Tile 26, 54, 55, 267  
Color Frame Tile 54, 55, 268

Color Play Tile 269  
Color Shift Hexagon Tile 62, 63, 269  
Commons Tile 40, 41, 270  
Companion Tile 122, 123, 270  
Connect Tile 271  
Conscious Tile 271  
Constellation 398  
Constellation Tile 272  
Construct Tile 77, 272  
Contact Hexagon Tile 62, 63, 273  
Conte' 110, 398  
Contour 169, 399  
Convene Tile 32, 33, 273, 274  
Copy Tile 77, 274  
Core 29, 399  
Correspond Tile 122, 275  
Cranford 400  
Create Tile 163, 275  
Curiosity Tile 177, 276  
Current Tile 125, 276  
Curve Tile 119, 277  
Dash Tile 23, 277  
Design Series V 401, 402  
Diagonal Tile 118, 119, 278  
Diamonds 234, 403  
Diffuse Tile 82, 83, 279, 280  
Diffuse Color Tile 82, 83, 278, 279  
Diffuse StrataWorx Tile 82, 83, 280  
Dimension 169, 403  
Direction Tile 218, 219, 281  
Discover Tile 157, 281  
Discussion Tile 177, 282  
Disperse Tile 83, 283, 284  
Disperse Color Tile 82, 83, 282, 283  
Distort Tile 26, 27, 284  
Divvy Tile 24, 285  
Dots 404

## Carpet Tile & Broadloom

Downtime Tile 90, 285  
Dream Tile 129, 286  
Drift Tile 162, 286  
Drip 404  
Dune Tile 124, 125, 287  
Dwelling Tile 113, 287  
Dye Lab Tile 86, 87, 288  
Earth Tone Tile 29, 289  
Ease Tile 196, 289  
Eclectic 143, 405  
Edition 145, 405  
Effect 161, 406  
Elevate Tile 43, 290  
Embark Tile 136, 137, 290  
Embrace 58, 406  
Enclave Tile 181, 291  
Endless Tile 134, 135, 291  
Energize Tile 89, 292  
Engage Tile 138, 139, 292  
Entrée Tile 293  
Entwine Tile 29, 293  
Erase 111, 407  
Escape 157, 407  
Essential 408  
Establish Tile 32, 33, 294  
Exchange Tile 56, 294  
Expanse Tile 157, 295  
Explore Tile 163, 295  
Expose Tile 217, 296  
Face to Face Tile 80, 81, 296  
Familiar Tile 112, 297  
Fault 54, 408  
Fault Lines II Tile 228, 229, 297  
Felted 34, 35, 298  
Field Tile 220, 221, 298  
Fine Point Tile 108, 109, 299  
Flame 235, 409  
Flat Weave Tile 59, 299  
Form Tile 153, 300  
Fossil 410  
Foundation Tile 96, 97, 300  
Fringe Tile 136, 137, 301  
Glaze Tile 47, 301  
Glimmer Tile 302  
Glitch Tile 27, 302  
Glitz Tile 99, 303  
Glow 98, 410  
Gradation Tile 104, 105, 303  
Gradient 179, 411  
Gradient Tile 179, 304  
Gravel II Tile 228, 229, 305  
Grit 232, 305  
Ground 45, 412  
Grounded 29, 412  
Grove 165, 413  
Habitat Tile 44, 306  
Hana Tile 203, 306  
Hand in Hand Tile 49, 307  
Haze Tile 137, 307  
Heddle Tile 59, 308  
Heritage 174, 414  
Honed Tile 152, 153, 308  
Honest Tile 113, 128, 210, 309  
Houndstooth Tile 192, 309  
Hub Tile 91, 310  
Hybrid Tile 148, 310  
Hype Tile 222, 223, 311  
Identity Tile 113, 311  
Ikat 102, 414  
Ikat Tile 312  
Imagery 415  
Impact Tile 139, 312  
Impression I 120, 313  
Impression II 120, 313  
Impression III 121, 314  
Impression IV 121, 314  
Imprint Tile 315  
In Common Tile 49, 315  
In Tune 50, 319  
Infinite Tile 316  
Ingrain Tile 29, 316  
Inherit 145, 415

Inlay 161, 416  
Intent Tile 64, 317  
Intention Tile 68, 317  
Interlude Tile 196, 197, 318  
Interplay 416  
Intrigue Tile 318  
Intuition 38, 39, 417  
Jacquard Tile 193, 319  
Jasper Tile 209, 320  
Jive Tile 25, 320  
Join 417  
Kasuri Tile 160, 161, 321  
Kennebunk 418  
Kinetic Tile 321  
Kista 236, 418  
Knotted Tile 57, 322  
Kusa 209, 422  
Kusa Tile 203, 322  
Landform Tile 101, 323  
Landing Edge Tile 180, 181, 323  
Landing Tile 181, 324  
Layer 169, 419  
Layered 420  
Linage Tile 324  
Linear Shift Tile 115, 325  
Linear Tile 115, 325  
Linen 111, 423  
Linen Tile 103, 326  
Lineweight Tile 109, 326  
Makerspace Tile 40, 141, 327  
Manipulate Tile 26, 27, 327  
Meld 143, 421  
Memory Tile 128, 129, 328  
Merge Tile 159, 328  
Mesh Tile 161, 329  
Method 421  
Mica Tile 208, 209, 329  
Minimal Tile 158, 159, 330  
Modify 219, 422  
Momentum IV Tile 330  
Monolith 154, 422



Moral Ultraloc 75, 423  
 Moritz 423  
 Mosaic 424  
 Motif 175, 424  
 Movement 425  
 Natural Selection 29, 425  
 Nest Tile 113, 331  
 Notion Ultraloc 75, 426  
 Observe Color Tile 132, 133, 134, 135, 331  
 Observe Tile 134, 135, 332  
 Offset Tile 183, 332  
 Ornate Tile 144, 145, 333  
 Outline 169, 426  
 Pace Tile 25, 333  
 Partner Tile 123, 334  
 Path Tile 334  
 Pathway 427  
 Pavers II Tile 228, 229, 3354  
 Peto II 427, 428  
 Peto II Tile 334  
 Plain Weave Tile 178, 337  
 Plains Tile 180, 181, 337  
 Plane Hexagon Tile 63, 114, 115, 338  
 Pleat 428  
 Point Tile 119, 339  
 Portal Tile 339  
 Positive Tile 151, 340  
 Poured Tile 101, 340  
 Poured StrataWorx Tile 341  
 Practice Tile 177, 341  
 Present Tile 69, 342  
 Preserve Tile 43, 342  
 Primary Tile 190, 191, 343  
 Prime 429  
 Primitive Tile 96, 97, 343  
 Process Tile 58, 59, 344  
 Purpose Tile 85, 344  
 Quad Tile 40, 41, 345  
 Quartz Tile 208, 209, 345  
 Quest 39, 429  
 Radiance Tile 99, 346  
 Realm Tile 221, 346  
 Reflect Tile 162, 347  
 Refuge 31, 430  
 Relief Tile 216, 347  
 Reminisce 129, 430  
 Renew Tile 163, 348  
 Repartee Tile 348  
 Respond Color Tile 349  
 Respond Tile 135, 349  
 Resurface Tile 96, 97, 350  
 Rethread Tile 144, 145, 350  
 Retreat 31, 431  
 Reverse Tile 218, 219, 220, 351  
 Ribbons 431  
 Ridge Tile 101, 351  
 Rise 170, 171, 172, 173  
 Rotate Tile 76, 352  
 Sacred 432  
 Saturate Tile 53, 352  
 Scape Tile 220, 221, 353  
 Scepter II 433, 434  
 Scribe 110, 435  
 Sculpt Loop Tile 354  
 Sculpt Tile 168, 353  
 Sea Edge Tile 164, 354  
 Sea Tile 164, 355  
 Seek Tile 157, 355  
 Sentiment 435  
 Shale 234, 436  
 Shape Tile 219, 356  
 Share 58, 436  
 Shelter Tile 113, 128, 356  
 Shine Tile 357  
 Side by Side Tile 48, 357  
 Situation Tile 85, 358  
 Sketch Tile 358  
 Sky Tile 164, 359  
 Slab Tile 153, 359  
 Soleil De Mer 184, 185, 186, 187  
 Solid 437  
 Sophistication 39, 438

Source Tile 133, 360  
 Spark 233, 360  
 Spoken Tile 81, 361  
 Square Tile 118, 119, 361  
 Stacked Tile 101, 362  
 Stay 129, 439  
 Steppe Tile 101, 362  
 Stipple Tile 108, 109, 363  
 Stitched 34, 35, 363  
 Stone 235, 439  
 Stonework 232, 364  
 Strata 154, 440  
 Striation 440  
 Structure Tile 182, 183, 364  
 Stylus 111, 441  
 Subtext Tile 81, 365  
 Summit 165, 441  
 Support Tile 33, 365  
 Surround Tile 191, 366  
 Surround StrataWorx Tile 366  
 Suspend Tile 44, 367  
 Swerve 447  
 Swift Tile 25, 367  
 Switch 219, 442  
 Tangle Tile 368  
 Taper 443  
 Tapestry 103, 368  
 Tapestry Tile 111, 366  
 TeamWork 200, 201  
 Tempt Tile 369  
 Terra 449  
 Textile 193, 444  
 Textile Tile 192, 369  
 Think Tile 138, 370  
 Timber 28, 445  
 Tinge Tile 217, 370  
 Tint 179, 445  
 Tone 178, 446  
 Trace Tile 169, 371  
 Track Tile 22, 23, 371  
 Transfer 219, 446

Transform Color Tile 132, 134, 135, 372  
 Transform Tile 135, 372  
 Translate Tile 81, 373  
 Transparent Tile 373  
 Tru Colours Tile 374  
 Truism EcoWorx Tile 73, 375  
 Truism Ultraloc 75, 447  
 Turn Tile 23, 375  
 Uncover Tile 216, 376  
 Undertone Tile 217, 376  
 Upbeat Tile 149, 377  
 Value Tile 377  
 Vapor Tile 137, 378  
 Vast Tile 378  
 Veil Tile 379  
 Vertical Edge Tile 158, 159, 379  
 Vibrant Tile 130, 131, 380  
 Villa 448  
 Visible Tile 131, 380  
 Vista Tile 181, 381  
 Wander Tile 136, 137, 381  
 Waterfall 175, 448  
 Weathered Color Tile 43, 382  
 Weathered Tile 43, 382  
 Welcome II 454  
 Welcome II Tile 383  
 Wildwood Tile 44, 383  
 Written Tile 81, 384  
 Zeal 233, 384  
 Zest 233, 385  
 Zone Tile 163, 385B



# Hard Surface

## Resilient

Abide LVT 20, 21, 466  
Adventure Sheet 455  
Amalgam LVT 95, 466  
Artesian Sheet 455  
Basis LVT 141, 467  
Basstones Sheet 456  
Branching Out COREtec 36, 37, 468  
Branching Out LVT 36, 37, 469  
Cast LVT 60, 61, 470  
Coded LVT 81, 470  
Commingle LVT 213, 215, 471  
Composed COREtec 471  
Compound LVT 60, 61, 122, 472  
Concrete COREtec 473  
Cove LVT 211, 473  
Cover Rigid Core 66, 67, 474  
Crete LVT 474  
Cut LVT 103, 146, 475  
Defined COREtec 65, 475  
Eiris COREtec 65, 476  
Emerge LVT 155, 476  
Envelop Rigid Core 66, 67, 477  
Eon LVT 94, 95, 477  
Expression COREtec 58, 478  
Grain LVT 106, 107, 478, 479  
In Tandem Sheet 116, 117, 457  
In Tandem BPT 116, 117, 479  
Inclusive COREtec 56, 58, 480  
Inhabit Sheet 21, 457, 458  
Inlet LVT 128, 210, 480  
Inlet II 213, 215, 481  
Innate BPT 116, 117, 481  
Innate Sheet 116, 117, 458  
Innate Linen Sheet 116, 117, 459  
Innate Stria Tile 116, 117, 482  
Inspire LVT 138, 139, 482  
Intricate LVT 482

## Resilient & Engineered Hardwood

Jeogori LVT 483  
Joy Squared LVT 126, 127, 484  
Kind LVT 71, 485  
Linear COREtec 65, 485  
Mindset LVT 176, 177, 486  
Native Origins LVT 486  
Naturelife Wood II Sheet 459, 460  
Origin LVT 140, 487  
Pigment LVT 106, 107, 488  
Quiet Cover LVT 220, 489  
Reed Sheet 203, 460  
ReFrame LVT 166, 490  
Rendition Sheet 461  
Repose COREtec 490  
Reside LVT 491  
Respite COREtec 64, 492  
ReThink LVT 167, 492  
Rexcourt Sheet 461, 462  
Roji Sheet 203, 462  
Shear LVT 147, 493  
Solitude LVT 38, 188, 493  
Soundscape LVT 189, 494  
Strand LVT 194, 195, 494  
Stratum 500 COREtec 65, 495  
Stratum 700 COREtec 65, 495  
Stratum XL COREtec 65, 496  
Surface LVT 195, 496  
Tailored Woven LVT 198, 199, 497  
Tatami Sheet 203, 463  
Terrace LVT 202, 497  
Terrain LVT 498  
Terrain II LVT 204, 205, 500  
Terrain II Rigid Core 204, 205, 499  
Thoughtful LVT 70, 71, 501  
Type LVT 80, 501  
Uncommon Ground LVT 502  
Unveil LVT 223, 506  
Unison LVT 213, 214, 503  
Vitality Sheet 227, 463, 464  
Vitality Hues 225, 464, 465  
Vitality Tones 226, 465

## Index

## Engineered Hardwood

Authenticity 92, 507  
Bespoke 99, 510  
Distinctive 93, 508  
Handcrafted 93, 510  
Kinship 93, 511  
Refined 93, 512  
Resurgence 93, 192, 513



# Accessories

Adhesives, Broadloom 517  
Adhesives, Carpet Tile 519  
Adhesives, Engineered Hardwood 521  
Adhesives, Resilient 523  
Angle Profile 532  
Collaborators 536  
Colour and Visual Variations 528  
Cushions, Broadloom 518  
Cushions, Carpet Tile 520  
Daily Planner 535  
Detail Profile 533  
Discovery Eco 540  
Epoxy, Broadloom 517  
Epoxy, Carpet Tile 519  
Epoxy, Engineered Hardwood 521  
Epoxy, Resilient 523  
FinishWorx Wall Base 530, 531  
FinishWorx EcoWall Base 532  
GroundWorks 527  
Hush II 527  
Lan 4.0 538  
Lan 4.1 Colonial 537  
LokDots 519  
LokSeam 519  
LokWorx Adhesive Tabs 519  
Micro Transition I Finish 525  
Moisture Solutions, Broadloom 517  
Moisture Solutions, Carpet Tile 520  
Moisture Solutions, Engineered Hardwood 521  
Moisture Solutions, Resilient 523  
Presidential 539  
Quarter Round Profile 533  
Raised Round Stair Tread 529  
Raised Round Luminous Stair Tread 529

## Accessories

---

Transitions, Engineered Hardwood 522  
Transitions, Resilient 524, 525, 526  
TrimMaster 525, 526  
Trims, Engineered Hardwood 522  
Trims, Resilient 524  
Underlayment, Engineered Hardwood 522  
Underlayment, Resilient 527  
Universal Transitions, Resilient 524  
Weld Rods, Resilient 527  
Whisper 534  
Workspace 536





DESIGNTEX  
Product Name  
Color  
Material  
Texture

DESIGNTEX  
Product Name  
Color  
Material  
Texture

DESIGNTEX  
Product Name  
Color  
Material  
Texture

DESIGNTEX  
Product Name  
Color  
Material  
Texture

DESIGNTEX  
Product Name  
Color  
Material  
Texture





At the heart of Shaw Contract we create products and solutions that positively impact people and the planet.

**We are Design Optimists.**

**ShawContract®**