

FLOORING STANDARDS

Rise and Shine
City Scheme



ComfortTM
INN



Guestroom LVT | LVT-001A

Style	BS463
Color	63121
Construction	Commercial Luxury Vinyl Tile with Acoustic Backing
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5 mm
Nominal Dimensions	6 in × 48 in 15 cm × 122 cm
Actual Dimensions	6 in × 48 in 15.24 cm × 121.92 cm
Installation	Direct Glue*
Approved Install Method	Stagger
Area Per Box	20 sq ft 10 pcs per box
Warranty	15 Year Commercial Limited

For sample, order BS463 color 63121.

*No LVT underlayment required.



Guestroom Broadloom | CPT-001A

Style	BS444
Color	A8588
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd ² 1,085.01 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.33 per in 44.61 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	36 in × 36 in 91.44 cm × 91.44 cm
Backing	ClassicBac®
Installation	Stretch-In
Warranty	10 Year Commercial Limited



For sample, order BS444 color A8588.



Guestroom Broadloom + LVT | CPT-001A

Style	BS444
Color	A8588
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd ² 1,085.01 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.33 per in 44.61 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	36 in × 36 in 91.44 cm × 91.44 cm
Backing	ClassicBac®
Installation	Direct Glue*
Warranty	10 Year Commercial Limited

For sample, order BS444 color A8588.

*Use LokSeam for Transitionless LVT to Broadloom Applications.

*Carpet cushion required.



Guestroom Carpet Tile | CPT-002A

Style	BS451
Color	B0597
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1,017.2 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10 per in 39.37 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	EcoWorx® Tile
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited



For sample, order BS451 color B0597.



For sample, order BS451 color B0597.

Guestroom Carpet Tile + LVT | CPT-002A

Style	BS451
Color	B0597
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1,017.2 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10 per in 39.37 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	EcoWorx® Tile
Installation	Direct Glue*
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited


*No transitions needed.

City Scheme



Corridor Broadloom | CPT-010A


Style	BS445
Color	A6886
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd ² 1,220.64 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	13.67 per in 53.82 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72 in × 72 in 182.88 cm × 182.88 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited




For sample, order BS445 color A6886.

City Scheme


Corridor Broadloom





Corridor Carpet Tile | CPT-011A


Style	BS462
Color	B1374
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1,017.2 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.33 per in 44.61 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	EcoWorx® Tile
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited



For sample, order BS462 color B1374.

City Scheme

Corridor Carpet Tile



City Scheme




Inset Area Rug @ Lobby | CPT-020A

14'11" × 21'

Style	BS446
Color	A7867
Product Type	Area Rug
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd ² 1,220.64 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	14 per in 55.12 per 10 cm
Size	14 ft 11 in × 21 ft 4.55 m × 6.4 m
Pattern Repeat	180 in × 180 in 457.2 cm × 457.2 cm
Backing	ClassicBac®
Installation	Direct Glue*
Warranty	10 Year Commercial Limited

*Use LokSeam for Transitionless Inset Area Rug Applications.

*Carpet cushion required.



For sample, order BS446 color A7867.

Public Space LVT | LVT-002A

Style	BS464
Color	00775
Construction	Commercial Luxury Vinyl Tile
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5.0 mm
Nominal Dimensions	6 in × 48 in 15 cm × 122 cm
Actual Dimensions	5.96 in × 48 in 15.14 cm × 121.92 cm
Installation	Direct Glue
Approved Install Method	Stagger
Area Per Box	21.85 sq ft 11 pcs per box
Warranty	15 Year Commercial Limited



For sample, order BS464 color 00775.

City Scheme



BOH & Stairs Broadloom | CPT-021A

Style	BS444
Color	A8588
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd ² 1,085.01 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	11.33 per in 44.61 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	36 in × 36 in 91.44 cm × 91.44 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS444 color A8588.



BOH & Stairs Carpet Tile | CPT-022A

Style	BS451
Color	B0597
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd ² 1,017.2 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	10 per in 39.37 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	EcoWorx® Tile
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited

For sample, order BS451 color B0597.



Meeting Room New Construction | LVT-002A

Style	BS464
Color	00775
Construction	Commercial Luxury Vinyl Tile
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5.0 mm
Nominal Dimensions	6 in × 48 in 15 cm × 122 cm
Actual Dimensions	5.96 in × 48 in 15.14 cm × 121.92 cm
Installation	Direct Glue
Approved Install Method	Stagger
Area Per Box	21.85 sq ft 11 pcs per box
Warranty	15 Year Commercial Limited



For sample, order BS464 color 00775.



Meeting Room Renovation | CPT-023A

Style	BS446
Color	A7867
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd ² 1,220.64 g/m ²
Gauge	1/10 in 39.37 per 10 cm
Stitches	14 per in 55.12 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	180 in × 180 in 457.2 cm × 457.2 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited

For sample, order BS446 color A7867.

Additional Product Options

Guestroom Vinyl Base | RB-01

Style	BS468
Color	00740
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll Pieces Per Roll	120 1
Warranty	5 Year Commercial Limited



For sample, order BS468 color 00740.

Corridor Vinyl Base | RB-02

Style	BS469
Color	00510
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll Pieces Per Roll	120 1
Warranty	5 Year Commercial Limited



For sample, order BS469 color 00510.

Lobby Vinyl Base | RB-03

Style	BS470
Color	00710
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll Pieces Per Roll	120 1
Warranty	5 Year Commercial Limited



For sample, order BS470 color 00710.

Additional Product Options

Guestroom Broadloom Cushion | CPAD-001

Style	132FS
Description	Fiber Select
Weight	32 oz 1,085 g/m ²
Thickness	0.312 in 7.92 mm
Density	8.5 lb/ft ³ 136 kg/m ³
Square Yards Per Roll	40

Corridor Broadloom Cushion

Style	134FS
Description	DoubleStick
Weight	34 oz 1,153 g/m ²
Thickness	0.3125 in 7.94 mm
Density	8.5 lb/ft ³ 136 kg/m ³
Square Yards Per Roll	40

Guestroom / Corridor Carpet Tile Cushion

Style	DW205
Description	DuraWorx [®]
Weight	47 oz 1,593 g/m ²
Thickness	0.20 in 5.08 mm
Density	19 lb/ft ³ 304 kg/m ³
Square Yards Per Roll	30

Guestroom Broadloom + LVT Cushion

Inset Area Rug @ Lobby Cushion

Style	CU034
Description	CushionWorx [®]
Weight	40 lbs/roll 18.14 kg/roll
Thickness	0.125 in 3.18 mm
Density	4.0 lb/ft ³ 64 kg/m ³
Square Yards Per Roll	105.6



Additional Product Options

Broadloom Adhesive

Style	H1000
Description	Shaw 1000 4 gal
Spread Rate	8-10 sy per gal

Carpet Tile Adhesive

Style	H5000
Description	Shaw 5000 4 gal
Spread Rate	28-33 sy per gal

LVT Adhesive

Style	027VS	012VS
Description	Shaw 4100 1 gal	Shaw 4100 4 gal
Spread Rate	175-225 sf per gal	175-225 sf per gal

Seam Sealer

Style	H4000
Description	Shaw 4000 1 qt
Spread Rate	550-600 lf per qt

Cove Base Adhesive

Style	166VS	141VS
Description	Cove Base Adhesive 1 gal	Cove Base Adhesive 12 30-oz tubes per box
Spread Rate	240 lf per gallon	55-60 lf per tube

LokSeam for Transitionless LVT to Broadloom & Inset Area Rug Applications

Style	LOKSE
Description	LokSeam Moisture Impervious Seam Sealer
Includes	LokSeam Kit: Dispensing Applicator, (2) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1.3 lb Replacement Kit: (3) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1 lb. Replacement Applicator: 0.5 lb

