

FLOORING STANDARDS

Avid an IHG Hotel

ACCOUNT MANAGER

Kari Lewis

kari.lewis@shawcontract.com

770.468.6237

CUSTOMER SERVICE

Courtnei Cartwright

shaw.ihg@shawinc.com

706.217.3454

VP STRATEGIC ACCOUNTS

Desiree Perkins

desiree.perkins@shawcontract.com

404.452.3055

ShawContract[®]
hospitality



Why Shaw Contract Hospitality?

- By selecting materials that are sustainably sourced, long-lasting and free of harmful chemicals, hotels can assure guests that their values matter. Shaw Contract Hospitality offers a portfolio of products that satisfy the most stringent sustainability certifications.
- An entire team dedicated to customizing your hospitality project, including design services, visualization, estimating, and install seaming diagrams
- Single point of contact for order entry/monitoring, shipment tracking and expediting, technical services, risk mitigation and problem resolution
- Tailored stocking program based on your forecasting to ensure availability of your standard products and rapid service/reduced lead times

Our Sustainability Story

Everyone should have access to sustainable products for the places where we heal, learn, rest and work. Our brand vision, Smarter Impact, is our call to action to share insights and solutions that help you act on your power for positive change, especially when it comes to making sustainable choices.

Our view of sustainability encompasses not only the environmental health of our products and our operations, but also how our products impact human experience. For more than 20 years, Shaw Contract Hospitality has demonstrated our commitment to the Cradle to Cradle® design philosophy and the Cradle to Cradle Certified™ Products Program. More than 90% of the products we manufacture have achieved this prestigious multi-attribute certification, protecting humans and the environment.



Attributes

- Guest comfort and experience
- High-traffic durability
- Housekeeping support and cleanliness
- Improved acoustics
- Reduced renovation downtime
- Welcoming, customized design

Product Breadth


- Area Rugs
- Broadloom
- Carpet Tile
- Hardwood
- LVT
- Sheet
- Bio-based Resilient
- COREtec® Resilient
- Accessories





Guestroom LVT | REG-LVT01.1

Style	BS102
Color	00500
Construction	Commercial Luxury Vinyl Tile with Fiberglass
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5.0 mm
Nominal Dimensions	9 in × 59 in 23 cm × 150 cm
Actual Dimensions	9.25 in × 59.25 in 23.50 cm × 150.50 cm
Installation	Direct Glue, Floating or Perimeter Glue
Approved Install Method	Stagger
Area Per Box	22.84 sq ft 6 pcs per box
Warranty	15 Year Commercial Limited



For sample, order BS102 color 00500.

Elevator Cab style BS243 | color 00500.



Lobby | REP-RG02.1.2

Style	BS021
Color	Z314D
Product Type	Area Rug*
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	5 ft × 13 ft 1.5 m × 4 m
Backing	Ultraloc®
Installation	Loose Lay on Hard Surface
Warranty	1 Year Commercial Limited

For sample, order BS021 color Z314D.

*Note: Binding color option 578, surge color option 5384D




Lounge | REP-RG01.1.2

Style	BS022
Color	Z317D
Product Type	Area Rug*
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	11 ft 10 in × 11 ft 10 in 3.61 m × 3.61 m
Backing	Ultraloc®
Installation	Loose Lay on Hard Surface
Warranty	1 Year Commercial Limited



*Note: Binding color option 578, surge color option 5384D

For sample, order BS022 color Z317D.



Corridor | REP-CPT01.1.2


Style	BS018
Color	Y169R
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72 in × 240 in 1.83 m × 6.1 m
Backing	ClassicBac® PC
Installation	Direct Glue
Warranty	10 Year Commercial Limited

For sample, order BS018 color Y169R.




Corridor Elevator Lobby | REP-CPT03.1.2

Style	BS019
Color	Z909G
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	144 in × 265.6 in 3.66 m × 6.75 m
Backing	ClassicBac® PC
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS019 color Z909G.




- Corridor Elevator Lobby
- Corridor Transition
- Corridor

Additional Product Options

Corridor Transition | REP-CPT02.1.2


Style	BS165
Color	Y085S
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	72.0 in × 156.8 in 1.83 m × 3.98 m
Backing	ClassicBac® PC
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS165 color Y085S.

Corridor Carpet Base | REP-CB01.1.1.2

Style	BS020
Color	Y085S
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1220.64 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	4 in
Backing	Ultraloc®
Installation	Direct Glue
Warranty	1 Year Commercial Limited



For sample, order BS020 color Y085S.

Additional Product Options

Stairwell | REP-CPT04.1.2


Style	BS132
Color	34512 adrift
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Graphic Loop
Tufted Weight	30.0 oz/yd ² 1017.2 g/m ²
Gauge	1/8 in 31.5 per 10 cm
Stitches	12 per in 48 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	None
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS132 color 34512.

BOH Office | REP-CPT05.1.2

Style	BS134
Color	27585 gleam
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Graphic Loop
Tufted Weight	24.0 oz/yd ² 813.8 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 41 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	0.593 in × 0.781 in 1.51 cm × 1.98 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited




For sample, order BS134 color 27585.

Additional Product Options

Guestroom + Public Space Vinyl Base | REG-RB01.1.3/REP-RB01.1.3

Style	BS564
Color	00740
Product Type	4.5 in Angle Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimension	4.5 in x 96 in
Warranty	5 Year Commercial Limited
Linear ft per roll Pieces per roll	48 6



For sample, order BS564 color 00740.

BOH Vinyl Base | REP-RB04.1.3


Style	BS565
Color	00740
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimension	4 in x 1440 in
Warranty	5 Year Commercial Limited
Linear ft per roll Pieces per roll	120 1



For sample, order BS565 color 00740.

Fitness Center Vinyl Base | REP-RB05.1.3

Style	BS566
Color	00001
Product Type	4.5 in Angle Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimension	4.5 in x 96 in
Warranty	5 Year Commercial Limited
Linear ft per roll Pieces per roll	48 6



For sample, order BS566 color 00001.

Additional Product Options

Optional Guestroom LVT Underlayment

Style	Groundworks 087VS
Thickness	0.05 in 1.4 mm
Roll Size	100 sq ft 9.29 sq m
Roll Weight	13 lbs 5.9 kg

Broadloom Adhesive

Style	H1000
Description	Shaw 1000 4 gal
Spread Rate	8-10 sy per gal

LVT Adhesive

Style	012VS
Description	Shaw 4100 4 gal
Spread Rate	175-225 sf per gal

Seam Sealer

Style	H4000
Description	Shaw 4000 1 qt
Spread Rate	550-600 lf per qt

