

FLOORING STANDARDS

Hampton Inn by Hilton Confident Scheme

ACCOUNT MANAGER

Rodney Baumgardner

rodney.baumgardner@shawcontract.com
901.355.6521

CUSTOMER SERVICE

Natashia Kernea

natashia.kernea@shawinc.com
706.217.3440

VP STRATEGIC ACCOUNTS

Desiree Perkins

desiree.perkins@shawcontract.com
404.452.3055

ShawContract[®]
hospitality



Our Sustainability Story

Everyone should have access to sustainable products for the places where we heal, learn, rest and work. Our brand vision, Smarter Impact, is our call to action to share insights and solutions that help you act on your power for positive change, especially when it comes to making sustainable choices.

Our view of sustainability encompasses not only the environmental health of our products and our operations, but also how our products impact human experience. For more than 20 years, Shaw Contract Hospitality has demonstrated our commitment to the Cradle to Cradle® design philosophy and the Cradle to Cradle Certified™ Products Program. More than 90% of the products we manufacture have achieved this prestigious multi-attribute certification, protecting humans and the environment.



Declare.

EPD®



Attributes

- Guest comfort and experience
- High-traffic durability
- Housekeeping support and cleanliness
- Improved acoustics
- Reduced renovation downtime
- Welcoming, customized design

Why Shaw Contract Hospitality?

- By selecting materials that are sustainably sourced, long-lasting and free of harmful chemicals, hotels can assure guests that their values matter. Shaw Contract Hospitality offers a portfolio of products that satisfy the most stringent sustainability certifications.
- An entire team dedicated to customizing your hospitality project, including design services, visualization, estimating, and install seaming diagrams
- Single point of contact for order entry/monitoring, shipment tracking and expediting, technical services, risk mitigation and problem resolution
- Tailored stocking program based on your forecasting to ensure availability of your standard products and rapid service/reduced lead times

Product Breadth


- Area Rugs
- Broadloom
- Carpet Tile
- Hardwood
- LVT
- Sheet
- Bio-based Resilient
- COREtec® Resilient
- Accessories





Guestroom | C-01

Style	BS008
Color	Y123H
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	21.0 oz/yd ² 712.04 g/m ²
Gauge	1/12 in 47.2 per 10 cm
Stitches	9.67 per in 38.07 per 10 cm
Size	9 in × 36 in 22.86 cm × 91.44 cm
Backing	Ecologix® (Attached Cushion)
Approved Install Method	Brick
Warranty	Lifetime Commercial Limited



For sample, order BS008 color Y123H.



Guestroom | C-01 ALT 1

Style	BS007—15' BS355—12'
Color	Y859N
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32.0 oz/yd ² 1,085.0 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10.83 per in 42.64 per 10 cm
Size	15 ft 4.57 m 12 ft 3.66 m
Pattern Repeat	72 in × 72 in 1.83 m × 1.83 m
Backing	Classicbac®
Installation	Stretch In
Warranty	10 Year Commercial Limited




For sample, order BS007 color Y859N.



Lobby & Breakfast Area | C-10

Style	BS013
Color	Y295K
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	42 in × 35.2 in 106.68 cm × 89.41 cm
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited




For sample, order BS013 color Y295K.



Lobby + Breakfast Area | C-10 ALT 1

Style	BS131
Color	Y822Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	45 in × 35.2 in 114.3 × 89.41 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	20 Year Commercial Limited




For sample, order BS131 color Y822Z.



Lobby + Breakfast Area | C-10 ALT 2

Style	BS024
Color	Y081Y
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1,017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited




For sample, order BS024 color Y081Y.



Corridor | C-11

Style	BS011
Color	Y134H
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90.0 in × 140.8 in 2.29 m × 3.58 m
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited




For sample, order BS011 color Y134H.




Elevator Lobby and/or Overlook | C-11 Ele

Style	BS012
Color	48094
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Soluton Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90.0 in × 83.2 in 2.29 m × 2.11 m
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited




For sample, order BS012 color 48094.





Corridor | C-11 ALT 1

Style	BS043
Color	Y821Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 140.8 in 2.29 m × 3.58 m
Backing	Classicbac®
Installation	Direct Glue
Warranty	20 Year Commercial Limited



For sample, order BS043 color Y821Z.





Elevator Lobby and/or Overlook | C-11 Ele ALT 1

Style	BS044
Color	Y432Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90.0 in × 83.2 in 2.29 m × 2.11 m
Backing	ClassicBac®
Installation	Direct Glue
Warranty	20 Year Commercial Limited



For sample, order BS044 color Y432Z.




Corridor & Elevator Lobby | C-11 ALT 2

Style	BS025
Color	Y079Y
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd² 1,017.17 g/m²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited


For sample, order BS025 color Y079Y.

Elevator Lobby and/or Overlook style BS025 | color Y079Y



Corridor | C-11 ALT 2

- Elevator Lobby
- Overlook
- Corridor



Meeting Room | C-12


Style	BS010
Color	Y129H
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36.0 oz/yd² 1,220.6 g/m²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 39 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 87 in 2.29 m × 2.21 m
Backing	Ultraloc®
Installation	Direct Glue
Warranty	Lifetime Commercial Limited

For sample, order BS010 color Y129H.



Meeting Room | C-12 ALT 1

Style	BS045
Color	Y430Z
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Dye Injection Print
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	36.0 oz/yd ² 1,220.6 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	11 per in 44 per 10 cm
Size	15 ft 4.57 m
Pattern Repeat	90 in × 87 in 2.29 m × 2.20 m
Backing	Classicbac®
Installation	Direct Glue
Warranty	20 Year Commercial Limited




For sample, order BS045 color Y430Z.



Meeting Room | C-12 ALT 2

Style	BS023
Color	Y080Y
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30.0 oz/yd ² 1,017.17 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	9.33 per in 36.73 per 10 cm
Size	24 in × 24 in 60.96 cm × 60.96 cm
Backing	Ecologix® (Attached Cushion)
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited




For sample, order BS023 color Y080Y.



Back of House | C-13

Style	BS324
Color	11760
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Cut/Loop
Tufted Weight	32.0 oz/yd ² 1085.0 g/m ²
Gauge	1/10 inch 39.4 per 10 cm
Stitches	12 per inch 47 per 10 cm
Size	12 ft 3.66 m
Pattern Repeat	12 in x 18 in 30.48 cm x 45.72 cm
Backing	Classicbac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited




For sample, order BS324 color 11760.



Back of House | C-13 ALT 1

Style	BS116
Color	86535
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Pattern Loop
Tufted Weight	16.0 oz/yd ² 542.49 g/m ²
Gauge	1/10 in 39.4 per 10 cm
Stitches	10 per in 41 per 10 cm
Size	24 in x 24 in 60.96 cm x 60.96 cm
Backing	Ecworx® Tile
Installation	Direct Glue
Approved Install Method	Ashlar, Brick, Monolithic, Quarter Turn
Warranty	Lifetime Commercial Limited




For sample, order BS116 color 86535.



Employee Lounge | LVT-10

Style	BS122
Color	84405
Construction	Commercial Luxury Vinyl Tile
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.098 in 2.5 mm
Nominal Dimensions	12 in × 24 in 30 cm × 61 cm
Actual Dimensions	12 in × 24 in 30.48 cm × 60.96 cm
Area Per Box	36 sq ft 18 pcs
Installation	Direct Glue
Approved Install Method	Ashlar
Warranty	15 Year Commercial Limited



For sample, order BS122 color 84405.

Additional Product Options

4" Carpet Base | B-12 – Corridor + Meeting Room

Style	BS118
Color	32583
Product Type	Broadloom
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS118 color 32583.

Guestroom, Lobby, Meeting Room, Corridor, Fitness & BOH Vinyl Base | B-01, B-10, B-11

Style	BS533
Color	00550
Product Type	4.5 in Vinyl Base
Construction	TPR (Thermoplastic Rubber)
Actual Dimensions	96 in length × 4.5 in width
Linear Ft Per Box	48
Pieces Per Box	6
Warranty	5 Year Commercial Limited



For sample, order BS533 color 00550.

Cushion – Guestroom

Style	BS119
Weight	32.0 oz
Thickness	0.312 in
Density	8.5 lbs
Square Yards Per Roll	40

For sample, order BS119.

Cushion – Public Space + Corridor

Style	BS120
Weight	47.0 oz
Thickness	0.20 in
Density	19 lbs
Square Yards Per Roll	30

For sample, order BS120.

Additional Product Options

4" Carpet Base – Guestroom Dark Option

Style	BS121
Color	50992
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS121 color 50992.

4" Carpet Base – Guestroom Light Option

Style	BS380
Color	32583
Dye Method	100% Piece Dyed
Construction	Solid Cut Pile
Size	12 ft



For sample, order BS380 color 32583.

Additional Product Options

Broadloom Adhesive

Style	H1000
Description	LokWorx+ Broadloom Adhesive 4 gallon pail
Spread Rate	8-10 sy per gallon

Carpet Tile Adhesive

Style	N5000
Description	LokWorx+ Carpet Tile Adhesive 4 gallon pail
Spread Rate	28-33 sy per gallon

Seam Sealer

Style	H4000
Description	Shaw 4000 1 quart
Spread Rate	550-600 lf per quart

LVT Adhesive

Style	109VS
Description	Shaw 200 4 gallon pail
Spread Rate	175-225 sf per gallon

Cove Base Adhesive (Tube)

Style	141VS
Description	Cove base adhesive 30 oz per tube 12 tubes per box
Spread Rate	55-60 lf per tube

Cove Base Adhesive

Style	166VS
Description	Cove base adhesive 1 gallon pail
Spread Rate	240 lf per gallon

