

FLOORING STANDARDS

**Rise and Shine**  
City Scheme



**Comfort**<sup>TM</sup>  
**INN**







## Guestroom LVT | LVT-001A

<b>Style</b>	BS463
<b>Color</b>	63121
<b>Construction</b>	Commercial Luxury Vinyl Tile with Acoustic Backing
<b>Wear Layer Thickness</b>	20 mil   0.02 in   0.51 mm
<b>Overall Thickness</b>	0.197 in   5 mm
<b>Nominal Dimensions</b>	6 in × 48 in   15 cm × 122 cm
<b>Actual Dimensions</b>	6 in × 48 in   15.24 cm × 121.92 cm
<b>Installation</b>	Direct Glue*
<b>Approved Install Method</b>	Stagger
<b>Area Per Box</b>	20 sq ft   10 pcs per box
<b>Warranty</b>	15 Year Commercial Limited

For sample, order BS463 color 63121.

\*No LVT underlayment required.





## Guestroom Broadloom | CPT-001A

Style	BS444
Color	A8588
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd <sup>2</sup>   1,085.01 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	11.33 per in   44.61 per 10 cm
Size	12 ft   3.66 m
Pattern Repeat	36 in × 36 in   91.44 cm × 91.44 cm
Backing	ClassicBac®
Installation	Stretch-In
Warranty	10 Year Commercial Limited



For sample, order BS444 color A8588.





## Guestroom Broadloom + LVT | CPT-001A

<b>Style</b>	BS444
<b>Color</b>	A8588
<b>Product Type</b>	Broadloom
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	32 oz/yd <sup>2</sup>   1,085.01 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	11.33 per in   44.61 per 10 cm
<b>Size</b>	12 ft   3.66 m
<b>Pattern Repeat</b>	36 in × 36 in   91.44 cm × 91.44 cm
<b>Backing</b>	ClassicBac®
<b>Installation</b>	Direct Glue*
<b>Warranty</b>	10 Year Commercial Limited

For sample, order BS444 color A8588.

\*Use LokSeam for Transitionless LVT to Broadloom Applications.

\*Carpet cushion required.





## Guestroom Carpet Tile | CPT-002A

Style	BS451
Color	B0597
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	10 per in   39.37 per 10 cm
Size	24 in × 24 in   60.96 cm × 60.96 cm
Backing	EcoWorx® Tile
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited



For sample, order BS451 color B0597.





For sample, order BS451 color B0597.

## Guestroom Carpet Tile + LVT | CPT-002A

<b>Style</b>	BS451
<b>Color</b>	B0597
<b>Product Type</b>	Carpet Tile
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	10 per in   39.37 per 10 cm
<b>Size</b>	24 in × 24 in   60.96 cm × 60.96 cm
<b>Backing</b>	EcoWorx® Tile
<b>Installation</b>	Direct Glue*
<b>Approved Install Method</b>	Quarter Turn
<b>Warranty</b>	Lifetime Commercial Limited

\*No transitions needed.




City Scheme



## Corridor Broadloom | CPT-010A

Style	BS445
Color	A6886
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	36 oz/yd <sup>2</sup>   1,220.64 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	13.67 per in   53.82 per 10 cm
Size	12 ft   3.66 m
Pattern Repeat	72 in × 72 in   182.88 cm × 182.88 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited




For sample, order BS445 color A6886.




City Scheme

Corridor Broadloom








## Corridor Carpet Tile | CPT-011A

<b>Style</b>	BS462
<b>Color</b>	B1374
<b>Product Type</b>	Carpet Tile
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	11.33 per in   44.61 per 10 cm
<b>Size</b>	24 in × 24 in   60.96 cm × 60.96 cm
<b>Backing</b>	EcoWorx® Tile
<b>Installation</b>	Direct Glue
<b>Approved Install Method</b>	Quarter Turn
<b>Warranty</b>	Lifetime Commercial Limited




For sample, order BS462 color B1374.



City Scheme

Corridor Carpet Tile





City Scheme






## Inset Area Rug @ Lobby | CPT-020A

14'11" × 21'

<b>Style</b>	BS446
<b>Color</b>	A7867
<b>Product Type</b>	Area Rug
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	36 oz/yd <sup>2</sup>   1,220.64 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	14 per in   55.12 per 10 cm
<b>Size</b>	14 ft 11 in × 21 ft   4.55 m × 6.4 m
<b>Pattern Repeat</b>	180 in × 180 in   457.2 cm × 457.2 cm
<b>Backing</b>	ClassicBac®
<b>Installation</b>	Direct Glue*
<b>Warranty</b>	10 Year Commercial Limited

\*Use LokSeam for Transitionless Inset Area Rug Applications.

\*Carpet cushion required.



For sample, order BS446 color A7867.

## Public Space LVT | LVT-002A

<b>Style</b>	BS464
<b>Color</b>	00775
<b>Construction</b>	Commercial Luxury Vinyl Tile
<b>Wear Layer Thickness</b>	20 mil   0.02 in   0.51 mm
<b>Overall Thickness</b>	0.197 in   5.0 mm
<b>Nominal Dimensions</b>	6 in × 48 in   15 cm × 122 cm
<b>Actual Dimensions</b>	5.96 in × 48 in   15.14 cm × 121.92 cm
<b>Installation</b>	Direct Glue
<b>Approved Install Method</b>	Stagger
<b>Area Per Box</b>	21.85 sq ft   11 pcs per box
<b>Warranty</b>	15 Year Commercial Limited



For sample, order BS464 color 00775.



## City Scheme



### BOH & Stairs Broadloom | CPT-021A

Style	BS444
Color	A8588
Product Type	Broadloom
Fiber	Eco Solution Q® Nylon
Dye Method	100% Solution Dyed
Construction	Multi-Level Loop Tip Shear
Tufted Weight	32 oz/yd <sup>2</sup>   1,085.01 g/m <sup>2</sup>
Gauge	1/10 in   39.37 per 10 cm
Stitches	11.33 per in   44.61 per 10 cm
Size	12 ft   3.66 m
Pattern Repeat	36 in × 36 in   91.44 cm × 91.44 cm
Backing	ClassicBac®
Installation	Direct Glue
Warranty	10 Year Commercial Limited



For sample, order BS444 color A8588.





## BOH & Stairs Carpet Tile | CPT-022A

<b>Style</b>	BS451
<b>Color</b>	B0597
<b>Product Type</b>	Carpet Tile
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	30 oz/yd <sup>2</sup>   1,017.2 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	10 per in   39.37 per 10 cm
<b>Size</b>	24 in × 24 in   60.96 cm × 60.96 cm
<b>Backing</b>	EcoWorx® Tile
<b>Installation</b>	Direct Glue
<b>Approved Install Method</b>	Quarter Turn
<b>Warranty</b>	Lifetime Commercial Limited

For sample, order BS451 color B0597.





## Meeting Room New Construction | LVT-002A

Style	BS464
Color	00775
Construction	Commercial Luxury Vinyl Tile
Wear Layer Thickness	20 mil   0.02 in   0.51 mm
Overall Thickness	0.197 in   5.0 mm
Nominal Dimensions	6 in × 48 in   15 cm × 122 cm
Actual Dimensions	5.96 in × 48 in   15.14 cm × 121.92 cm
Installation	Direct Glue
Approved Install Method	Stagger
Area Per Box	21.85 sq ft   11 pcs per box
Warranty	15 Year Commercial Limited



For sample, order BS464 color 00775.





## Meeting Room Renovation | CPT-023A

<b>Style</b>	BS446
<b>Color</b>	A7867
<b>Product Type</b>	Broadloom
<b>Fiber</b>	Eco Solution Q® Nylon
<b>Dye Method</b>	100% Solution Dyed
<b>Construction</b>	Multi-Level Loop Tip Shear
<b>Tufted Weight</b>	36 oz/yd <sup>2</sup>   1,220.64 g/m <sup>2</sup>
<b>Gauge</b>	1/10 in   39.37 per 10 cm
<b>Stitches</b>	14 per in   55.12 per 10 cm
<b>Size</b>	15 ft   4.57 m
<b>Pattern Repeat</b>	180 in × 180 in   457.2 cm × 457.2 cm
<b>Backing</b>	ClassicBac®
<b>Installation</b>	Direct Glue
<b>Warranty</b>	10 Year Commercial Limited

For sample, order BS446 color A7867.

## Additional Product Options

---

### Guestroom Vinyl Base | RB-01

---

Style	BS468
Color	00740
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll   Pieces Per Roll	120   1
Warranty	5 Year Commercial Limited



For sample, order BS468 color 00740.

### Corridor Vinyl Base | RB-02

---

Style	BS469
Color	00510
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll   Pieces Per Roll	120   1
Warranty	5 Year Commercial Limited



For sample, order BS469 color 00510.

### Lobby Vinyl Base | RB-03

---

Style	BS470
Color	00710
Product Type	4 in Vinyl Base
Construction	Thermoplastic Rubber (TPR)
Actual Dimensions	1440 in × 4 in width
Linear ft Per Roll   Pieces Per Roll	120   1
Warranty	5 Year Commercial Limited



For sample, order BS470 color 00710.



## Additional Product Options

---

### Guestroom Broadloom Cushion | CPAD-001

---

Style	132FS
Description	Fiber Select
Weight	32 oz   1,085 g/m <sup>2</sup>
Thickness	0.312 in   7.92 mm
Density	8.5 lb/ft <sup>3</sup>   136 kg/m <sup>3</sup>
Square Yards Per Roll	40

### Corridor Broadloom Cushion

---

Style	134FS
Description	DoubleStick
Weight	34 oz   1,153 g/m <sup>2</sup>
Thickness	0.3125 in   7.94 mm
Density	8.5 lb/ft <sup>3</sup>   136 kg/m <sup>3</sup>
Square Yards Per Roll	40

### Guestroom / Corridor Carpet Tile Cushion

---

Style	DW205
Description	DuraWorx®
Weight	47 oz   1,593 g/m <sup>2</sup>
Thickness	0.20 in   5.08 mm
Density	19 lb/ft <sup>3</sup>   304 kg/m <sup>3</sup>
Square Yards Per Roll	30

### Guestroom Broadloom + LVT Cushion

#### Inset Area Rug @ Lobby Cushion

---

Style	CU034
Description	CushionWorx®
Weight	40 lbs/roll   18.14 kg/roll
Thickness	0.125 in   3.18 mm
Density	4.0 lb/ft <sup>3</sup>   64 kg/m <sup>3</sup>
Square Yards Per Roll	105.6



## Additional Product Options

---

### Broadloom Adhesive

---

Style	H1000
Description	Shaw 1000   4 gal
Spread Rate	8-10 sy per gal

### Carpet Tile Adhesive

---

Style	H5000
Description	Shaw 5000   4 gal
Spread Rate	28-33 sy per gal

### LVT Adhesive

---

Style	027VS	012VS
Description	Shaw 4100   1 gal	Shaw 4100   4 gal
Spread Rate	175-225 sf per gal	175-225 sf per gal

### Seam Sealer

---

Style	H4000
Description	Shaw 4000   1 qt
Spread Rate	550-600 lf per qt

### Cove Base Adhesive

---

Style	166VS	141VS
Description	Cove Base Adhesive   1 gal	Cove Base Adhesive   12 30-oz tubes per box
Spread Rate	240 lf per gallon	55-60 lf per tube

### LokSeam for Transitionless LVT to Broadloom & Inset Area Rug Applications

---

Style	LOKSE
Description	LokSeam Moisture Impervious Seam Sealer
Includes	<b>LokSeam Kit:</b> Dispensing Applicator, (2) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1.3 lb <b>Replacement Kit:</b> (3) 50 ml Seam Sealer Cartridges each foil packaged with 5 mixers (applicator tips) 1 lb. <b>Replacement Applicator:</b> 0.5 lb

## NOTES

**NOTES**





